3

5

## **Quinti**®

LEVEL Lounge armchair with generous, comfortable and essential shapes. Entirely cold foamed - processing that makes it a product of high manufacture - in the four-spokes base version is equipped with a refined mechanism that allows the inclination in four different positions with controls entirely placed under the seat, in other words, nothing more levers on the sides but only elegant buttons easily manoeuvrable. Available in two different heights and with a framework (gold or black).

1 2



4

6









- 1 . Medium backrest armchair with golf or black frame: L. 78 / P. 71 / H. 94  $\,$
- 2 . High backrest armchair with golf or black frame: L. 78 / P. 81 / H. 108
- 3. Medium backrest armchair 4 spokes base (aluminium or back): L. 78 / P. 71 / H. 94
- 4. High backrest armchair 4 spokes base (aluminium or back): L. 78 / P. 81 / H. 108
- 5. High backrest armchair with headrest: L. 78 / P. 82 / H. 117/128 46/47 (4 spokes base)
- 6. 4-legs pouf: L. 57 / P. 48 / H. 43

# **Quinti®**

## **DIMENSIONS**



## **STRUCTURE**

LEVEL is available in two heights and two types of bases:

- 4 spoke swivel base in polished aluminum or black painted on feet
- 4 legs with gold or black metal painted truss

## STRUCTURE AND PADDING

Level is totally made of polyurethane foamed rubber with thickness from 4 to 9 cm and 55 gr/lt density. Inside the backrest a metal skeleton supports the structure, the seat has Synchron Active Plus Mechanism integrated underneath the seat that allows the tilt mechanism, the gas lift and 4 lockable positions of the seat when assembled on the swivel base.

## Also available with fireproof rubbers. Certified 1IM



## **ACCESSORIES**

Ottoman with truss base in gold or black metal painted



#### **COATING**

LASER CATEGORY 2

560 gr/mtl 100% Polyester FR Class 1

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m

83% PVC 17%Synthetic

Class 1

30.000 +/- 10% Maltindale cycles

JET CATEGORY 3

365+/- 5% g/lin.m 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ONE RECICLED CATEGORY 3

525 gr/mt2

100% recycled poliester

CLASS 1IM 100.000 CYCLES

ERA CATEGORY 3

448 gr/mtl 100% Trevira CS

Class 1UNI EN ISO 354:2003 100.000 +/- 10% Maltindale cycles

CHILI CATEGORY 3

470 gr/mtl

100% post-consumer recycled polyester Class1 - 60.000 +/- Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2 Surface 100% POLYURETHANE, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

LYRA CATEGORY 3

550 g/lin.m 100% Polyester Class 1

60.000 +/- 10% Maltindale cycles

MELANGE CATEGORY 3

390 g/lin.m 100% Trevira CS Class 1

80.000 +/- 10% Maltindale cycles

VELOURS CATEGORY 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% Maltindale cycles

ECOPELLE SISTEMA PRO CATEGORY 3

710 g/lin.m

93% PVC 7% polyester

Class 1

100.000 +/- 10% Maltindale cycles

COCOON CATEGORY 5

980 gr/mtl

43% viscose 33% cotton 24% li-pl 35.000 +/- 10% Maltindale cycles

LANA

**CATEGORY 5** 

500 gr/mt2 75% wool, 25% polyamide

Class 1

100.000 Maltindale cycles

GLAMOUR CATEGORY 5

700 g/lin.m

100% Polyester Recycled

EN 1021-1/2

80.000 % Maltindale cycles

PELLE

CATEGORY 5/6

620 g/lin.m 100% Cowhide Class 1, EN 1021-1/2

VELLUTO DECONTRACTE'
CATEGORY 7

590 g/lin.m

19% CO, 61% PC,10% PL, 10%VI 40.000 % Maltindale cycles PREMIUM /ELEGANCE

**CATEGORY 7** 

100% Cowhide Primo fiore Thickness 1,2/1,4 mm EN1021-1/2

STEELCUT TRIO

770 g/lin.m

90% New wool worsted, 10% Nylon

Class 1, EN 1021-1/2

100.000 % Maltindale cycles

BOUCLET CATEGORY 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2

50.000 % Maltindale cycles

MERIT

**CATEGORY 8** 

500g/lin.m

76% Polyester Recycled

24% Polyester

EN 1021-1/2

85.000 % Maltindale cycles

VELLUTO

CATEGORY 8

600 g/lin.m

100.000 % PL Flame retardant

PELLE SETA CATEGORY 8

100% Cowhide THICKNESS1,8-2 mm First flower TANNING WITH ANILINE

EN1021-1/2

ZERO CATEGORY 8

750g/lin.m

65% CO, 20% PAN, 15% PES 70.000 % Maltindale cycles



## **USAGE AND CARE**

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

#### **FABRICS**

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

#### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

### **METALS**

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth o deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.