


LOFT X modular system of armchairs and sofas. Each element consists of seat and back, with and without armrest, it is carefully upholstered and can be installed on the base with sound-absorbing panels, structure with metal armrests or a simple metal base.





COMPOUND ELEMENTS



- | | |
|--|----------------------------|
| 1 . Unique seater ottoman | L 75 P 75 H 44 |
| 2 . Single armchair with steel armrests | L 82/75 P 75/60 H 78/44 |
| 3 . Single armchair high sides without armrests | L 81/75 P 75/60 H 139/44 |
| 4 . 2 seater bench | L 150 P 75 H 44 |
| 5 . 2 seater sofa with steel armrests | L 157/150 P 75/60 H 78/44 |
| 6 . 2 seater sofa with upholstered armrests | L 150/120 P 75/60 H 78/44 |
| 7 . 2 seater sofa high sides without armrests | L 156/150 P 75/60 H 139/44 |
| 8 . 2 seater sofa high sides upholstered armrests | L 156/120 P 75/60 H 139/44 |
| 9 . 3 seater bench | L 225 P 75 H 44 |
| 10 . 3 seater sofa with steel armrests | L 232/225 P 75/60 H 78/44 |
| 11 . 3 seater sofa with upholstered armrests | L 225/195 P 75/60 H 78/44 |
| 12 . 2 seater sofa high sides without armrests | L 231/225 P 75/60 H 139/44 |
| 13 . 2 seater sofa high sides upholstered armrests | L 231/195 P 75/60 H 139/44 |

COMPOUND SINGOLAR ELEMENTS





ARMRESTS

Loft X is available

- Without armrests
- With steel open armrests
- With upholstered armrests



ACCESSORIES

1

2

3



1. Upholstered intermediate armrest applied to the structure by means of 2 black or white painted metal supports.
2. Final armrest upholstered and covered applied to the structure through 2 metal supports painted black or white.
3. Connecting panel complete with fixed table in trapezoidal Rovere Corrado melamine to facilitate access. Fixed leg in white or black painted elliptical tubular metal

ELECTRIFICATION

On the central or final armrest it is possible to apply the PICKR electrical wiring system with 2 USB 5V sockets



STRUCTURE AND PADDING

The internal structure of LOFT X is entirely made of wood, equipped with elastic straps to increase the comfort of the seat, and adequately upholstered with variable density tires. Vertical panels made with wood core external upholstery in polyurethane rubber 15mm thick and coated.

Also available with fireproof tires 1IM approved

BASE

The structure is in steel dim 50x30 mm painted black or white.
The legs are made of tubular steel painted black or white diam 22 mm



UPHOLSTERIES

LASER
CATEGORY 2
560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% Martindale cycles

ECOPELLE
CATEGORY 2
630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Martindale cycles

JET
CATEGORY 3
365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% Martindale cycles

ONE RECICLED
CATEGORY 3
525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 CYCLES

ERA
CATEGORY 3
448 gr/mtl
100% Trevira CS
Class 1UNI EN ISO 354:2003
100.000 +/- 10% Martindale cycles

CHILI
CATEGORY 3
470 gr/mtl
100% post-consumer recycled polyester
Class 1 - 60.000 +/- Martindale cycles

ECOPELLE SOUL
CATEGORY 3
760 gr/mt2
SURFACE 100% POLYURETHANE,
Base Polyester 85%, 17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

LYRA
CATEGORY 3
550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Martindale cycles

MELANGE
CATEGORY 3
390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

VELOURS
CATEGORY 3
611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Martindale cycles

COCOON
CATEGORY 5
980 gr/mtl
43% viscosa 33% cotone 24% li-pl
35.000 +/- 10% Martindale cycles

LANA
CATEGORY 5
500 gr/mt2
75% wool, 25% polyamide
Class 1
100.000 Martindale cycles

GLAMOUR
CATEGORY 5
700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % Martindale cycles

LEATHER
CATEGORY 5/6
620 g/lin.m
100% cow leather
Class 1, EN 1021-1/2

VELLUTO DECONTRACTE'
CATEGORY 7
590 g/lin.m
19% CO, 61% PC, 10% PL, 10%VI
40.000 % Martindale cycles

PREMIUM /ELEGANCE
CATEGORY 7
100% Grained cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO
CATEGORY 7
770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % Martindale cycles

BOUCLET
CATEGORY 7
860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Martindale cycles

MERIT
CATEGORY 8
500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % Martindale cycles

VELLUTO
CATEGORY 8
600 g/lin.m
100.000 % PL Flame retardant

LEATHER SETA
CATEGORY 8
100% Leather bovina THICKNESS1,8-2 mm
Grained cow leather aniline tannage
EN1021-1/2

ZERO
CATEGORY 8
750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Martindale cycles

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.