



Fully upholstered and upholstered armchair system in all colours of Quinti Colours System.

All Quinti products are guaranteed 5 years, and are entirely handmade in Italy.

Armchair cockpit of the collection Quinti made entirely of polyurethane cold foam. Available in two versions: foldable open sides tablet

All hinges are made of die-cast aluminum.

The back is made of cold foamed intermante metal, and at the top are applied elastic bands that make the posture comfortable and cozy

The armchair is composed of 2 sides, a back and a seat, easily resealable on itself. The chair stays standing even when closed.

The chair is equipped with feet, the version wheels/ feet/ suction cups.

Quinti is a guarantee of Made in Italy, certificate no. 290.058.V.

### Seat & backrest

Both the seat and the back are made of metal, completely cold foamed. In the upper part of the backrest are applied elastic bands that make the posture comfortable and welcoming.

## **ACCESORIES**

- - Hook for row mounting
- - Hook for fitting row with tablet
- Cart for armchairs 5PZ.
- Fixed feet with suction cups












# **DIMENSIONS**





## **UPHOLSTERIES**

LASER CATEGORY 2

560 gr/mtl 100% Polyester FR

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m 83% PVC 17% Synthetic

30.000 +/- 10% Maltindale cycles

JET

**CATEGORY 3** 

365+/- 5% g/lin.m 100% Polyester FR Class 1

80.000+/- 10% Maltindale cycles

ONE RECICLED CATEGORY 3

525 gr/mt2 100% recycled poliester CLASS 1IM 100.000 CYCLES

ERA CATEGORY 3

448 gr/mtl 100% Trevira CS Class 1UNI EN ISO 354:2003

100.000 +/- 10% Maltindale cycles

CHILI CATEGORY 3 470 gr/mtl

100% post-consumer recycled polyester Class1 - 60.000 +/- Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2 SURFACE 100% POLYURETHANE, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

LYRA CATEGORY 3

550 g/lin.m 100% Polyester Class 1

60.000 +/- 10% Maltindale cycles

MELANGE CATEGORY 3

390 g/lin.m 100% Trevira CS

80.000 +/- 10% cycles Martindale

VELOURS CATEGORY 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% Maltindale cycles

COCOON CATEGORY 5

980 gr/mtl

43% viscosa 33% cotone 24% li-pl 35.000 +/- 10% Maltindale cycles

LANA
CATEGORY 5

500 gr/mt2 75% wool, 25% polyamide Class 1

100.000 Maltindale cycles

GLAMOUR CATEGORY 5

700 g/lin.m 100% Polyester Recycled EN 1021-1/2

80.000 % Maltindale cycles

LEATHER CATEGORY 5/6

620 g/lin.m 100% cow leather Class 1, EN 1021-1/2

VELLUTO DECONTRACTE'
CATEGORY 7

590 g/lin.m 19% CO, 61% PC,10% PL, 10%VI 40.000 % Maltindale cycles

PREMIUM /ELEGANCE CATEGORY 7

100% Grained cow leather Thickness 1,2/1,4 mm EN1021-1/2 STEELCUT TRIO CATEGORY 7

770 g/lin.m 90% New wool worsted, 10% Nylon

Class 1, EN 1021-1/2 100.000 % Maltindale cycles

BOUCLET CATEGORY 7

860 g/lin.m 40% PC, 25%PL,20%VI, 15% CO Class 1. EN 1021-1/2

50.000 % Maltindale cycles

MERIT CATEGORY 8

500g/lin.m 76% Polyester Recycled 24% Polyester EN 1021-1/2 85.000 % Maltindale cycles

VELLUTO CATEGORY 8

600 g/lin.m 100.000 % PL Flame retardant

LEATHER SETA CATEGORY 8

100% Leather bovina THICKNESS1,8-2 mm Grained cow leather aniline tannage

EN1021-1/2

ZERO CATEGORY 8

750g/lin.m 65% CO, 20% PAN, 15% PES 70.000 % Maltindale cycles



#### **USE AND MAINTENANCE**

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

#### **FABRICS**

Cleaning: see the maintenance and washing tips in the fabric tab of the color chart. Use: it is recommended to pay attention to use as it is can be torn or cut.

### **LEATHERS**

Cleaning: wipe with a wet white cloth soaked in water only. Use quality products for cleaning the skin carefully following the instructions of the manufacturer of the cleaning product. In case of doubt, it is advisable to test the product on a part hidden from view to verify the result, waiting at least 24 hours for any problems.

USE: remember that the skin is a delicate material therefore it is recommended to take care during use.

### WOODS

Cleaning: wipe with a damp, soft cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquid substances or other residues to avoid absorption.

Use: wood surfaces, being a natural material, could, over time, undergo color changes with the use and exposure to light. Remember that wood cannot withstand direct heat sources on the surface.

### **METALS**

Cleaning: Both steel or aluminium metal surfaces and painted surfaces must be cleaned with a soft, damp cloth soaked in hot water. For stubborn stains it is possible to dilute liquid neutral soap in water in moderation. Always dry after cleaning with a soft cloth or deerskin. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other aggressive detergents. Not recommended to use abrasive pastes, scouring pads and abrasive sponges that can scratch metal surfaces.

Use: pay attention to food stains such as coffee, cola, fruit juices that can leave indelible stains on the surfaces

### WARRANTY

QUINTI guarantees that the products will maintain their characteristics for 6 years from delivery, save normal wear and tear and provided that they are used according to the indications provided. QUINTI will replace without charge any product found not to comply with this guarantee, without bearing any other liability whatsoever. The warranty does not apply to components, external accessories or materials supplied by the buyer and applied to the products for the purpose of customization. For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.