

GINEVRA

Quinti®

GINEVRA refined armchair perfect for collective spaces, residential rooms and hotels.

1



2



3




4



5



DIMENSIONS



STRUCTURE

The 4 legs structure is entirely made of tubular metal with 20mm diameter.
The revolving version with 4 rays is made of tubular metal with a conical section.

The structures are available in the varnished variants "Maserati dark brown", gold or in the satin nickel version.

STRUCTURE AND STUFFING

The seat and backrest are created with an internal metal structure completed with elastic belts which increase the comfort. The whole structure is covered by variable-density polyurethane foam.

It is also available the version with fire-retardant rubbers, **certified 1IM**.



LASER
CATEGORY 2
560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% Maltindale cycles

ECOPELLE
CATEGORY 2

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

JET
CATEGORY 3
365 +/- 5% g/lin.m
100% Polyester FR
Class 1
80.000 +/- 10% Maltindale cycles

ONE RECICLED
CATEGORY 3
525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 CYCLES

ERA
CATEGORY 3
448 gr/mtl
100% Trevira CS
Class 1UNI EN ISO 354:2003
100.000 +/- 10% Maltindale cycles

CHILI
CATEGORY 3
470 gr/mtl
100% post-consumer recycled polyester
Class1 - 60.000 +/- Maltindale cycles

ECOPELLE SOUL
CATEGORY 3
760 gr/mt2
SURFACE 100% POLYURETHANE,
Base Polyester 85%, 17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

LYRA
CATEGORY 3
550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

MELANGE
CATEGORY 3
390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% cycles Martindale

VELOURS
CATEGORY 3
611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

COCOON
CATEGORY 5
980 gr/mtl
43% viscose 33% cotone 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA
CATEGORY 5
500 gr/mt2
75% wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR
CATEGORY 5
700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % Maltindale cycles

LEATHER
CATEGORY 5/6
620 g/lin.m
100% cow leather
Class 1, EN 1021-1/2

VELLUTO DECONTRACTE'
CATEGORY 7
590 g/lin.m
19% CO, 61% PC, 10% PL, 10%VI
40.000 % Maltindale cycles

PREMIUM /ELEGANCE
CATEGORY 7
100% Grained cow leather
Thickness 1,2/1,4 mm
EN1021-1/2

STEELCUT TRIO
CATEGORY 7
770 g/lin.m
90% New wool worsted, 10% Nylon
Class 1, EN 1021-1/2
100.000 % Maltindale cycles

BOUCLET
CATEGORY 7
860 g/lin.m
40% PC, 25%PL, 20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

MERIT
CATEGORY 8
500g/lin.m
76% Polyester Recycled
24% Polyester
EN 1021-1/2
85.000 % Maltindale cycles

VELLUTO
CATEGORY 8
600 g/lin.m
100.000 % PL Flame retardant

LEATHER SETA
CATEGORY 8
100% Leather bovina THICKNESS1,8-2 mm
Grained cow leather aniline tannage
EN1021-1/2

ZERO
CATEGORY 8
750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

USAGE AND CARE

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.