

ARWA armchair designed for classical and modern spaces, characterized by researched and elegant materials for a timeless result.

1



2



3



4



5



6



1. Armchair with armrests 4 metal legs
2. Armchair with armrests 4 wooden legs
3. Armchair with armrests 4 spokes metal swivel base
- 4 . Armchair no armrests 4 metal legs
- 5 . Armchair no armrests 4 wooden legs
- 6 . Stool 4 metal legs

L58/45 P 60/46 H78/47  
L58/45 P 60/46 H78/47  
L70/45 P 70/45 H78/47  
L52/43 P 62/46 H83/47  
L52/43 P 62/46 H83/47  
L52/43 P 62/46 H100/75 or 92/65

## FRAME

---

4 metal legs dim. 15\*30 mm, available finishes:

- Black painted
- Quinti colours painted (min 10 pz)

4 wooden legs

- Natural wooden finish
- Moka wooden finish

4 metal legs dim. 15\*30 mm with footrest, available finishes:

- Black painted
- Quinti colours painted (min 10 pz)

Two heights available: 75 cm and 65 cm.



## INNER FRAME AND PADDING

---

Inner structure in wood and injected foam.  
Elastic straps in the seat to grant the highest comfort.

**1IM certified**

## ACCESSORIES

---



METAL FEET

**UPHOLSTERIES**

---

**LASER  
CATEGORY 2**

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000 +/- 10% Maltindale cycles

**ECOPELLE  
CATEGORY 2**

630 g/lin.m  
83% PVC 17% Synthetic  
Class 1  
30.000 +/- 10% Maltindale cycles

**JET  
CATEGORY 3**

365 +/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000 +/- 10% Maltindale cycles

**ONE REICLED  
CATEGORY 3**

525 gr/mt2  
100% recycled poliester  
CLASS 1IM  
100.000 CYCLES

**ERA  
CATEGORY 3**

448 gr/mtl  
100% Trevira CS  
Class 1UNI EN ISO 354:2003  
100.000 +/- 10% Maltindale cycles

**CHILI  
CATEGORY 3**

470 gr/mtl  
100% post-consumer recycled polyester  
Class1 - 60.000 +/- Maltindale cycles

**ECOPELLE SOUL  
CATEGORY 3**

760 gr/mt2  
SURFACE 100% POLYURETHANE,  
Base Polyester 85%, 17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

**LYRA  
CATEGORY 3**

550 g/lin.m  
100% Polyester  
Class 1  
60.000 +/- 10% Maltindale cycles

**MELANGE  
CATEGORY 3**

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% cycles Martindale

**VELOURS  
CATEGORY 3**

611 gr/mtl  
100% Polyester  
Oeko test  
50.000 +/- 10% Maltindale cycles

**COCOON  
CATEGORY 5**

980 gr/mtl  
43% viscosa 33% cotone 24% li-pl  
35.000 +/- 10% Maltindale cycles

**LANA  
CATEGORY 5**

500 gr/mt2  
75% wool, 25% polyamide  
Class 1  
100.000 Maltindale cycles

**GLAMOUR  
CATEGORY 5**

700 g/lin.m  
100% Polyester Recycled  
EN 1021-1/2  
80.000 % Maltindale cycles

**LEATHER  
CATEGORY 5/6**

620 g/lin.m  
100% cow leather  
Class 1, EN 1021-1/2

**VELLUTO DECONTRACTE'  
CATEGORY 7**

590 g/lin.m  
19% CO, 61% PC, 10% PL, 10%VI  
40.000 % Maltindale cycles

**PREMIUM /ELEGANCE  
CATEGORY 7**

100% Grained cow leather  
Thickness 1,2/1,4 mm  
EN1021-1/2

**STEELCUT TRIO  
CATEGORY 7**

770 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % Maltindale cycles

**BOUCLET  
CATEGORY 7**

860 g/lin.m  
40% PC, 25%PL, 20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % Maltindale cycles

**MERIT  
CATEGORY 8**

500g/lin.m  
76% Polyester Recycled  
24% Polyester  
EN 1021-1/2  
85.000 % Maltindale cycles

**VELLUTO  
CATEGORY 8**

600 g/lin.m  
100.000 % PL Flame retardant

**LEATHER SETA  
CATEGORY 8**

100% Leather bovina THICKNESS1,8-2 mm  
Grained cow leather aniline tannage  
EN1021-1/2

**ZERO  
CATEGORY 8**

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % Maltindale cycles

---

**USAGE AND CARE**

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

#### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

#### LEATHERS

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

#### WOODS

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

#### METALS

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

### **WARRANTY**

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.