

# RUDY STRIPES 2.0

# Quinti

The Rudy model is composed of a monocoque in wood covered available in multiple bases that make it versatile and able to integrate in any environment.



## STRUCTURE

- 4-leg chromed or painted metal frame diam. 16 mm
- Black
- Quinti colors

- Black painted metal tube diam. 11 mm with nylon feet
- 4-leg chromed metal frame diam. 16 mm with armrests
- 4-chromed metal frame diam. 16 mm with armrests and black polypropylene writing table
- 4-spoke "Leggera" polished aluminium base on castors or on feet
- 4-spoke aluminum tube-shaped base on castors
- 4 painted metal legs diam 16 mm, stool version
- Black
- Quinti colors

Height adjustable stool with round base and chromed footrest ring (black gas lift)

## PADDING

# RUDY STRIPES 2.0

# Quinti

Wooden monoshell with a special bend to enhance the comfort.  
Entirely upholstered and padded with injected foam thickness 2 cm.  
Special horizontal stitches  
The stool is made with a low backrest shell.  
All versions are available with 11M fire-retardant certification.

## DIMENSIONS



4 GAMBE METALLO  
4 METAL LEGS  
4 PIEDS EN MÉTAL  
L 51/44  
P 55/41  
H 75/45



4 GAMBE METALLO  
4 METAL LEGS  
4 PIEDS EN MÉTAL  
L 53/44  
P 55/41  
H 79/46



4 GAMBE METALLO  
4 METAL LEGS  
4 PIEDS EN MÉTAL  
L 53/44  
P 55/41  
H 79/46



BASE IN FILO  
ROD STEEL FRAME  
BASE EN FIL  
L 51/44  
P 55/41  
H 75/45



4 RAZZE  
4 SPOKES  
4 BRANCHES  
L 70/44  
P 70/41  
H 76/43



4 RAZZE LEGGERA  
LEGGERA 4 SPOKES  
LEGGERA 4 BRANCHES  
L 70/44  
P 70/41  
HT 74/86 HS 43/55



SGABELLO  
STOOL  
TABOURET  
L 46/41  
P 51/41  
H 96/75



SGABELLO GIREVOLE  
SWIVEL STOOL  
TABOURET PIVOTANT  
L 47/43  
P 53/40  
H 111/75

## ACCESSORIES



Chromed or black/white painted metal tube armrests  
Chromed or black/white painted metal tube armrests with natural or moka wooden finish

## UPHOLSTERIES

---

### LASER

#### CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000+/- 10% Martindale cycles

### ECOPELLE

#### CATEGORY 2

630 g/lin.m  
83% PVC 17% Synthetic  
Class 1  
30.000 +/- 10% Martindale cycles

### JET

#### CATEGORY 3

365+/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000+/- 10% Martindale cycles

### ONE RECICLED

#### CATEGORY 3

525 gr/mt2  
100% recycled poliester  
CLASS 1IM  
100.000 CYCLES

### ERA

#### CATEGORY 3

448 gr/mtl  
100% Trevira CS  
Class 1 UNI EN ISO 354:2003  
100.000 +/- 10% Martindale cycles

### CHILI

#### CATEGORY 3

470 gr/mtl  
100% post-consumer recycled polyester  
Class 1 - 60.000 +/- Martindale cycles

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
SURFACE 100% POLYURETHANE,  
Base Polyester 85%, 17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### LYRA

#### CATEGORY 3

550 g/lin.m  
100% Polyester  
Class 1  
60.000 +/- 10% Martindale cycles

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% cycles Martindale

### VELOURS

#### CATEGORY 3

611 gr/mtl  
100% Polyester  
Oeko test  
50.000 +/- 10% Martindale cycles

### COCOON

#### CATEGORY 5

980 gr/mtl  
43% viscosa 33% cotone 24% li-pl  
35.000 +/- 10% Martindale cycles

### LANA

#### CATEGORY 5

500 gr/mt2  
75% wool, 25% polyamide  
Class 1  
100.000 Martindale cycles

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Polyester Recycled  
EN 1021-1/2  
80.000 % Martindale cycles

### LEATHER

#### CATEGORY 5/6

620 g/lin.m  
100% cow leather  
Class 1, EN 1021-1/2

### VELLUTO DECONTRACTE'

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC, 10% PL, 10%VI  
40.000 % Martindale cycles

### PREMIUM /ELEGANCE

#### CATEGORY 7

100% Grained cow leather  
Thickness 1,2/1,4 mm  
EN1021-1/2

### STEELCUT TRIO

#### CATEGORY 7

770 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % Martindale cycles

### BOUCLET

#### CATEGORY 7

860 g/lin.m  
40% PC, 25%PL, 20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % Martindale cycles

### MERIT

#### CATEGORY 8

500g/lin.m  
76% Polyester Recycled  
24% Polyester  
EN 1021-1/2  
85.000 % Martindale cycles

### VELLUTO

#### CATEGORY 8

600 g/lin.m  
100.000 % PL Flame retardant

### LEATHER SETA

#### CATEGORY 8

100% Leather bovina THICKNESS 1,8-2 mm  
Grained cow leather aniline tannage  
EN1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % Martindale cycles

## USAGE AND CARE

---

For a proper maintenance of the products and to maintain unchanged the characteristics of the materials, we recommend to follow some very simple care instructions.

### **FABRICS**

Cleaning: check the dedicated selection written on the color Swatch card. Usage: it is recommended to pay attention to the fabrics as they can be easily cut or ripped.

### **LEATHERS**

Cleaning: clean with a white wet cloth with water. We recommend to use high quality products for the cleaning of the leather and to follow carefully the instructions of the manufacturer. In doubt, try out the product on a hidden part and wait at least 24 hours for the occurrence of any problems. Usage: remember that the leather is a delicate material therefore, it is recommended to pay particular attention while using.

### **WOODS**

Cleaning: clean with a soft and wet cloth with warm water. We always recommend to dry immediately after the cleaning process. All liquids or other residue must be removed in order to avoid the absorption. Usage: wooden surfaces, being a natural material, could be affected by an alteration of the color shade during time and use. We also remind that wooden surfaces cannot bear with high temperatures if placed directly on the wooden top.

### **METALS**

Cleaning: both steel or aluminum surfaces, and painted ones, must be cleaned with a soft and wet cloth with hot water. For the most persistent stains, a small amount of liquid soap diluted in water may be used. We always recommend to dry immediately with a soft cloth or a leather one after the cleaning process. Never using cleaning products for steel, chlorine, bleach or other strong detergents. It is not recommended to use abrasive creams, score pads and abrasive sponges that can scratch the metal surfaces. Usage: pay attention to the stains of food such as coffee, coke, fruit juices that can leave indelible marks on the surface.

### **WARRANTY**

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.