

# CLICK

# Quinti®



High-back operational chair from the Quinti collection.

The session largely exceeds the minimum requirements of Legislative Decree 626/94, and Legislative Decree 81.

This chair is in compliance with EN1335A and 1IM approved.

#### Base

1. Black polypropylene base "LOOP" [d. 600]
2. Polished aluminum base "LOOP" [d. 680]

#### Castors and feet

Double-tread with a diameter of 50 mm, standard [series] or wheeled, both can be free [standard] or self-braking.

#### Elevation

All the Quinti gas column comply with the DIN 4550 standard and pass the 4th level.

#### Mechanism

Synchron mechanism in black aluminum with seat height adjustment and synchronized seat backrest inclination adjustment with anti-shock system lockable in 2 positions. Adjustment of the swing tension by means of a knob placed under the seat.

#### Armrests

Available armrests:

1. Pair of fixed armrests in black polypropylene
2. Pair of height-adjustable nylon armrests
3. Pair of 3d armrests with polyurethane pad



#### Seat and backrest

**Seat.** Sedile: Realizzato con interno in multistrato di faggio FSC e sotto sedile in polipropilene nero. Imbottitura in Gomma poliuretana indeformabile spessore 50 mm. Rivestito e cucito a doppia cucitura.

**Backrest.** Available as standard in the goal net version, in the colors of the samples, it is equipped with adjustable lumbar support. The structure is in black or white polypropylene.

## UPHOLSTERIES

### LASER

#### CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000+/- 10% cycles Martindale

### ECOPELLE

#### CATEGORY 2

630 gr/mt2  
83% PVC, 17% Synthetic  
ISO 379-DIN75200-CSERF4/83 10%  
cycles Martindale

### JET

#### CATEGORY 3

365+/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000+/- 10% cycles Martindale

### ONE RECYCLED

#### CATEGORY 3

525 gr/mt2  
100% recycled polyester  
Base cotton 100%  
CLASS 1IM  
100.000 cycles Martindale

### ERA

#### CATEGORY 3

448 gr/mtl  
100% Trevira CS  
Class 1UNI EN ISO 354 :2003  
100.000 +/- 10% cycles Martindale

### CHILI

#### CATEGORY 3

470 gr/mtl  
100% post-consumer recycled polyester  
Classe1 - 60.000 +/- cycles Martindale

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
Superficies 100% POLYURETHANE,  
Base Polyester 85%,17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### LYRA

#### CATEGORIA 3

550 g/lin.m  
100% polyester  
Class 1  
60.000 +/- 10% cycles Martindale

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% cycles Martindale

### VELOURS

#### CATEGORY 3

100% Polyester.  
BASE: 100% Polyester  
EN 14465:2006  
CLASS 1

### ECOPELLE SISTEMA PRO

#### CATEGORY 3

710 gr/mt2  
Surface 93% PVC  
Base Polyester 28%  
CLASS1  
100.000 cycles Martindale

### COCOON

#### CATEGORY 5

43% Viscous 33% Cotton  
15% Linen 9% Polyester  
EN ISO 12945-2 EN ISO 12947-2  
Class 1

### WOOL

#### CATEGORY 5

500 gr/mt2  
75% Lana, 25% polyamide  
Class 1  
100.000 cycles Martindale

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Recycled Polyester  
EN 1021-1/2  
80.000 % cycles Martindale

### PELLE

#### CATEGORIA 5/6

620 g/lin.m  
100% Cow leather  
Class 1, EN 1021-1/2

### VELLUTO DECONTRACTE'

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC,10% PL, 10%VI  
40.000 % cycles Martindale

### PREMIUM /ELEGANCE

#### CATEGORY 7

100% Cow leather Thickness,8-2 mm  
Aniline treatment – First quality  
EN1021-1/2

### STEELCUT TRIO

#### CATEGORY 7

770 g/lin.m  
90% New wool worsted, 10% Nylon  
Class 1, EN 1021-1/2  
100.000 % cycles Martindale

### BOUCLET

#### CATEGORIA 7

860 g/lin.m  
40% PC, 25%PL,20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % cycles Martindale

### MERIT

#### CATEGORY 7

600 g/lin.m  
100.000 % PL Flame retardant

### VELLUTO

#### CATEGORIA 8

600 g/lin.m  
100.000 % PL Flame retardant

### PELLE SETA

#### CATEGORY 8

100% Cow leather Thickness,8-2 mm  
Crome treatment – First quality  
EN1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % cycles Martindale

## USAGE AND CARE

---

In order to have an optimal maintenance of the products and to preserve the characteristics of the materials by which they are made, it is recommended the following course of action.

### FABRICS

Cleaning: check the dedicated selection written on the color Swatch card.

Usage: it is recommended to pay careful attention to the fabrics as they can be cut or ripped easily.

### WOODS

Cleaning: clean using a soft cloth, soaked in tepid water. Dry always after the cleaning. Remove immediately any liquid substances or other residue in order to prevent the absorption.

Usage: wooden surfaces, being a natural material, might be subjected to color alterations with sun exposure and use over time. It is reminded that wooden surfaces cannot endure direct heat sources.

### METALS

Cleaning: both steel and aluminum surfaces, and the painted ones, have to be cleaned using a soft cloth soaked in tepid water. For the most persistent stains it is possible to dilute mild soap with water moderately. Dry always after the cleaning, using a soft cloth of deer-hide. Do not use cleaning products for steel, chlorine, bleach or other strong products. It is not recommended to use abrasive, scourers, which can scratch the metal surfaces.

Usage: pay attention to the food stains as coffee, coke, fruit juices that can make indelible marks on the surfaces.

### WARRANTY

QUINTI guarantees the products will maintain their properties for 6 years from delivery, except normal usury and provided that they will be used according to the guidelines given. QUINTI will replace, free of charge, any product found non-compliant with this warranty, without incurring any other liability of sort. Components, external accessories or materials supplied by the buyer and applied to the products in order to customize them will not be supported by the guarantee. For an optimal maintenance of the products and to keep unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

---