



Advanced managerial armchair with foam padded back.

Seat & Backrest

The backrest is padded in cold-foamed polyurethane rubber, duly coated and sewn with double stitching and adjustable in height with Up & Down rack.

The fully upholstered seat, sewn with double side stitching made of cold-foamed polyurethane 5 cm thick. The frontal anatomical shape has anti-stress function for the legs.

Armrests

4D adjustable armrests in black or white polypropylene with pad in soft polyurethane black.

Mechanic

Available with two types of mechanism:

- weight-activated synchronized mechanism integrated with the under-seat.
Adjustable height's seat and Regolazione altezza seduta e synchronized adjustment of the backrest/ seat inclination equipped with anti shock lockable in 4 positions. Seat shift. (All controls are integrated in the underseat with small levers.)
- Synchron mechanism with two levers.
Seat height adjustment and synchronised adjustment of the backrest/seat inclination equipped with anti Shock lockable in 4 positions. Back swing angle 20° seat swing 6.5° Tension adjustment
Oscillation by hand wheel. With or without Seat Shift.
The gas column complies with DIN 4550 and exceeds level 4

Base

Two types of bases:

"TREND" 5-spokes on polished aluminium wheels [d. 680 mm]
 "TREND" 5-spokes on black polypropylene wheels [d. 680 mm]

Standard castors in black nylon double tread with a diameter of 65 mm.



Measures	Seat's height	Total height	Width	Depth
cm	45/53	98/106	68/50	68/50

Disassemblability

All products have been designed in such a way that they can be disassembled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

Guarantee and safety

QUINTI guarantees that the products will keep their characteristics for 6 years from delivery, save normal wear and provided they are used according to the indications given. QUINTI will replace any product found not to comply with this warranty at no cost, without bearing any other responsibility. The application of the component warranty is excluded; external accessories or materials provided by the buyer and applied to products for the purpose of a customization of the same. For optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, Some simple attentions are required.

All the sessions offered are SAFE according to the provisions of the EU Regulation 2023/988, on general product safety (GPSR), reinforced by UNI EN certifications.

The company is not liable for misuse (Stand up or use products such as ladders and oscillations that could affect the operation and safety of the user. To lift or move the product, grasp firmly on the supporting structure. The product must not be subjected to decentralized loads, is designed to be used in normal standing conditions on 4 legs or on the base).

Use & Maintenance

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

THE TEXTILES

Cleaning: consult the recommendations for maintenance and washing given in the fabric sheet of the color chart. Use: It is recommended to pay attention to the use as it can be torn or cut.

THE LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather care products according to the manufacturer's instructions. In case of doubt, test the product on a part hidden from view to verify the result, waiting at least 24 hours for possible problems. Use: remember that the leather is a delicate material therefore it is recommended to take care during use.

THE METALS

Cleaning: both metal surfaces made of steel or aluminium, as well as painted surfaces, must be cleaned with a damp and soft cloth soaked in hot water. For the most stubborn stains, you can dilute liquid neutral soap in water with moderation. Always dry after cleaning with a soft cloth or deer leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and sponges that can scratch metal surfaces. Use: be careful of food stains such as coffee, cola, fruit juices that can leave indelible stains on surfaces.

LASER

GRADE 2

560 gr/mtl
100% Polyester FR
Classe 1
80.000+/- 10% cicli Maltindale

ECOPELLE

GRADE 2

630 g/lin.m
83% PVC 17% Synthetic
Classe 1
30.000 +/- 10% cicli Maltindale

JET

GRADE 3

365+/- 5% g/lin.m
100% Polyester FR
Classe 1
80.000+/- 10% cicli Maltindale

ONE RECICLED

GRADE 3

525 gr/mt2
100% recycled poliester
CLASSE 1IM
100.000 CICLI

LYRA

GRADE 3

550 g/lin.m
100% Polyester
Classe 1
60.000 +/- 10% cicli Maltindale

CHILI

GRADE 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- cicli Maltindale

DREAM

GRADE 3

375gr/mtl
100% Polyester solution dyed
melange bouclè effect
OEKO TEST
Classe1 - 100.000 +/- cicli Maltindale

MELANGE

GRADE 3

390 g/lin.m
100% Trevira CS
Classe 1
80.000 +/- 10% cicli Maltindale

Gabriel Mesh

510 g/lin.m
100% Poliestere
Classe 1
70.000 +/- 10% cicli Maltindale

VELOURS

GRADE 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL

GRADE 3

760 gr/mt2
Surface 100% POLIURETANO,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

GRADE 5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% cicli Maltindale

LANA

GRADE 5

500 gr/mt2
75% Wool, 25% polyamide
Classe 1
100.000 cicli Maltindale

GLAMOUR

GRADE 5

700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % cicli Maltindale

TECHNICOLOUR kvadrat

GRADE 5

430 g/lin. M
100% new English wool, worsted
80.000 % cicli Maltindale
Ecolabel
Classe 1

MAIN LINE camira

GRADE 5

437 g/lin.m
75% Virgin wool, 25% Linen
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

PELLE

GRADE 5/6

620 g/lin.m
100% Cowhide
Classe 1, EN 1021-1/2

NEW GOAL Mesh

350 g/lin.m
100% Poliestere
Classe 1
100.000 +/- 10% cicli Maltindale

PELLE PREMIUM UP/ELEGANCE

GRADE 7

100% first flower cowhide
Width 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

GRADE 7

437 g/lin.m
75% Virgin wool, 25% Linen
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

BOUCLET RUBELLI

GRADE 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Classe 1, EN 1021-1/2
50.000 % cicli Maltindale

VELLUTO DECONTRACTE' RUBELLI

GRADE 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10% VI
40.000 % cicli Maltindale

HORO RUBELLI

GRADE 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % cicli Maltindale

PELLE SETA

GRADE 8

100% Cowhide width1,8-2 mm
first-grain leather
EN1021-1/2

ZERO

GRADE 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % cicli Maltindale