



Managerial armchair with backrest covered with mesh breathable membrane.

Seat & Backrest

The backrest is made with a frame in black or white polypropylene that supports a breathable mesh membrane of 2 types:

- Gabriel 100% polyester - thickened membrane
- Goal New 100% polyester - Thickened membrane

Equipped with adjustable lumbar support in nylon height.

The fully upholstered seat, sewn with double side stitching made of 5 cm thick indeformable polyurethane rubber.

Optional: Padded and upholstered headrest adjustable in height and depth

Armrests

Armrests in black or white polypropylene with pad in soft polyurethane black adjustable height 3D



Mechanic

Synchron mechanism in black aluminium M12 [standard].

Seat height adjustment, synchronised seat back tilt adjustment with 4-position lockable anti-shock system. Back swing angle 20° seat swing 6.5°. Swing tension adjustment by front knob.

M12T Synchron mechanism with seat shift.

Seat height adjustment and synchronised adjustment of the backrest/seat inclination equipped with anti

Shock lockable in 4 positions. Back swing angle 20° seat swing 6.5°. Tension adjustment

Oscillation by means of a lever-mounted handwheel.

The gas column complies with DIN 4550 and exceeds level 4

Base

5-spokes "LOOP" on polished aluminium wheels [d. 680 mm]

5-spokes "LOOP" on black polypropylene wheels [d. 680 mm]

5-spokes "LOOP" on white polypropylene wheels [d. 680 mm]

Standard black nylon double tread wheels with 65 mm diameter.

Measures	Seat's height	Total height	Width	Depth
cm	46/54	104/112	68/50	68/47

Product's certificates



Disassemblability

All products have been designed in such a way that they can be disassembled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

Guarantee and safety

QUINTI guarantees that the products will keep their characteristics for 6 years from delivery, save normal wear and provided they are used according to the indications given. QUINTI will replace any product found not to comply with this warranty at no cost, without bearing any other responsibility. The application of the component warranty is excluded; external accessories or materials provided by the buyer and applied to products for the purpose of a customization of the same. For optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are required.

All the sessions offered are SAFE according to the provisions of the EU Regulation 2023/988, on general product safety (GPSR), reinforced by UNI EN certifications.

The company is not liable for misuse (Stand up or use products such as ladders and oscillations that could affect the operation and safety of the user. To lift or move the product, grasp firmly on the supporting structure. The product must not be subjected to decentralized loads, is designed to be used in normal standing conditions on 4 legs or on the base).

Use & Maintenance

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

THE TEXTILES

Cleaning: consult the recommendations for maintenance and washing given in the fabric sheet of the color chart. Use: It is recommended to pay attention to the use as it can be torn or cut.

THE LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather care products according to the manufacturer's instructions. In case of doubt, test the product on a part hidden from view to verify the result, waiting at least 24 hours for possible problems. Use: remember that the leather is a delicate material therefore it is recommended to take care during use.

THE METALS

Cleaning: both metal surfaces made of steel or aluminium, as well as painted surfaces, must be cleaned with a damp and soft cloth soaked in hot water. For the most stubborn stains, you can dilute liquid neutral soap in water with moderation. Always dry after cleaning with a soft cloth or deer leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and sponges that can scratch metal surfaces. Use: be careful of food stains such as coffee, cola, fruit juices that can leave indelible stains on surfaces.

LASER

GRADE 2

560 gr/mtl
100% Polyester FR
Classe 1
80.000 +/- 10% cicli Maltindale

ECOPELLE

GRADE 2

630 g/lin.m
83% PVC 17% Synthetic
Classe 1
30.000 +/- 10% cicli Maltindale

JET

GRADE 3

365 +/- 5% g/lin.m
100% Polyester FR
Classe 1
80.000 +/- 10% cicli Maltindale

ONE RECICLED

GRADE 3

525 gr/mt2
100% recycled poliester
CLASSE 1IM
100.000 CICLI

LYRA

GRADE 3

550 g/lin.m
100% Polyester
Classe 1
60.000 +/- 10% cicli Maltindale

CHILI

GRADE 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- cicli Maltindale

DREAM

GRADE 3

375gr/mtl
100% Polyester solution dyed
melange bouclè effect
OEKO TEST
Classe1 - 100.000 +/- cicli Maltindale

MELANGE

GRADE 3

390 g/lin.m
100% Trevira CS
Classe 1
80.000 +/- 10% cicli Maltindale

Gabriel Mesh

510 g/lin.m

100% Poliestere

Classe 1

70.000 +/- 10% cicli Maltindale

VELOURS

GRADE 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL

GRADE 3

760 gr/mt2
Surface 100% POLIURETANO,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

GRADE 5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% cicli Maltindale

LANA

GRADE 5

500 gr/mt2
75% Wool, 25% polyamide
Classe 1
100.000 cicli Maltindale

GLAMOUR

GRADE 5

700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % cicli Maltindale

TECHNICOLOUR kvadrat

GRADE 5

430 g/lin. M
100% new English wool, worsted
80.000 % cicli Maltindale
Ecolabel
Classe 1

MAIN LINE camira

GRADE 5

437 g/lin.m
75% Virgin wool, 25% Linen
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

PELLE

GRADE 5/6

620 g/lin.m
100% Cowhide
Classe 1, EN 1021-1/2

NEW GOAL Mesh

350 g/lin.m

100% Poliestere

Classe 1

100.000 +/- 10% cicli Maltindale

PELLE PREMIUM UP/ELEGANCE

GRADE 7

100% first flower cowhide
Width 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

GRADE 7

437 g/lin.m
75% Virgin wool, 25% Linen
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

BOUCLET RUBELLI

GRADE 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Classe 1, EN 1021-1/2
50.000 % cicli Maltindale

VELLUTO DECONTRACTE' RUBELLI

GRADE 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10% VI
40.000 % cicli Maltindale

HORO RUBELLI

GRADE 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % cicli Maltindale

PELLE SETA

GRADE 8

100% Cowhide width1,8-2 mm
first-grain leather
EN1021-1/2

ZERO

GRADE 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % cicli Maltindale