OLGA



Olga is a chair with a simple and retro pattern designed for contract spaces, but valuable also for residential.



FRAME

The frame is made of tubular metal with a diameter of 18 mm painted in all variants of the Quinti colors. The backrest is attached to the structure with retractable screws.

They are available with four-leg frame with and without armrests and stool

All standard structures mount are equipped with feet, optional adjustable feet with felt.

PADDING

Fixed chair with seat and back in beech plywood duly upholstered with non-deformable rubber density 30 thickness 3 cm. Also available with fire-retardant tires Approved 1IM

Also available with fire-resistant tires Approved 1IM

	Measures	Seat's height	Back's height	Width	Depth
-	cm	45	79	44-44	54-44
	cm	45	79	51-44	54-44
	cm	73	107	47-44	61-44



Juinti

Upholsteries

LASER **GRADE 2**

560 gr/mtl 100% Polyester FR

Classe 1

80.000+/- 10% cicli Maltindale

ECOPELLE GRADE 2

630 g/lin.m

83% PVC 17% Synthetic

Classe 1

30.000 +/- 10% cicli Maltindale

JET **GRADE 3**

 $365 + /\text{-} \ 5\% \ g/lin.m$ 100% Polyester FR

Classe 1

80.000+/- 10% cicli Maltindale

ONE RECICLED GRADE 3

525 gr/mt2 100% recycled poliester

CLASSE 1IM 100.000 CICLI

LYRA **GRADE 3** 550 g/lin.m

100% Polyester

Classe 1

60.000 +/- 10% cicli Maltindale

CHILI **GRADE 3** 470 gr/mtl

100% post-consumer recycled polyester

- 60.000 +/- cicli Maltindale

DREAM **GRADE 3**

375gr/mtl 100% Polyester solution dyed melange bouclè effect

OEKO TEST

Classe1 - 100.000 +/- cicli Maltindale

MELANGE **GRADE 3**

390 g/lin.m 100% Trevira CS Classe 1

80.000 +/- 10% cicli Maltindale

VELOURS GRADE 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL GRADE 3

760 gr/mt2

Surface 100% POLIURETANO, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

COCOON **GRADE 5**

980 gr/mtl

43% viscose 33% cotton 24% li-pl 35.000 +/- 10% cicli Maltindale

LANA **GRADE 5**

500 gr/mt2

75% Wool, 25% polyamide

Classe 1

100.000 cicli Maltindale

GLAMOUR **GRADE 5**

700 g/lin.m

100% Polyester Recycled

EN 1021-1/2

80.000 % cicli Maltindale

TECHNICOLOUR kwadrat

GRADE 5 430 g/lin. M

100% new English wool, worsted

80.000 % cicli Maltindale

Ecolabel Classe 1

MAIN LINE camira

GRADE 5 437 g/lin.m

75% Virgin wool, 25% Linen

Classe 1. Ecolabel 50.000 +/- cicli Maltindale

PELLE

620 g/lin.m 100% Cowhide Classe 1, EN 1021-1/2

GRADE 5/6

PELLE PREMIUM UP/ELEGANCE

GRADE 7

100% first flower cowhide Width 1,2/1,4 mm EN1021-1/2

MONOCHROME SETT camira

GRADE 7

437 g/lin.m

75% Virgin wool, 25% Linen

Classe 1, Ecolabel

50.000 +/- cicli Maltindale

BOUCLET RUBELLI GRADE 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Classe 1, EN 1021-1/2

50.000 % cicli Maltindale

VELLUTO DECONTRACTE' RUBELLI GRADE 7

590 g/lin.m

19% CO, 61% PC,10% PL, 10% VI

40.000 % cicli Maltindale

HORO RUBELLI

GRADE 7

495 g/lin.m

44%PL 29%CO 24%JU 3%PC

30.000 % cicli Maltindale

PELLE SETA

GRADE 8

100% Cowhide width1,8-2 mm

first-grain leather

EN1021-1/2

ZERO GRADE 8

750g/lin.m

65% CO, 20% PAN, 15% PES

70.000 % cicli Maltindale





Use & Maintenance

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

THE FARRICS

Cleaning: consult the recommendations for maintenance and washing given in the fabric sheet of the color chart. Use: It is recommended to pay attention to the use as it is can be torn or cut.

THE LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather care products according to the manufacturer's instructions. In case of doubt, test the product on a part hidden from view to verify the result, waiting at least 24 hours for possible problems. Use: remember that the leather is a delicate material therefore it is recommended to take care during use.

THE METALS

Cleaning: both metal surfaces made of steel or aluminium, as well as painted surfaces, must be cleaned with a damp and soft cloth soaked in hot water. For the most stubborn stains, you can dilute liquid neutral soap in water with moderation. Always dry after cleaning with a soft cloth or deer leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and sponges that can scratch metal surfaces. Use: be careful of food stains such as coffee, cola, fruit juices that can leave indelible stains on surfaces.

THE WOODS

Cleaning: Clean with a damp, soft cloth soaked in warm water. Always dry after cleaning. Remove any liquid or other residue immediately to prevent absorption.

Use: wood surfaces, being a natural material, may, over time, undergo color changes with use and exposure to light. Remember that wood cannot withstand direct heat sources on the Surface.

Guarantee and safety

QUINTI guarantees that the products will keep their characteristics for 6 years from delivery, save normal wear and provided they are used according to the indications given. QUINTI will replace any product found not to comply with this warranty at no cost, without bearing any other responsibility. The application of the component warranty is excluded; external accessories or materials provided by the buyer and applied to products for the purpose of a customization of the same. For optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, Some simple attentions are required.

All the sessions offered are SAFE according to the provisions of the EU Regulation 2023/988, on general product safety (GPSR), reinforced by UNI EN certifications.