Quinti



Advanced task chair made entirely of die-cast aluminum with back in mesh.

Seat & Backrest

Advanced task chair made entirely of die-cast aluminium available in a glossy or painted finish in the colours of the Metalli Quinti palette.

The back is made with a frame in chromed or painted aluminum that supports a cozy polyester net of three types:

- Spin 100% Trevira Comfortable mesh, more "textile" to the touch
- Spring 100% polyester Mesh with a more technical flavour
- Gabriel 100% polyester Thickened membrane

Equipped with lumbar support adjustment height in nylon or Dotato di supporto lombare regolabile in altezza in nylon or soft polyurethane

The fully upholstered seat, sewn with double side stitching made of cold-foamed polyurethane 5 cm thick. The frontal anatomical shape has anti-stress function for the legs. The seat is always equipped with a removable sliding seat.

Armrests

Fixed armrests in die-cast aluminium Fixed armrests in die-cast aluminium and coated pad Adjustable 3D armrests in black polypropylene with soft polyurethane pad with chromed aluminium profile



Quinti

Mechanism

That's it has a dedicated self-weighing mechanism integrated with the underseat.

Seat height adjustment and synchronised adjustment of the backrest/ seat inclination equipped with an anti-shock system that can be locked in 5 positions. Sliding seat.

All controls are integrated in the underseat with small levers.

The gas column complies with DIN 4550 and exceeds level 4

Base

The bases are the following:

"LIGHT" 5-spoke on polished aluminium wheels [d. 680 mm] "LEGGERA" 4-spoke on polished aluminium wheels [d. 680 mm]

Standard black nylon double tread wheels with 65 mm diameter.

Optional with the same fixing pin diameter 11mm:

Rubber wheels, black (R06) or grey with chrome housing (R07), Black rubber wheels and self-braking (R06A), Rubber "polo" wheels with central hole Black nylon feet (R08)



Measures	Seat height	Total height	Width	Depth
cm	42/53	103/115	68/49	68/48-56

Product's certificates



Disassemblability

All products have been designed in such a way that they can be disassembled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

Guarantee and safety

QUINTI guarantees that the products will keep their characteristics for 6 years from delivery, save normal wear and provided they are used according to the indications given. QUINTI will replace any product found not to comply with this warranty at no cost, without bearing any other responsibility. The application of the component warranty is excluded; external accessories or materials provided by the buyer and applied to products for the purpose of a customization of the same.For optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, Some simple attentions are required.

All the sessions offered are SAFE according to the provisions of the EU Regulation 2023/988, on general product safety (GPSR), reinforced by UNI EN certifications.

The company is not liable for misuse (Stand up or use products such as ladders and oscillations that could affect the operation and safety of the user. To lift or move the product, grasp firmly on the supporting structure. The product must not be subjected to decentralized loads, is designed to be used in normal standing conditions on 4 legs or on the base).

Use & Maintenance

For an optimal maintenance of the products and to maintain unchanged the characteristics of the materials with which they are made, some simple attentions are necessary.

THE TEXTILES

Cleaning: consult the recommendations for maintenance and washing given in the fabric sheet of the color chart. Use: It is recommended to pay attention to the use as it is can be torn or cut.

THE LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather care products according to the manufacturer's instructions. In case of doubt, test the product on a part hidden from view to verify the result, waiting at least 24 hours for possible problems. Use: remember that the leather is a delicate material therefore it is recommended to take care during use.

THE METALS

Cleaning: both metal surfaces made of steel or aluminium, as well as painted surfaces, must be cleaned with a damp and soft cloth soaked in hot water. For the most stubborn stains, you can dilute liquid neutral soap in water with moderation. Always dry after cleaning with a soft cloth or deer leather. Do not use creams and pastes to clean steel, do not use chlorine, do not use bleach and other aggressive detergents. It is not recommended to use abrasive pastes, scouring pads and sponges that can scratch metal surfaces. Use: be careful of food stains such as coffee, cola, fruit juices that can leave indelible stains on surfaces.

Upholsteries

LASER

GRADE 2 560 gr/mtl 100% Polyester FR Classe 1 80.000+/- 10% cicli Maltindale

ECOPELLE GRADE 2

630 g/lin.m 83% PVC 17%Synthetic Classe 1 30.000 +/- 10% cicli Maltindale

JET

GRADE 3 365+/- 5% g/lin.m 100% Polyester FR Classe 1 80.000+/- 10% cicli Maltindale

ONE RECICLED

GRADE 3 525 gr/mt2 100% recycled poliester CLASSE 1IM 100.000 CICLI

LYRA

GRADE 3 550 g/lin.m 100% Polyester Classe 1 60.000 +/- 10% cicli Maltindale

CHILI

GRADE 3 470 gr/mtl 100% post-consumer recycled polyester - 60.000 +/- cicli Maltindale

DREAM

GRADE 3 375gr/mtl 100% Polyester solution dyed melange bouclè effect OEKO TEST Classel - 100.000 +/- cicli Maltindale

MELANGE

GRADE 3 390 g/lin.m 100% Trevira CS Classe 1 80.000 +/- 10% cicli Maltindale

VELOURS GRADE 3 611 gr/mtl 100% Polyester Oeko test 50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL GRADE 3 760 gr/mt2 Surface 100% POLIURETANO, Base Polyester 85%,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

COCOON GRADE 5 980 gr/mtl 43% viscose 33% cotton 24% li-pl 35.000 +/- 10% cicli Maltindale

LANA GRADE 5 500 gr/mt2 75% Wool, 25% polyamide Classe 1 100.000 cicli Maltindale

GLAMOUR GRADE 5 700 g/lin.m 100% Polyester Recycled EN 1021-1/2 80.000 % cicli Maltindale

TECHNICOLOUR kvadrat

GRADE 5 430 g/lin. M 100% new English wool, worsted 80.000 % cicli Maltindale Ecolabel Classe 1

MAIN LINE camira

GRADE 5 437 g/lin.m 75% Virgin wool, 25% Linen Classe 1, Ecolabel 50.000 +/- cicli Maltindale

PELLE

GRADE 5/6 620 g/lin.m 100% Cowhide Classe 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE GRADE 7 100% first flower cowhide Width 1,2/1,4 mm EN1021-1/2

MONOCHROME SETT camira GRADE 7 437 g/lin.m 75% Virgin wool, 25% Linen Classe 1, Ecolabel 50.000 +/- cicli Maltindale

BOUCLET RUBELLI GRADE 7 860 g/lin.m 40% PC, 25%PL,20%VI, 15% CO Classe 1, EN 1021-1/2 50.000 % cicli Maltindale

VELLUTO DECONTRACTE' RUBELLI GRADE 7 590 g/lin.m 19% CO, 61% PC,10% PL, 10% VI 40.000 % cicli Maltindale

HORO RUBELLI GRADE 7 495 g/lin.m 44% PL 29% CO 24% JU 3% PC 30.000 % cicli Maltindale

PELLE SETA

GRADE 8 100% Cowhide width1,8-2 mm first-grain leather EN1021-1/2

ZERO

GRADE 8 750g/lin.m 65% CO, 20% PAN, 15% PES 70.000 % cicli Maltindale

Quinti