HIP



HIP is a new lounge chair suitable for offices and contract areas, with a tall, enveloping shape and comfortable armrests. The chair has a tablet tray in black or white painted metal, making it deal for creating a private corner in waiting areas.



BASE

Two types of bases are available:

- 1. Four-leg structure in 16 mm diameter tubular metal, painted black or white
- 2. Swivel base in chrome-plated or painted metal available on request

STRUCTURE AND UPHOLSTERY

The seat is made with an internal metal frame and cold-foamed polyurethane rubber.

The comfortable seat cushion is made of 70 density rubber, 15 cm thick.

The lumbar cushion increases comfort.

Also available with fireproofs tires 1IM approved.

ACCESSORIES

Steel armrest support, painted black or white

1



2



- 1 . Armchair with swivel base
- 2 . Armchair with 4-leg base

L. 95/60 - P. 69/57 - H. 110/47

L. 95/60 - P. 69/57 - H. 103/45





Upholsteries

LASER CATEGORY 2

560 gr/mtl 100% Polyester FR Class 1

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m

83% PVC 17%Synthetic

Class 1

30.000 +/- 10% Maltindale cycles

JET CATEGORY 3

365+/- 5% g/lin.m

100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ONE RECYCLED CATEGORY 3

525 gr/mt2 100% recycled poliester

CLASS 1IM

100.000 Cycles

LYRA CATEGORY 3

550 g/lin.m 100% Polyester

Class 1

60.000 +/- 10% Maltindale cycles

CHILI CATEGORY 3

470 gr/mtl

100% post-consumer recycled polyester

- 60.000 +/- Maltindale cycles

DREAM
CATEGORY 3

375gr/mtl 100% Mass.dyed polyester Bouclè effect melange

OEKO TEST

Class 1 - 100.000 +/- Maltindale cycles

MELANGE CATEGORY 3

390 g/lin.m 100% Trevira CS Class 1

80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2

Surface 100% Polyurethane, Base 85% polyester,17% Cotton EN1021-1/BS5852 PART 1 >100.000 EN ISO 5470-2

COCOON CATEGORY 5

980 gr/mtl

43% viscose 33% cotton 24% li-pl 35.000 +/- 10% Maltindale cycles

LANA CATEGORY 5

500 gr/mt2

75% Wool, 25% polyamide

Class 1

100.000 Maltindale cycles

GLAMOUR CATEGORY 5

700 g/lin.m 100% Recycled polyester

EN 1021-1/2

80.000 % Maltindale cycles

TECHNICOLOUR kvadrat
CATEGORY 5

430 g/lin. M

100% new English wool, worsted 80.000 % Maltindale cycles

Ecolabel

Class 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m

75% Virgin wool, 25% Linen

Class 1, Ecolabel

50.000 +/- Maltindale cycles

PELLE CATEGORY 5/6

620 g/lin.m

100% Cowhide leather Class 1, EN 1021-1/2 PELLE PREMIUM UP/ELEGANCE CATEGORY 7

100% Full-grain cowhide leather Thickness 1,2/1,4 mm EN1021-1/2

MONOCHROME SETT camira CATEGORY 7

437 g/lin.m

75% Virgin wool, 25% Linen

Class 1, Ecolabel

50.000 +/- Maltindale cycles

BOUCLET RUBELLI
CATEGORY 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2 50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI

CATEGORY 7

590 g/lin.m

19% CO, 61% PC,10% PL, 10%VI 40.000 % Maltindale cycles

HORO RUBELLI
CATEGORY 7

495 g/lin.m

44%PL 29%CO 24%JU 3%PC 30.000 % Maltindale cycles

PELLE SETA

100% Cowhide leather, THICKNESS 1,8-2 mm

First aniline Tanning

EN1021-1/2

ZERO CATEGORY 8

750g/lin.m

65% CO, 20% PAN, 15% PES 70.000 % Maltindale cycles HIP



Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary. All chairs offered are SAFE in accordance with EU Regulation 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristic of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: refer to the maintenance and washing recommendations in the fabric section of the color chart. Use: care should be taken when using this fabric as it can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, as well as painted surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as these may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaces, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.