

A generously proportioned armchair characterized by a large, enveloping backrest. Keira has an elegant and sophisticated appearance. Its essential and recognizable lines make it easy to use in private homes, restaurants, and hotels.



DIMENSIONS

Width 64/51 - Depth 57/50 - Height 79/48

STRUCTURE AND UPHOLSTERY

Fixed chair with internal structure, seat in padded beech plywood with 3 cm thick polyurethane foam and backrest in foam, suitably upholstered.

Also available with fireproof tires 11M approved.

16 mm diameter tubular metal frame with galvanized finish or epoxy powder coating.

Also available with 4 rubber wheels, ideal for meeting rooms.



The painted structure is available in the following colors: white, black, and all colors from the Quinti metal palette.

Upholsteries

**LASER
CATEGORY 2**

560 gr/mtl
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

**ECOPELLE
CATEGORY 2**

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

**JET
CATEGORY 3**

365+/- 5% g/lin.m
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

**ONE RECYCLED
CATEGORY 3**

525 gr/mt2
100% recycled polyester
CLASS IIM
100.000 Cycles

**LYRA
CATEGORY 3**

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

**CHILI
CATEGORY 3**

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- Maltindale cycles

**DREAM
CATEGORY 3**

375gr/mtl
100% Mass-dyed polyester
Bouclé effect melange
OEKO TEST
Class 1 - 100.000 +/- Maltindale cycles

**MELANGE
CATEGORY 3**

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

**VELOURS
CATEGORY 3**

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

**ECOPELLE SOUL
CATEGORY 3**

760 gr/mt2
Surface 100% Polyurethane,
Base 85% polyester, 17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

**COCOON
CATEGORY 5**

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

**LANA
CATEGORY 5**

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

**GLAMOUR
CATEGORY 5**

700 g/lin.m
100% Recycled polyester
EN 1021-1/2
80.000 % Maltindale cycles

**TECHNICOLOUR kvadrat
CATEGORY 5**

430 g/lin. M
100% new English wool, worsted
80.000 % Maltindale cycles
Ecolabel
Class 1

**MAIN LINE camira
CATEGORY 5**

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

**PELLE
CATEGORY 5/6**

620 g/lin.m
100% Cowhide leather
Class 1, EN 1021-1/2

**PELLE PREMIUM UP/ELEGANCE
CATEGORY 7**

100% Full-grain cowhide leather
Thickness 1,2/1,4 mm
EN1021-1/2

**MONOCHROME SETT camira
CATEGORY 7**

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

**BOUCLET RUBELLI
CATEGORY 7**

860 g/lin.m
40% PC, 25%PL, 20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

**VELLUTO DECONTRACTE' RUBELLI
CATEGORY 7**

590 g/lin.m
19% CO, 61% PC, 10% PL, 10%VI
40.000 % Maltindale cycles

**HORO RUBELLI
CATEGORY 7**

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % Maltindale cycles

**PELLE SETA
CATEGORY 8**

100% Cowhide leather, THICKNESS 1,8-2 mm
First Aniline Tanning
EN1021-1/2

**ZERO
CATEGORY 8**

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristic for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulation 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safe). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.