


Ergonomic and comfortable multifunction armchair with high quality standards.



DIMENSIONS



SEAT & BACKREST

Monocoque in exposed beech plywood or entirely padded and covered

ARMS & FRAME

4-legged structure in die-cast aluminum with noise-reducing rubber pads made with a section that allows “infinite” stackability. available with or without armrests.



BRIDGE

ACCESSORIES

- Aluminum armrest with black or HPL polypropylene tablet and panic joint.
- The alignment hook is made of chromed wire diam. 5 mm and is fixed with two nylon elements in the under seat. It allows alignment with both armrests with tablet and without and can be closed if not used to allow the seats to be stacked. Wheelbase between two chairs attached without armrests 65 cm.
- Chair trolley for storage.



Measures	Seat height	Total height	Width	Depth
cm	47	82	56-46	56-40



UPHOLSTERIES

LASER

CATEGORY 2

560 gr/mtl
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ECOPELLE

CATEGORY 2

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365+/- 5% g/lin.m
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ONE RECYCLED

CATEGORY 3

525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 Cycles

LYRA

CATEGORY 3

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- Maltindale cycles

DREAM

CATEGORY 3

375gr/mtl
100% Mass-dyed polyester
Bouclè effect melange
OEKO TEST
Class 1 - 100.000 +/- Maltindale cycles

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL

CATEGORY 3

760 gr/mt2
Surface 100% Polyurethane,
Base 85% polyester,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

CATEGORY 5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR

CATEGORY 5

700 g/lin.m
100% Recycled polyester
EN 1021-1/2
80.000 % Maltindale cycles

TECHNICOLOUR kvadrat

CATEGORY 5

430 g/lin. M
100% new English wool, worsted
80.000 % Maltindale cycles
Ecolabel
Class 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

PELLE

CATEGORY 5/6

620 g/lin.m
100% Cowhide eather
Class 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE

CATEGORY 7

100% Full-grain cowhide leather
Thickness 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

CATEGORY 7

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

BOUCLET RUBELLI

CATEGORY 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI

CATEGORY 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Maltindale cycles

HORO RUBELLI

CATEGORY 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % Maltindale cycles

PELLE SETA

CATEGORY 8

100% Cowhide leather, THICKNESS 1,8-2 mm
First Aniline Tanning
EN1021-1/2

ZERO

CATEGORY 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulations 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.

BRIDGE

Quinti®