BRIDGE UP



Bridge UP is the latest version of Quinti's armchair with a die-cast aluminum trestle frame. The wider backrest, curved and harmonious lines, and soft padding guarantee a higher level of comfort. Elegance and functionality come together to express themselves at their best in meeting rooms, executive offices, and residential workspaces. The armchair is available in a variety of finishes, including the new colors of the Quinti collection.



SEAT & BACKREST

Seats and backrests in fully upholstered and covered beech plywood.

ARMRESTS AND STRUCTURE

4-Leg structure in die-cast aluminum with noise-reducing rubber pads, designed with a section that allows stacking. Available with or without armrests.

ACCESSORIES

- Aluminum armrest with black polypropylene or HPL tray and anti-panic joint.
- The alignment hook is made of 5 mm diameter chrome-plated wire and is secured with two nylon elements under the seat. It allows alignment with or without armrests and can be folded away when not in use to allow the chairs to be stacked. The center distance between two chairs hooked together without armrests is 65 cm.
- Chair trolley for storage.







Measures	Seat height	Total height	Width	Depth
cm	47	82	56-46	56-40

BRIDGE UP

Quinti®

Upholsteries

LASER

CATEGORY 2

560 gr/mtl 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m

83% PVC 17% Synthetic

Class 1

30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365+/- 5% g/lin.m 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ONE RECYCLED CATEGORY 3

525 gr/mt2

100% recycled polyester

CLASS 1IM 100.000 CYCLES

LYRA

CATEGORY 3

550 g/lin.m 100% Polyester

Class 1

60.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl

100% post-consumer recycled polyester

- 60.000 +/- Maltindale cycles

DREAM

CATEGORY 3 375gr/mtl

100% Mass-dyed polyester

Bouclè effect Melange

OEKO TEST

Class 1 - 100.000 +/- Maltindale cycles

MELANGE

CATEGORY 3

390 g/lin.m 100% Trevira CS

Class 1

80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2

Surface 100% Polyurethane, Base 85% polyester,17% Cotton EN1021-1/BSS852 PART 1 >100.000 EN ISO 5470-2

COCOON

CATEGORY 5

980 gr/mtl

43% viscose 33% cotton, 24% li-pl 35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 gr/mt2

75% Lana, 25% polyamide

Class 1

100.000 Maltindale cycles

GLAMOUR

CATEGORY 5 700 g/lin.m

100% Recycled polyester

EN 1021-1/2

80.000 % Maltindale cycles

TECHNICOLOUR kvadrat

CATEGORY 5

430 g/lin. M

100% new English wool, worsted 80.000 % Maltindale cycles

Ecolabel Class 1

MAIN LINE camira

CATEGORY 5 437 g/lin.m

75% Virgin Wool, 25% Linen

Class 1. Ecolabel

50.000 +/- Maltindale cycles

PELLE

CATEGORY 5/6

620 g/lin.m

100% Cowhide leather Class 1, EN 1021-1/2 PELLE PREMIUM UP/ELEGANCE

CATEGORY 7

100% Full grain cowhide leather

Thickness 1,2/1,4 mm

EN1021-1/2

MONOCHROME SETT camira

CATEGORY 7

437 g/lin.m

75% Virgin wool, 25% Linen

Class 1, Ecolabel

50.000 +/- Maltindale cycles

BOUCLET RUBELLI

CATEGORY 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2

50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI CATEGORY 7

LATEGORY

590 g/lin.m

19% CO, 61% PC,10% PL, 10%VI 40.000 % Maltindale cycles

HORO RUBELLI

CATEGORY 7

495 g/lin.m

44%PL 29%CO 24%JU 3%PC 30.000 % Maltindale cycles

PELLE SETA

CATEGORY 8

100% Cowhide leather

Thickness 1,8-2 mm

First Aniline Tanning

EN1021-1/2

ZERO

CATEGORY 8 750g/lin.m

65% CO, 20% PAN, 15% PES

70.000 % Maltindale cycles

BRIDGE UP



Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulation 2023/988 on general products safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it, which could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: refer to the maintenance and washing recommendations in the fabric information sheet in the color chart.

Use: care should be taken when using this fabric as it can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise. Use: remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both metal surfaces in steel or aluminum and painted surfaces must be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of neutral liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as these may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave indelible marks on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: Wood surfaces, being a natural material may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.