
Quinti®

DEEP POLTRONCINA Design Archirivolto

DEEP HOSPITALITY is a visitor armchair with integrated armrests. Also ideal for meeting areas, waiting areas, restaurants.



DIMENSIONS



BASE

Various types of bases are available for this armchair:

- 1.4-legged structure in chromed or painted metal
- 2. Vintage model 4-legged steel structure
- 3.4-legged wooden structure (natural, moka, walnut or black)
- 4.4-spoke swivel base in wood (natural, mocha, walnut or black)
- 5.Base in black or gold painted d.12 steel wire
- 6.Base Shop 4 spokes on feet
- 7.4-spoke base Lightweight on feet or wheels (model R05)
- 8.Lightweight 5-spoke base in aluminum on wheels (R05)

DEEP POLTRONCINA Design Archirivolto





SEAT & BACKREST

Seat and backrest are entirely made of cold-foamed polyurethane rubber with an internal metal core

ARMS

The armchair is available both with and without integrated armrests in fully upholstered cold-foamed polyurethane.

ACCESSORIES

Double tread wheels with a diameter of 65 mm, standard or rubberized, can be free [standard] or self-braking.

Black polypropylene writing tablet with panic attachment, applicable on 4-leg or sled version





The materials used are of a high level, a guarantee of high comfort combined with resistance qualities over time.

DEEP POLTRONCINA Design Archirivolto



UPHOLSTERIES

LASER **CATEGORY 2**

560 gr/mtl 100% Polyester FR

80.000+/- 10% Maltindale cycles

ECOPELLE CATEGORY 2

630 g/lin.m

83% PVC 17% Synthetic

30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365+/- 5% g/lin.m 100% Polyester FR

Class 1

80.000+/- 10% Maltindale cycles

ONE RECYCLED **CATEGORY 3**

525 gr/mt2

100% recycled poliester

CLASS 1IM

100.000 Cycles

LYRA **CATEGORY 3**

550 g/lin.m

100% Polyester

60.000 +/- 10% Maltindale cycles

CHILI **CATEGORY 3**

470 gr/mtl

100% post-consumer recycled polyester

- 60.000 +/- Maltindale cycles

DREAM **CATEGORY 3**

375gr/mtl

100% Mass-dyed polyester Bouclè effect melange

OFKO TEST

Class 1 - 100.000 +/- Maltindale cycles

MELANGE **CATEGORY 3**

390 g/lin.m 100% Trevira CS

80.000 +/- 10% Maltindale cycles

VELOURS CATEGORY 3

611 gr/mtl 100% Polyester Oeko test

50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL CATEGORY 3

760 gr/mt2

Surface 100% Polyurethane, Base 85% polyester,17% Cotton EN1021-1/BS5852 PART 1 >100 000 EN ISO 5470-2

COCOON **CATEGORY 5**

980 gr/mtl

43% viscose 33% cotton 24% li-pl 35.000 +/- 10% Maltindale cycles

LANA **CATEGORY 5**

500 gr/mt2

75% Wool, 25% polyamide

Class 1

100.000 Maltindale cycles

GLAMOUR **CATEGORY 5**

700 g/lin.m

100% Recycled polyester

EN 1021-1/2

80.000 % Maltindale cycles

TECHNICOLOUR kwadrat CATEGORY 5

430 g/lin. M

100% new English wool, worsted

80.000 % Maltindale cycles **Ecolabel**

Class 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m

75% Virgin Wool, 25% Linen

Class 1, Ecolabel

50.000 +/- Maltindale cycles

PELLE **CATEGORY 5/6**

620 g/lin.m 100% Cowhide eather Class 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE CATEGORY 7

100% Full-grain cowhide leather Thickness 1.2/1.4 mm EN1021-1/2

MONOCHROME SETT camira CATEGORY 7

437 g/lin.m

75% Virgin Wool, 25% Linen

Class 1, Ecolabel

50.000 +/- Maltindale cycles

BOUCLET RUBELLI CATEGORY 7

860 g/lin.m

40% PC, 25%PL,20%VI, 15% CO

Class 1, EN 1021-1/2

50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI **CATEGORY 7**

590 g/lin.m

19% CO, 61% PC,10% PL, 10% VI

40.000 % Maltindale cycles

HORO RUBELLI CATEGORY 7

495 g/lin.m

44%PL 29%CO 24%JU 3%PC

30.000 % Maltindale cycles

PELLE SETA **CATEGORY 8**

100% Cowhide leather, THICKNESS 1,8-2 mm

First Aniline Tanning

EN1021-1/2

ZERO **CATEGORY 8**

750g/lin.m

65% CO, 20% PAN, 15% PES 70.000 % Maltindale cycles

DEEP POLTRONCINA Design Archirivolto



Warranty and Safety

QUINTI guarantees that the products will maintain their characteristics for 6 years from delivery, except for normal wear and condition that they are used according to the instructions provided. QUINTI will replace without charge any product found not to comply with this guarantee, without bearing any other liability whatsoever. The application of the guarantee on components, external accessories or materials supplied by the buyer and applied to the products for the purposes of customizing them is' excluded. For optimal maintenance of the products and to maintain the characteristics of the materials with which they are made unchanged, some simple attention is required.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart. Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces. Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.