

LOFT X is a modular armchair and sofa system. Each module, consisting of seat and backrest, with and without armrest, is carefully covered and can be placed on a base with sound-absorbing panels, a structure with metal armrests or a simple metal base.



FRAME & PADDING

The internal structure of Loft X is entirely made of wood, equipped with elastic support straps to increase seat comfort, and adequately padded with variable density tyres.

Vertical panels made with wooden core, external padding in 15mm thick polyurethane rubber and covered.

Also available with 1IM approved fireproof tyres

ARMS

Loft X is available:

- No arms
- With padded arms

ACCESSORIES

Connection panel complete with fixed table in ennobled Corrado Oak with a trapezoidal shape to facilitate access. Fixed leg in white or black painted elliptical metal tubular

BASE

The structure is made of steel (dimensions 50x30 mm) painted black or white.
The legs are made of black or white painted tubular steel diam. 22 mm

LOFT X - Archirivolto

Quinti®

COMPOSED ELEMENTS

1



2



3



4



1. Single armchair with high sides no arms
2. 2-seaters sofa high side no arms.
3. 2-seaters high side padded arms
4. Connection panel with table

L. 81/75 - P. 75/60 - H. 139/44cm
 L. 156/150 - P. 75/60 - H. 139/44 cm
 L. 156/120 - P. 75/60 - H. 139/44 cm
 L. 100 - P. 133 - H. 139/72 cm



Composition dim L 250 – P 156 cm

MODULAR SINGLE ELEMENTS

1



2



3



4



5



6



7



8



9

1. Central element
2. Final element left
3. Final element right
4. Corner element
5. Pouf
6. Natural oak ennobled coffee table
7. High panel
8. High panel
9. High panel with table

L. 75 – P. 75/60
 L. 75/60 – P. 75/60
 L. 75/60 – P. 75/60
 L. 75/60 – P. 75/60
 L. 75 – P. 75
 L. 75 – P. 75
 L. 75 – H. 150 cm
 L. 150 – H. 150 cm

UPHOLSTERIES

LASER

CATEGORY 2

560 gr/mtl
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ECOPELLE

CATEGORY 2

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365+/- 5% g/lin.m
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ONE RECYCLED

CATEGORY 3

525 gr/mt2
100% recycled poliester
CLASS 1IM
100.000 Cycles

LYRA

CATEGORY 3

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- Maltindale cycles

DREAM

CATEGORY 3

375gr/mtl
100% Mass-dyed polyester
Bouclé effect melange
OEKO TEST
Class 1 - 100.000 +/- Maltindale cycles

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL

CATEGORY 3

760 gr/mt2
Surface 100% Polyurethane,
Base 85% polyester,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

CATEGORY 5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR

CATEGORY 5

700 g/lin.m
100% Recycled polyester
EN 1021-1/2
80.000 % Maltindale cycles

TECHNICOLOUR kvadrat

CATEGORY 5

430 g/lin. M
100% new English wool, worsted
80.000 % Maltindale cycles
Ecolabel
Class 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

PELLE

CATEGORY 5/6

620 g/lin.m
100% Cowhide eather
Class 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE

CATEGORY 7

100% Full-grain cowhide leather
Thickness 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

CATEGORY 7

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

BOUCLET RUBELLI

CATEGORY 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI

CATEGORY 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Maltindale cycles

HORO RUBELLI

CATEGORY 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % Maltindale cycles

PELLE SETA

CATEGORY 8

100% Cowhide leather, THICKNESS 1,8-2 mm
First Aniline Tanning
EN1021-1/2

ZERO

CATEGORY 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

Disassembly

Quinti Sedute Srl
Parco il Granaio 21/22_CESA [Ar]
Partita IVA 02138850512 T. +39 057 566 970 F. +39 057 566 836
www.quinti.com - info@quinti.com

LOFT X - Archirivolto

Quinti®

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.



Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulations 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.