

A line of executive chairs featuring spacious and comfortable designs



Frame & Padding

Not Guilty is made of rigid polyurethane, combined with cold-foamed material, ensuring comfort and rapid disposal after use with minimal environmental impact.

Mechanisms

M5 Black aluminum tilt mechanism with a single locking position in the working position and free swing.

M4 Advanced black aluminum tilt mechanism with 4 locking positions.

M3 Advanced tilt mechanism in polished aluminum with 4 locking positions.

M8 Swivel plate with height adjustment

Base & castors

Polished aluminum 5-spoke **Skill** base on castors [70 cm diameter]

Polished aluminum 4-spoke **Skill** base on feet [70 cm diameter]

Standard black nylon castors with dual tread, 65 mm diameter

Optional with the same 11 mm diameter mounting pin:

- o Rubber castors, black (R06) or gray with chrome covers (R07),
- o Black rubber castors with self-breaking mechanism (R06A),
- o Rubber “pole” castors with center hole
- o Black nylon feet (R08)

Leggera base in polished aluminum with 4 spokes on castors or feet [diameter 680 mm]

4-spoke wooden base in natural, moka, open-pore black, or walnut finishes

4-leg base with tapered legs in black-painted metal or Quinti colors

Product's certificate

IIM Fire Resistance Certification

Not Guilty

Quinti®

Measures cm	Seat height	Total height	Width	Depth
High-back chair with 5-spoke base	46/54	120/128	72/50	72/45
Skill 4-spoke armchair	46/54	80/88	72/50	72/45
Leggera 4-spoke armchair	50/62	80/88	72/50	72/45
4-spoke wooden armchair	45	80	63/50	63/45
4 legs armchair	45	80	66/50	63/45



Upholsteries

LASER

CATEGORY2

560 gr/mtl
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ECOPELLE

CATEGORY2

630 g/lin.m
83% PVC 17% Sintetico
Class 1
30.000 +/- 10% Maltindale cycles

JET

CATEGORY3

365+/- 5% g/lin.m
100% Polyester FR
Class 1
80.000+/- 10% Maltindale cycles

ONE RECICLED

CATEGORY3

525 gr/mt2
100% recycled poliester
CLASS 11M
100.000 CYCLES

LYRA

CATEGORY3

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

CHILI

CATEGORY3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- Maltindale cycles

DREAM

CATEGORY3

375gr/mtl
100% Dyed polyester throughout
bouclé-effect melange
OEKO TEST
Class1 - 100.000 +/- Maltindale cycles

MELANGE

CATEGORY3

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL

CATEGORY3

760 gr/mt2
Surface 100% POLYURETHANE,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

CATEGORY5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA

CATEGORY5

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR

CATEGORY5

700 g/lin.m
100% Polyester Recycled
EN 1021-1/2
80.000 % Maltindale cycles

TECHNICOLOUR kvadrat

CATEGORY5

430 g/lin. M
100% new English wool, worsted
80.000 % Maltindale cycles
Ecolabel
Class 1

MAIN LINE camira

CATEGORY5

437 g/lin.m
75% Virgin wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

PELLE

CATEGORY5/6

620 g/lin.m
100% Cowhide
Class 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE

CATEGORY7

100% full-grain cowhide
thickness 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

CATEGORY7

437 g/lin.m
75% Virgin Wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

BOUCLET RUBELLI

CATEGORY7

860 g/lin.m
40% PC, 25% PL, 20% VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI

CATEGORY7

590 g/lin.m
19% CO, 61% PC, 10% PL, 10% VI
40.000 % Maltindale cycles

HORO RUBELLI

CATEGORY7

495 g/lin.m
44% PL 29% CO 24% JU 3% PC
30.000 % Maltindale cycles

PELLE SETA

CATEGORY8

100% Cowhide SPESSORE1,8-2 mm
First-grade aniline-tanned cowhide
EN1021-1/2

ZERO

CATEGORY8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

Disassemblability

All products have been designed to be dismantled at the end of their useful life, so that their parts and components can be reused, recycled or recovered for energy purposes.

Warranty & Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, subject to normal wear and tear and provided they are used in accordance with the instructions supplied. QUINTI will replace, free of charge, any product found not to comply with this guarantee, without assuming any further liability whatsoever. The guarantee does not apply to components, external accessories or materials supplied by the purchaser and fitted to the products for the purpose of customisation. For optimal maintenance of the products and to preserve the characteristics of the materials from which they are made, a few simple precautions are necessary.

All seating products offered are SAFE in accordance with the provisions of EU Regulation 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.

The company accepts no liability in the event of improper use (standing on the product or using it as a step ladder, or subjecting it to rocking motions that could compromise its operation and the user's safety. To lift or move the product, grip the supporting structure firmly. The product must not be subjected to off-centre loads; it has been designed for use under normal conditions, supported on four legs or on the base).

Use & Maintenance

To ensure optimal care of the products and to preserve the characteristics of the materials from which they are made, a few simple precautions are required.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the colour chart. Use: please take care when using the products, as they may tear or become cut.

LEATHER

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on an inconspicuous area to check the result, waiting at least 24 hours to see if any issues arise. Use: please note that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both metal surfaces (steel or aluminium) and painted surfaces should be cleaned with a soft, damp cloth soaked in warm water. For stubborn stains, a small amount of mild liquid soap may be diluted in water. Always dry the surface after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel; do not use chlorine, bleach or other aggressive detergents. We do not recommend using abrasive pastes, scouring pads or abrasive sponges, as these may scratch the metal surfaces. Use: take care with food stains such as coffee, cola and fruit juices, as these can leave permanent marks on the surfaces.