

Overland Quinti®



Seat & Backrest

The backrest, which features an aluminum element connecting it to the seat, is constructed with a black or white polypropylene frame that supports a breathable mesh panel available in two types:

- Gabriel 100% polyester – Thickened membrane
- Spin 100% TREVIRA CS

Equipped with a large, height-adjustable nylon lumbar support.

The fully upholstered seat, featuring double-stitched side seams, is made of 5 cm thick, non-deformable polyurethane foam.

Armrests

Black polypropylene armrests with soft polyurethane pads, 2D height-adjustable.

Black polypropylene armrests with soft black polyurethane pads, 3D height-adjustable.

4D adjustable armrests made of black polypropylene with soft black polyurethane pads.

Mechanism

Integrated Synchron mechanism with seat slider.

Seat height adjustment and synchronized backrest/seat tilt adjustment with a 4-position anti-shock system. Backrest swing angle: 20°; seat swing angle: 6.5°.

Self-weight tension adjustment.

Base

“Leggera” 5-spoke wheels with polished aluminum finish [d. 680 mm]

“Leggera” 5-spoke with black polypropylene wheels [diameter 680 mm]

“Trend” 5-spoke with white polypropylene wheels [diameter 680 mm]

Standard black nylon wheels with a dual tread pattern and a diameter of 65 mm.

Measures	Seat height	Total height	Width	Depth
cm	45/57	105/117	70/50	70/50

Products Certificates



Disassembly

All products have been designed to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, subject to normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace, at no cost, any product found to be non-compliant with this warranty, without assuming any further liability of any kind. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal product maintenance and to preserve the characteristics of the materials from which they are made, a few simple precautions are necessary.

All chairs offered are SAFE in accordance with EU Regulation 2023/988 on general product safety (GPSR), as reinforced by UNI EN certifications.

The manufacturer assumes no liability for improper use (such as standing on the product or using it as a step stool or for rocking, which could compromise its operation and the user's safety). To lift or move the product, grip the supporting frame firmly. The product must not be subjected to off-center loads; it is designed for use under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

Upholsteries

LASER

CATEGORY 2

560 gr/mtl
100% Polyester FR
Class 1
80.000 +/- 10% Maltindale cycles

ECOPELLE

CATEGORY 2

630 g/lin.m
83% PVC 17% Synthetic
Class 1
30.000 +/- 10% Maltindale cycles

JET

CATEGORY 3

365 +/- 5% g/lin.m
100% Polyestere FR
Class 1
80.000 +/- 10% Maltindale cycles

ONE RECYCLED

CATEGORY 3

525 gr/mt2
100% recycled polyester
CLASS 1IM
100.000 CICLES

LYRA

CATEGORY 3

550 g/lin.m
100% Polyester
Class 1
60.000 +/- 10% Maltindale cycles

CHILI

CATEGORY 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- Maltindale cycles

DREAM

CATEGORY 3

375gr/mtl
100% Mass – dyed polyester
Bouclé-effect melange
OEKO TEST
Class 1 - 100.000 +/- Maltindale cycles

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Class 1
80.000 +/- 10% Maltindale cycles

VELOURS

CATEGORY 3

611 gr/mtl
100% Polyester
Oeko test
50.000 +/- 10% Maltindale cycles

ECOPELLE SOUL

CATEGORY 3

760 gr/mt2
Surface 100% POLYURETHANE,
Base Polyester 85%,17% Cotton
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

CATEGORY 5

980 gr/mtl
43% viscose 33% cotton 24% li-pl
35.000 +/- 10% Maltindale cycles

LANA

CATEGORY 5

500 gr/mt2
75% Wool, 25% polyamide
Class 1
100.000 Maltindale cycles

GLAMOUR

CATEGORY 5

700 g/lin.m
100% Recycled polyester
EN 1021-1/2
80.000 % Maltindale cycles

TECHNICOLOUR kvadrat

CATEGORY 5

430 g/lin. M
100% new English wool, worsted
80.000 % Maltindale cycles
Ecolabel
Class 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m
75% Virgin wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

PELLE

CATEGORY 5/6

620 g/lin.m
100% Cowhide leather
Class 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE

CATEGORY 7

100% Full-grain cowhide
Thickness 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

CATEGORY 7

437 g/lin.m
75% Virgin wool, 25% Linen
Class 1, Ecolabel
50.000 +/- Maltindale cycles

BOUCLET RUBELLI

CATEGORY 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Class 1, EN 1021-1/2
50.000 % Maltindale cycles

VELLUTO DECONTRACTE' RUBELLI

CATEGORY 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % Maltindale cycles

HORO RUBELLI

CATEGORY 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % Maltindale cycles

PELLE SETA

CATEGORY 8

100% Cowhide leather THICKNESS 1,8-2 mm
First Bloom Aniline Dye
EN1021-1/2

ZERO

CATEGORY 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % Maltindale cycles

GABRIEL MESH

510 g/lin.m

SPIN MESH

405 g/lm

Overland **Quinti®**

100% Polyester

Class 1

70.000 +/- 10% Martindale cycles

100% Trevira CS

Class 1

70,000+/- 10% Martindale cycles