

## Wormy

Quinti®

A dining chair made entirely from solid wood.




### **Frame, Seat & Backrest**

---

Made entirely from solid wood, available in a natural, walnut, moka or open-pore black finish for both the chair and stool versions.

The stool's footrest features an elegant polished aluminium cover.



Available with three types of seat:

- Seat completely in wood
- Padded seat with a 4 cm thick cushion
- Straw-woven seat

The chair is stackable till 4 pieces.

Measures cm	Seat height	Total height	Width	Depth
Chair	45	78	44/37	46/42
Stool	75	100	44/37	46/42



## **Warranty & Safety**

---

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, subject to normal wear and tear and provided they are used in accordance with the instructions supplied. QUINTI will replace, free of charge, any product found not to comply with this guarantee, without assuming any further liability whatsoever. The guarantee does not apply to components, external accessories or materials supplied by the purchaser and fitted to the products for the purpose of customisation. For optimal maintenance of the products and to preserve the characteristics of the materials from which they are made, a few simple precautions are necessary.

**All seating products offered are SAFE in accordance with the provisions of EU Regulation 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.**

The company accepts no liability in the event of improper use (standing on the product or using it as a step ladder, or subjecting it to rocking motions that could compromise its operation and the user's safety. To lift or move the product, grip the supporting structure firmly. The product must not be subjected to off-centre loads; it has been designed for use under normal conditions, supported on four legs or on the base).

## **Use & Maintenance**

---

To ensure optimal care of the products and to preserve the characteristics of the materials from which they are made, a few simple precautions are required.

### **FABRICS**

Cleaning: please refer to the care and washing instructions provided in the fabric section of the colour chart. Use: please take care when using the products, as they may tear or become cut.

### **LEATHER**

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on an inconspicuous area to check the result, waiting at least 24 hours to see if any issues arise. Use: please note that leather is a delicate material, so care should be taken when using it.

### **METALS**

Cleaning: both metal surfaces (steel or aluminium) and painted surfaces should be cleaned with a soft, damp cloth soaked in warm water. For stubborn stains, a small amount of mild liquid soap may be diluted in water. Always dry the surface after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel; do not use chlorine, bleach or other aggressive detergents. We do not recommend using abrasive pastes, scouring pads or abrasive sponges, as these may scratch the metal surfaces. Use: take care with food stains such as coffee, cola and fruit juices, as these can leave permanent marks on the surfaces.

### **WOOD**

Cleaning: Clean with a soft, damp cloth soaked in lukewarm water. Always dry the surface after cleaning. Remove any liquids or other residues immediately to prevent absorption.

Use: as wood is a natural material, its surfaces may, over time, undergo colour changes due to use and exposure to light. Please note that wood cannot withstand direct heat sources on its surface.

## Upholsteries

### LASER

#### CATEGORY 2

560 gr/mtl  
100% Polyester FR  
Class 1  
80.000+/- 10% Maltindale cycles

### ECOPELLE

#### CATEGORY 2

630 g/lin.m  
83% PVC 17% Sintetico  
Class 1  
30.000 +/- 10% Maltindale cycles

### JET

#### CATEGORY 3

365+/- 5% g/lin.m  
100% Polyester FR  
Class 1  
80.000+/- 10% Maltindale cycles

### ONE RECICLE

#### CATEGORY 3

525 gr/mt2  
100% recycled poliester  
CLASS IIM  
100.000 CICLI

### LYRA

#### CATEGORY 3

550 g/lin.m  
100% Polyester  
Class 1  
60.000 +/- 10% Maltindale cycles

### CHILI

#### CATEGORY 3

470 gr/mtl  
100% post-consumer recycled polyester  
- 60.000 +/- Maltindale cycles

### DREAM

#### CATEGORY 3

375gr/mtl  
100% Polyester tinto in massa  
melange effetto bouclè  
OEKO TEST  
Class 1 - 100.000 +/- Maltindale cycles

### MELANGE

#### CATEGORY 3

390 g/lin.m  
100% Trevira CS  
Class 1  
80.000 +/- 10% Maltindale cycles

### VELOURS

#### CATEGORY 3

611 gr/mtl  
100% Polyester  
Oeko test  
50.000 +/- 10% Maltindale cycles

### ECOPELLE SOUL

#### CATEGORY 3

760 gr/mt2  
Superficie 100% POLIURETANO,  
Base Polyester 85%,17% Cotton  
EN1021-1/BS5852 PART 1  
>100.000 EN ISO 5470-2

### COCOON

#### CATEGORY 5

980 gr/mtl  
43% viscosa 33% cotton 24% li-pl  
35.000 +/- 10% Maltindale cycles

### WOOL

#### CATEGORY 5

500 gr/mt2  
75% Wool, 25% polyamide  
Class 1  
100.000 Maltindale cycles

### GLAMOUR

#### CATEGORY 5

700 g/lin.m  
100% Polyester Recycled  
EN 1021-1/2  
80.000 % Maltindale cycles

### TECHNICOLOUR kvadrat

#### CATEGORY 5

430 g/lin. M  
100% new English wool, worsted  
80.000 % Maltindale cycles  
Ecolabel  
Class 1

### MAIN LINE **camira**

#### CATEGORY 5

437 g/lin.m  
75% Virgin wool, 25% Linen  
Class 1, Ecolabel  
50.000 +/- Maltindale cycles

### PELLE

#### CATEGORY 5/6

620 g/lin.m  
100% Cowhide  
Class 1, EN 1021-1/2

### PELLE PREMIUM UP/ELEGANCE

#### CATEGORY 7

100% full-grain cowhide  
Thickness 1,2/1,4 mm  
EN1021-1/2

### MONOCHROME SETT **camira**

#### CATEGORY 7

437 g/lin.m  
75% Virgin wool, 25% Linen  
Class 1, Ecolabel  
50.000 +/- Maltindale cycles

### BOUCLET RUBELLI

#### CATEGORY 7

860 g/lin.m  
40% PC, 25%PL,20%VI, 15% CO  
Class 1, EN 1021-1/2  
50.000 % Maltindale cycles

### VELLUTO DECONTRACTE' RUBELLI

#### CATEGORY 7

590 g/lin.m  
19% CO, 61% PC,10% PL, 10%VI  
40.000 % Maltindale cycles

### HORO RUBELLI

#### CATEGORY 7

495 g/lin.m  
44%PL 29%CO 24%JU 3%PC  
30.000 % Maltindale cycles

### PELLE SETA

#### CATEGORY 8

100% Thickness 1,8-2 mm  
First-grade aniline-tanned cowhide  
EN1021-1/2

### ZERO

#### CATEGORY 8

750g/lin.m  
65% CO, 20% PAN, 15% PES  
70.000 % Maltindale cycles