

## Roof steps

### Holder/Issued to

## Hultafors Group AB

Box 38, SE-517 21 Bollebygd, Sweden

### Product description

Roof step for fixing to tile battens and roof tiles. The roof step is galvanized without top coat or powder coated with pretreatment by zincmangan phosphating and a primer by cathodic electro-dipping.

### Intended use

Access device on roofs.

### Approval

The product satisfy the requirements set forth in chapter 8, 4 § 4 PBL, in respect to and under conditions stated in this type approval, and are therefore approved in accordance with the provisions of the following sections of Boverket Building Regulations (BBR) issued by the National Board of Housing, Building and Planning.

#### BBR

Roof safety, General

8:241

Roof safety, Access devices

8:2422\*

\* Approved for building with a maximum façade height of 4.0 m and maximum roof pitch of 45°. The roof steps may only be installed straight above each other.

### Associated documents

Montage av Bärkäktsteg dated 2016-06-22.

### Control

The factory production control (FPC) is monitored by an independent inspection body.

Control plan: Ref no. 210-08-0277 dated 2022-01-31, Inspection body: RISE

When the building proprietor performs inspection at the building site, markings shall be checked to ensure that the correct products have been supplied and that they are used in accordance with the conditions in this type approval and associated documents. Further the product shall be accompanied by a manufacturer's assurance, certifying that the product has been manufactured in accordance with the documents on which this type approval is based.

### Manufacturing place

Production control includes the following place:

Hultafors AB, Telegatan 6, SE-571 38 Nässjö, Sweden.

## Marking

The product is to be marked at the factory. The marking consists of a text on every product/packing supplied and includes:

Holder	Hultafors Group AB
Product type designation	type designation
Consecutive manufacture no./date of production	no./date
Type approval number	SC0477-16
Boverket's registered trade mark	†
RISE Accreditation number	1002
Certification body and Inspection body	RISE

## Basis for approval

Report P301332, P301332-1a, P301998 and 5P07700 from SP.  
Report AO-0006298 from RISE.  
Drawings according to list dated 2016-06-22.  
Certification overview dated 2016-06-23.

## Comments

The roof step is not intended to be used as an anchor point for lifelines. If the façade height is over 3 m the roof must have separate anchor points for lines for safety harnesses in accordance with BBR 8:243.  
The corrosion protection is suitable for corrosivity class C4, according to in SS-EN ISO 12944-2 described class, based on a deemed expected lifetime of 15 years.  
Associated documents shall accompany the product or by other means be available to users of the product.

This type approval supersedes the previous type approval with the same number dated 2016-06-28, valid through 2021-06-27.

## Validity

Valid through 2027-02-20.

Validity of this type approval can be verified on our website.

The validity of this type approval expires when the type approved product with the intended use according to this type approval shall be CE-marked according to the Construction Products Regulation (EU) 305/2011.

Martin Tillander

*This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence*