



Kite Pendant

Kite is a work of proportion and abstraction, blending pure and geometric silhouettes with smooth, textured materiality. The same structural elements are adapted into three different sizes, each echoing the other like a tale that alters subtly with each retelling. Delicate taping contours the silhouettes, a technical refinement that enriches depth and contrast. Whether displayed together or separately, the Kite Pendant Lamps serve as a luminous sculptural element.

Product highlights

- Compliant with CE, SAA, RCM, and ETL standards, making it suitable for use in the EU, UK, AU, and US markets.
- Designed by Panter & Tourron, the designers of the acclaimed Tense series.
- Available in three sizes.
- Offered in all white or with black stripes.
- Ideal for both public and private settings.



Product Type	Pendant, Lighting
Designer	Panter & Tourron, 2023
About the Designer	With a strong focus on research into new formal codes and visual experiences, the Swiss studio of Panter & Tourron works at the intersection of technology, design and society. Material and technological innovation allows for unexpected work that defines a new vision of luxury and pushes the boundaries of contemporary design today.
Environment	Indoor
Country of Origin	PRC
Assembly Requirements	The lampshade is assembled by positioning the two conical shades inside the cylindrical shade.
Material	The Kite Pendant Lamps are constructed from folded Tyvek sheets, glued onto polyethylene sheets for added rigidity. The Tyvek lampshade is suspended from a cast metal fitting.
Light Source included	No
Cleaning & Care	Turn off the electricity before cleaning the lamp. Wipe the product with a soft dry cloth. Do not use any abrasive cleaning tools, and never use strong cleaning agents such as household glass cleaner, white spirit, or turpentine.


Dimensions

Ø55
Height: 330 mm / 13"
Width: 550 mm / 21.7"
Depth: 550 mm / 21.7"

Ø65
Height: 450 mm / 17.7"
Width: 650 mm / 25.6"
Depth: 650 mm / 25.6"

Ø75
Height: 290 mm / 11.4"
Width: 750 mm / 29.5"
Depth: 750 mm / 29.5"

Cord Length: 3500 mm / 137.8"




Packaging Dimensions

Ø55
Height: 250 mm / 9.8"
Width: 600 mm / 23.6"
Depth: 600 mm / 23.6"

Ø65
Height: 370 mm / 14.6"
Width: 700 mm / 27.6"
Depth: 700 mm / 27.6"

Ø75
Height: 210 mm / 8.3"
Width: 790 mm / 31.1"
Depth: 790 mm / 31.1"




Weight

Ø55
2.2 kg / 4.9 lbs

Ø65
2.6 kg / 5.7 lbs

Ø75
2.7 kg / 6 lbs



Weight Incl Packaging

Ø55
5 kg / 11 lbs

Ø65
7.4 kg / 16.3 lbs

Ø75
7.4 kg / 16.3 lbs

Versions



Item No: 23110/ 23110US
Variant: Ø55, White and Black



Item No: 23111/ 23111US
Variant: Ø55, White



Item No: 23120/ 23120US
Variant: Ø65, White and Black



Item No: 23121/ 23121US
Variant: Ø65, White



Item No: 23130/ 23130US
Variant: Ø75, White and Black



Item No: 23131/ 23131US
Variant: Ø75, White

Lamp Rating

Voltage	CE: 220-240 V, ETL: 110-120 V
Frequency	50/60 Hz
IP-Rating	IP20
Classification	Class II

Light Source Recommendation

Lamp Base	3 x E27
Type	LED
Max Voltage	3 x 11 W

Tests & Certificates

Lighting Certifications
CE, SAA, RCM, ETL

High res images and 2D/3D files available for download at:
newworks.presscloud.com