

Report Number:	22-013392/D003.R000
Report Date:	11/08/2022
ORELAP#:	OR100028
Purchase Order:	1004
Received:	11/01/22 10:30

Customer:	Cookies
Product identity:	Pink Runtz-R-101522-809
Client/Metrc ID:	
Laboratory ID:	22-013392-0002

Summary

Potency:				
Analyte ∆8-THC	Result (%) 72.3		CBD-Total	<loq< th=""></loq<>
∆8-THCV	0.303			
CBT	0.107	• 8-THC	THC-Total	<loq< td=""></loq<>
		8-THCVCBT	(Reported in pe	rcent of total sample)

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	22-013392/D003.R000
Report Date:	11/08/2022
ORELAP#:	OR100028
Purchase Order:	1588
Received:	11/01/22 10:30

Customer:	Oregon Custom Supply United States of America (USA)
Product identity:	Pink Runtz-PR-101522-809
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-013392-0002
Evidence of Cooling:	No
Temp:	19.2
Relinquished by:	ups

Sample Results

Potency	Method: J AOAC	2015 V98-6 (mod	d) [⊳] Units %	Batch: 2209441	Analyze: 11/2/22	11:06:00 PM
Analyte		ry LOQ	Notes			
		eight				
CBC	< LOQ	0.0673				
CBC-A	< LOQ	0.0673				
CBC-Total	< LOQ	0.126				8-THC
CBD	< LOQ	0.0673				8-THCV
CBD-A	< LOQ	0.0673				CBT
CBD-Total	< LOQ	0.126				
CBDV	< LOQ	0.0673				
CBDV-A	< LOQ	0.0673				
CBDV-Total	< LOQ	0.126				
CBE	< LOQ	0.0673				
CBG	< LOQ	0.0673				
CBG-A	< LOQ	0.0673				
CBG-Total	< LOQ	0.126				
CBL	< LOQ	0.0673				
CBL-A	< LOQ	0.0673				
CBL-Total	< LOQ	0.126				
CBN	< LOQ	0.0673				
CBT	0.107	0.0673				
$\Delta 10$ -THC	< LOQ	0.0673				
∆8-THC	72.3	0.673				
∆8-THCV	0.303	0.0673				
∆9-THC	< LOQ	0.0673				
exo-THC	< LOQ	0.0673				
THC-A	< LOQ	0.0673				
THC-Total	< LOQ	0.126				
THCV	< LOQ	0.0673				
THCV-A	< LOQ	0.0673				
THCV-Total	< LOQ	0.126				
Total Cannabinoids	72.7					

 Www.columbialaboratories.com
 Page 2 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390
 OAR 333-007-0430



Report Number:	22-013392/D003.R000
Report Date:	11/08/2022
ORELAP#:	OR100028
Purchase Order:	1588
Received:	11/01/22 10:30

Microbiology							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2209372	11/05/22 AOAC 2014.05 (RAPID) ^b	I
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2209372	11/05/22 AOAC 2014.05 (RAPID) ^b	I

Solvents	Method:	Residua	I Solve	ents by	GC/MS [♭]	Units µg/g	Batch 22	09596	Analyz	e 11/(08/22 0	2:50 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte		Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol		< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane))	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IP	A)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpro (neo-pentane)	opane	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentar	ne	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile		< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)		< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate		< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether		< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide		< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl aceta	te	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene		< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chlo	ride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane		< LOQ		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane		< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene		< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane		< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene		< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes a benzene	and Ethyl	< LOQ	2170	600	pass	

 Www.columbialaboratories.com
 Page 3 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



Report Number:	22-013392/D003.R000
Report Date:	11/08/2022
ORELAP#:	OR100028
Purchase Order:	1588
Received:	11/01/22 10:30

Pesticides	Method: AO	AC 200	7.01 & EN 15662 (mod) ^þ	Units mg/kg Batch	2209453	Analy	/ze 11/03/22 01:29 PM
Analyte	Result	Limit	s LOQ Status Notes	Analyte	Result	Limits	s LOQ Status Notes
Abamectin [*]	< LOQ	0.50	0.250 pass	Acephate [¥]	< LOQ	0.40	0.200 pass
Acequinocyl¥	< LOQ	2.0	1.00 pass	Acetamiprid¥	< LOQ	0.20	0.100 pass
Aldicarb [¥]	< LOQ	0.40	0.200 pass	Azoxystrobin [¥]	< LOQ	0.20	0.100 pass
Bifenazate [¥]	< LOQ	0.20	0.100 pass	Bifenthrin [¥]	< LOQ	0.20	0.100 pass
Boscalid [¥]	< LOQ	0.40	0.200 pass	Carbaryl [¥]	< LOQ	0.20	0.100 pass
Carbofuran [¥]	< LOQ	0.20	0.100 pass	Chlorantraniliprole [*]	< LOQ	0.20	0.100 pass
Chlorfenapyr¥	< LOQ	1.0	0.500 pass	Chlorpyrifos [¥]	< LOQ	0.20	0.100 pass
Clofentezine [¥]	< LOQ	0.20	0.100 pass	Cyfluthrin [¥]	< LOQ	1.0	0.500 pass
Cypermethrin [¥]	< LOQ	1.0	0.500 pass	Daminozide¥	< LOQ	1.0	0.500 pass
Diazinon¥	< LOQ	0.20	0.100 pass	Dichlorvos [¥]	< LOQ	1.0	0.500 pass
Dimethoate¥	< LOQ	0.20	0.100 pass	Ethoprophos [¥]	< LOQ	0.20	0.100 pass
Etofenprox [¥]	< LOQ	0.40	0.200 pass	Etoxazole [¥]	< LOQ	0.20	0.100 pass
Fenoxycarb [¥]	< LOQ	0.20	0.100 pass	Fenpyroximate [*]	< LOQ	0.40	0.200 pass
Fipronil [¥]	< LOQ	0.40	0.200 pass	Flonicamid [¥]	< LOQ	1.0	0.400 pass
Fludioxonil [¥]	< LOQ	0.40	0.200 pass	Hexythiazox [¥]	< LOQ	1.0	0.400 pass
Imazalil [¥]	< LOQ	0.20	0.100 pass	Imidacloprid¥	< LOQ	0.40	0.200 pass
Kresoxim-methyl [¥]	< LOQ	0.40	0.200 pass	Malathion¥	< LOQ	0.20	0.100 pass
Metalaxyl [¥]	< LOQ	0.20	0.100 pass	Methiocarb [¥]	< LOQ	0.20	0.100 pass
Methomyl [¥]	< LOQ	0.40	0.200 pass	MGK-264 [¥]	< LOQ	0.20	0.100 pass
Myclobutanil [¥]	< LOQ	0.20	0.100 pass	Naled [¥]	< LOQ	0.50	0.250 pass
Oxamyl [¥]	< LOQ	1.0	0.500 pass	Paclobutrazole¥	< LOQ	0.40	0.200 pass
Parathion-Methyl [¥]	< LOQ	0.20	0.100 pass	Permethrin [¥]	< LOQ	0.20	0.100 pass
Phosmet [¥]	< LOQ	0.20	0.100 pass	Piperonyl butoxide [¥]	< LOQ	2.0	1.00 pass
Prallethrin¥	< LOQ	0.20	0.100 pass	Propiconazole¥	< LOQ	0.40	0.200 pass
Propoxur [¥]	< LOQ	0.20	0.100 pass	Pyrethrin I (total)¥	< LOQ	1.0	0.500 pass
Pyridaben¥	< LOQ	0.20	0.100 pass	Spinosad [¥]	< LOQ	0.20	0.100 pass
Spiromesifen¥	< LOQ	0.20	0.100 pass	Spirotetramat [*]	< LOQ	0.20	0.100 pass
Spiroxamine [¥]	< LOQ	0.40	0.200 pass	Tebuconazole [¥]	< LOQ	0.40	0.200 pass
Thiacloprid¥	< LOQ	0.20	0.100 pass	Thiamethoxam¥	< LOQ	0.20	0.100 pass
Trifloxystrobin¥	< LOQ	0.20	0.100 pass				

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0769	2209433	11/02/22 AOAC 2013.06 (mod.) ^b	pass
Cadmium	< LOQ	0.200	mg/kg	0.0769	2209433	11/02/22 AOAC 2013.06 (mod.) ^b	pass
Lead	< LOQ	0.500	mg/kg	0.0769	2209433	11/02/22 AOAC 2013.06 (mod.) ^b	pass
Mercury	< LOQ	0.100	mg/kg	0.0385	2209433	11/02/22 AOAC 2013.06 (mod.) ^b	pass

 Www.columbialaboratories.com
 Page 4 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



Report Number:	22-013392/D003.R000				
Report Date:	11/08/2022				
ORELAP#:	OR100028				
Purchase Order:	1588				
Received:	11/01/22 10:30				

Mycotoxins								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 [¥]	< LOQ		µg/kg	5.00	2209528	11/07/22 AOAC 2007.01 & EN 15662 (mod) ^b		
Aflatoxin B1 [*]	< LOQ		µg/kg	5.00	2209528	11/07/22 AOAC 2007.01 & EN 15662 (mod) ^b		
Aflatoxin G1 [¥]	< LOQ		µg/kg	5.00	2209528	11/07/22 AOAC 2007.01 & EN 15662 (mod) ^b		
Aflatoxin G2 [*]	< LOQ		µg/kg	5.00	2209528	11/07/22 AOAC 2007.01 & EN 15662 (mod) ^b		
Ochratoxin A [¥]	< LOQ	20.0	µg/kg	5.00	2209528	11/07/22 AOAC 2007.01 & EN 15662 (mod) ^b	pass	
Total Aflatoxins [¥]	0.000	20.0	µg/kg	20.0		11/08/22 AOAC 2007.01 & EN 15662 (mod) ^b	pass	
Nutrition								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Water Activity	0.260	0.650	Aw	0.030	2209405	11/02/22 AOAC 978.18 ^b	pass	

Page 5 of 15

 Www.columbialaboratories.com
 Page 5 of 15

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



 Report Number:
 22-013392/D003.R000

 Report Date:
 11/08/2022

 ORELAP#:
 OR100028

 Purchase Order:
 1588

 Received:
 11/01/22 10:30

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

* = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram µg/g = Microgram per gram µg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample Aw = Water Activity % wt = µg/g divided by 10,000

Glossary of Qualifiers

I: Insufficient sample received to meet method requirements.

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 6 of 15

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.