

2527-50GPIE221129


CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121

(858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



QA Testing

1 of 1



Cannabinoids

| 5.88 mg/unit Total THC | | | ND mg/unit Total CBD | | | | 64.9 mg/unit Total Cannabinoids | | |
|----------------------------------|------------|--------|--------------------------------|----------|---------|------------|------------------------------------|--|--|
| Analyte | CAS# | LOD | LOQ | Result | Result | Result | Result | | |
| | | mg/g | mg/g | % | mg/g | mg/serving | mg/container | | |
| THCa | 23978-85-0 | 0.0500 | 0.500 | ND | ND | ND | ND | | |
| ∆9-THC | 1972-08-3 | 0.0800 | 0.500 | 0.131 | 1.31 | 5.88 | 118 | | |
| ∆8-THC | 5957-75-5 | 0.0300 | 0.500 | 1.31 | 13.1 | 59.0 | 1180 | | |
| THCV | 28172-17-0 | 0.0300 | 0.500 | ND | ND | ND | ND | | |
| CBDa | 13956-29-1 | 0.0600 | 0.500 | ND | ND | ND | ND | | |
| CBD | 1244-58-2 | 0.0400 | 0.500 | ND | ND | ND | ND | | |
| CBDV | 20675-51-8 | 0.0700 | 0.500 | ND | ND | ND | ND | | |
| CBN | 521-35-7 | 0.0400 | 0.500 | < 0.0500 | < 0.500 | <2.25 | <45.0 | | |
| CBGa | 25654-31-3 | 0.0150 | 0.550 | ND | ND | ND | ND | | |
| CBG | 25555-57-1 | 0.0300 | 0.500 | <0.0500 | < 0.500 | <2.25 | <45.0 | | |
| CBC | 24274-48-4 | 0.0400 | 0.500 | < 0.0500 | < 0.500 | <2.25 | <45.0 | | |
| Total THC | | | | 0.131 | 1.30 | 5.88 | 118 | | |
| Total CBD | | | | ND | ND | ND | ND | | |
| Total | | | | 1.44 | 14.4 | 64.9 | 1298 | | |

Date Tested: 11/30/2022 20 servings per container. 1 unit = 1 gummy = 4.505 g. Cannabinoids tested on a Shimadzu LC-2030C Plus following SOP AL-03. Total THC = THCa * 0.877 + Delta9-THC; Total CBD = CBDa * 0.877 + CBD. Total Cannabinoids = sum of acid form cannabinoids * 0.877 + sum of cannabinoids. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values < LOD reported as ND.





1-the

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Matthew Pagenkopp Analytical Laboratory Director 11/30/2022

All quality control samples performed within specifications previously established by the laboratory. Results relate only to sample tested. Sample provided by customer. Sample tested as received. Measurement of uncertainty values have been determined for all methods and analytes. These data are available upon request.



CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121 (858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



QA Testing

1 of 5

2527-50GPIE221110

Sample ID: 2211CLIP0281.1.00829 Strain: Georgia Pie HDI Gummies Matrix: Ingestible Type: Soft Chew Sample Size: 1 units; Batch: Produced: Collected: Received: 11/14/2022 Completed: 11/18/2022 Batch#: 2527-50GPIE221110 Client COOKIES Lic. # 1421 Grove St Healdsburg, CA 95448



| Summary | | |
|-------------------|-------------|------------------|
| Test | Date Tested | Result |
| Batch | | Pass |
| Water Activity | 11/15/2022 | 0.5860 aw - Pass |
| Residual Solvents | 11/15/2022 | Pass |
| Microbials | 11/16/2022 | Pass |
| Mycotoxins | 11/15/2022 | Pass |
| Pesticides | 11/15/2022 | Pass |
| Heavy Metals | 11/15/2022 | Pass |
| Foreign Matter | 11/15/2022 | Pass |
| | | |



1 fatthen Payout o

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Matthew Pagenkopp Analytical Laboratory Director 11/18/2022



CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121 (858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



2 of 5

2527-50GPIE221110

| Sample ID: 2211CLIP0281.I.00829 | Produced: |
|---------------------------------|---------------------------|
| Strain: Georgia Pie HDI Gummies | Collected: |
| Matrix: Ingestible | Received: 11/14/2022 |
| Type: Soft Chew | Completed: 11/18/2022 |
| Sample Size: 1 units; Batch: | Batch#: 2527-50GPIE221110 |
| | |

Client COOKIES Lic. # 1421 Grove St Healdsburg, CA 95448

Microbials

| Analyte | Result | Status |
|-------------------------------|--------------------|--------|
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Pass |

| Date Tested: 11/16/2022 Microbials tested on a bioMerieux Gene-UP Real Time PCR System following SOP M-04. | | | | $\mathbf{\mathcal{I}}$ |
|---|--------------|---|-------------|------------------------|
| Water Activity | | | | Pass |
| Analyte | Limit | F | Result | Status |
| Water Activity | aw 0.8500 | | aw 0.586 | Pass |
| | | | | |

Date Tested: 11/15/2022 Water activity tested using a Rotronic HC2-AW-USB Water Activity Probe following SOP AL-02.

Foreign Matter

| - | | | |
|---------------------------|---------------------|--------------|--------|
| Analyte | Action Level | Result | Status |
| Sand/Soil/Cinders/Dirt | >25% of sample area | Not Detected | Pass |
| Mold | >25% of sample area | Not Detected | Pass |
| Insect Fragments | >1 fragment | Not Detected | Pass |
| Mammalian Excreta | >1 fragment | Not Detected | Pass |
| Imbedded Foreign Material | >25% of sample area | Not Detected | Pass |

Date Tested: 11/15/2022

Foreign matter inspected using a VWR Stereo Basic Halogen Microscope following SOP L-05. ND = Not Detected





Hatthen Pagent of

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Pass

Matthew Pagenkopp Analytical Laboratory Director 11/18/2022



2527-50GPIE221110

CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121

(858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



3 of 5

Pass

| Sample ID: 2211CLIP0281.I.00829 Strain: Georgia Pie HDI Gummies Matrix: Ingestible Type: Soft Chew Sample Size: 1 units; Batch: | Produced: Collected: Received: 11/14/2022 Completed: 11/18/2022 Batch#: 2527-50GPIE221110 | Client COOKIES Lic. # 1421 Grove St Healdsburg, CA | 95448 | | |
|---|---|--|--------|----------------------------------|--------|
| Heavy Metals | | | | | Pass |
| Analyte | LOD | LOQ | Limit | Result | Status |
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.0165 | 0.2000 | 1.5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Cadmium | 0.0320 | 0.2000 | 0.5000 | ND | Pass |
| Lead | 0.0269 | 0.5000 | 0.5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Mercury | 0.0100 | 0.1000 | 3.0000 | <loq< td=""><td>Pass</td></loq<> | Pass |

Date Tested: 11/15/2022 Heavy metals tested on a Shimadzu ICPMS-2030LF following SOP AL-06. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values <LOD reported as ND.

Mvcotoxins

| , | | | | | |
|------------------|-------|--------|-------|--------|--------|
| Analyte | LOD | LOQ | Limit | Result | Status |
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | 0.548 | 4.000 | | ND | Tested |
| B2 | 1.130 | 4.000 | | ND | Tested |
| G1 | 0.925 | 4.000 | | ND | Tested |
| G2 | 1.710 | 8.000 | | ND | Tested |
| Ochratoxin A | 2.440 | 20.000 | 20 | ND | Pass |
| Total Aflatoxins | 4.310 | 20.000 | 20 | ND | Pass |
| | | | | | |

Date Tested: 11/15/2022

Mycotoxins tested on a Shimadzu LCMS-8060 following SOP AL-07. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values < LOD reported as ND.

| | Nather Porgunations |
|---------------------|---|
| PJLA Testing | Matthew Pagenkopp Analytical Laboratory Director 11/18/2022 |
| Association #100E02 | |





CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121

Produced:

(858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



QA Testing

4 of 5

2527-50GPIE221110

Sample ID: 2211CLIP0281.I.00829 Strain: Georgia Pie HDI Gummies Matrix: Ingestible Type: Soft Chew Sample Size: 1 units; Batch:

Collected: Received: 11/14/2022 Completed: 11/18/2022 Batch#: 2527-50GPIE221110

Client COOKIES Lic.# 1421 Grove St Healdsburg, CA 95448

Category I Pesticides

| Analyte | LOD | LOQ | Limit | Result | Status |
|--------------|-------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Aldicarb | 0.028 | 0.1 | 0.028 | ND | Pass |
| Carbofuran | 0.028 | 0.1 | 0.028 | ND | Pass |
| Chlordane | 0.028 | 0.1 | 0.028 | ND | Pass |
| Chlorfenapyr | 0.028 | 0.1 | 0.028 | ND | Pass |
| Chlorpyrifos | 0.028 | 0.1 | 0.028 | ND | Pass |
| Coumaphos | 0.028 | 0.1 | 0.028 | ND | Pass |
| Daminozide | 0.028 | 0.1 | 0.028 | ND | Pass |
| Dichlorvos | 0.028 | 0.1 | 0.028 | ND | Pass |
| Dimethoate | 0.028 | 0.1 | 0.028 | ND | Pass |
| Ethoprophos | 0.028 | 0.1 | 0.028 | ND | Pass |
| Etofenprox | 0.028 | 0.1 | 0.028 | ND | Pass |


| Analyte | LOD | LOQ | Limit | Result | Status |
|------------------|-------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Fenoxycarb | 0.028 | 0.1 | 0.028 | ND | Pass |
| Fipronil | 0.028 | 0.1 | 0.028 | ND | Pass |
| Imazalil | 0.028 | 0.1 | 0.028 | ND | Pass |
| Methiocarb | 0.028 | 0.1 | 0.028 | ND | Pass |
| Mevinphos | 0.028 | 0.1 | 0.028 | ND | Pass |
| Paclobutrazol | 0.028 | 0.1 | 0.028 | ND | Pass |
| Parathion Methyl | 0.028 | 0.1 | 0.028 | ND | Pass |
| Propoxur | 0.028 | 0.1 | 0.028 | ND | Pass |
| Spiroxamine | 0.028 | 0.1 | 0.028 | ND | Pass |
| Thiacloprid | 0.028 | 0.1 | 0.028 | ND | Pass |

Category II Pesticides

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|--------|------|-------|--------|--------|-------------------------|--------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.0229 | 0.1 | 0.3 | ND | Pass | Kresoxim Methyl | 0.014 | 0.1 | 1 | ND | Pass |
| Acephate | 0.0113 | 0.1 | 5 | ND | Pass | Malathion | 0.0073 | 0.1 | 5 | ND | Pass |
| Acequinocyl | 0.0211 | 0.1 | 4 | ND | Pass | Metalaxyl | 0.0096 | 0.1 | 15 | ND | Pass |
| Acetamiprid | 0.0086 | 0.1 | 5 | ND | Pass | Methomyl | 0.0059 | 0.1 | 0.1 | ND | Pass |
| Azoxystrobin | 0.0069 | 0.1 | 40 | ND | Pass | Myclobutanil | 0.0074 | 0.1 | 9 | ND | Pass |
| Bifenazate | 0.0136 | 0.1 | 5 | ND | Pass | Naled | 0.0058 | 0.1 | 0.5 | ND | Pass |
| Bifenthrin | 0.0146 | 0.1 | 0.5 | ND | Pass | Oxamyl | 0.0059 | 0.1 | 0.2 | ND | Pass |
| Boscalid | 0.014 | 0.1 | 10 | ND | Pass | Pentachloronitrobenzene | 0.0153 | 0.1 | 0.2 | ND | Pass |
| Captan | 0.028 | 0.1 | 5 | ND | Pass | Permethrin | 0.0206 | 0.1 | 20 | ND | Pass |
| Carbaryl | 0.0149 | 0.1 | 0.5 | ND | Pass | Phosmet | 0.0153 | 0.1 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.0167 | 0.1 | 40 | ND | Pass | Piperonyl Butoxide | 0.0071 | 0.1 | 8 | ND | Pass |
| Clofentezine | 0.004 | 0.1 | 0.5 | ND | Pass | Prallethrin | 0.0175 | 0.1 | 0.4 | ND | Pass |
| Cyfluthrin | 0.0406 | 0.15 | 1 | ND | Pass | Propiconazole | 0.0083 | 0.1 | 20 | ND | Pass |
| Cypermethrin | 0.0279 | 0.1 | 1 | ND | Pass | Pyrethrins | 0.0137 | 0.1 | 1 | ND | Pass |
| Diazinon | 0.0082 | 0.1 | 0.2 | ND | Pass | Pyridaben | 0.01 | 0.1 | 3 | ND | Pass |
| Dimethomorph | 0.0143 | 0.1 | 20 | ND | Pass | Spinetoram | 0.0113 | 0.1 | 3 | ND | Pass |
| Etoxazole | 0.0075 | 0.1 | 1.5 | ND | Pass | Spinosad | 0.0097 | 0.1 | 3 | ND | Pass |
| Fenhexamid | 0.012 | 0.1 | 10 | ND | Pass | Spiromesifen | 0.0156 | 0.1 | 12 | ND | Pass |
| Fenpyroximate | 0.0193 | 0.1 | 2 | ND | Pass | Spirotetramat | 0.0127 | 0.1 | 13 | ND | Pass |
| Flonicamid | 0.0263 | 0.1 | 2 | ND | Pass | Tebuconazole | 0.0182 | 0.1 | 2 | ND | Pass |
| Fludioxonil | 0.0194 | 0.1 | 30 | ND | Pass | Thiamethoxam | 0.0115 | 0.1 | 4.5 | ND | Pass |
| Hexythiazox | 0.0213 | 0.1 | 2 | ND | Pass | Trifloxystrobin | 0.0046 | 0.1 | 30 | ND | Pass |
| Imidacloprid | 0.02 | 0.1 | 3 | ND | Pass | | | | | | |

Date Tested: 11/15/2022

Pesticides tested on a Shimadzu LCMS-8060 or a Shimadzu GCMS-TQ8050 NX following SOP AL-07. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values <LOD reported as ND.



All quality control samples performed within specifications previously established by the laboratory. Results relate only to sample tested. Sample provided by customer. Sample tested as received. Action Limits based on California Department of Cannabis Control. A passing result means the measured value is below the relevant action limit and does not include the measurement of uncertainty. Measurement of uncertainty values have been determined for all methods and analytes. These data are available upon request.

Pass



CLIP Labs 5945 Pacific Center Blvd #504 San Diego, CA 92121

(858) 381-3483 http://www.cliplabs.net Lic# C8-0000044-LIC



5 of 5

Pass

2527-50GPIE221110

| Sample ID: 2211CLIP0281.I.00829 | Produced: | Client |
|---------------------------------|---------------------------|----------------------|
| Strain: Georgia Pie HDI Gummies | Collected: | COOKIES |
| Matrix: Ingestible | Received: 11/14/2022 | Lic. # |
| Type: Soft Chew | Completed: 11/18/2022 | 1421 Grove St |
| Sample Size: 1 units; Batch: | Batch#: 2527-50GPIE221110 | Healdsburg, CA 95448 |

Category I Residual Solvents

| Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 0.060 | 1.000 | 1.000 | ND | Pass |
| Benzene | 0.030 | 1.000 | 1.000 | ND | Pass |
| Chloroform | 0.040 | 1.000 | 1.000 | ND | Pass |
| Ethylene Oxide | 0.050 | 1.000 | 1.000 | ND | Pass |
| Methylene-Chloride | 0.040 | 1.000 | 1.000 | ND | Pass |
| Trichloroethene | 0.060 | 1.000 | 1.000 | ND | Pass |

Date Tested: 11/15/2022

Residual solvents tested on a Shimadzu GCMS-QP2010 SE following SOP AL-05. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values <LOD reported as ND.

Category II Residual Solvents

| Analyte | LOD | LOO | Limit | Result | Status |
|---------------|-------|--------|----------|----------------------------------|--------|
| Analyte | μg/g | µg/g | μg/g | µg/g | Jtatus |
| Acetone | 0.300 | 6.000 | 5000.000 | ND | Pass |
| Acetonitrile | 0.400 | 6.000 | 410.000 | ND | Pass |
| Butane | 0.300 | 6.000 | 5000.000 | ND | Pass |
| Ethanol | 0.300 | 6.000 | 5000.000 | 124.759 | Pass |
| Ethyl-Acetate | 1.300 | 6.000 | 5000.000 | ND | Pass |
| Ethyl-Ether | 0.400 | 6.000 | 5000.000 | ND | Pass |
| Heptane | 0.300 | 6.000 | 5000.000 | ND | Pass |
| n-Hexane | 0.400 | 6.000 | 290.000 | ND | Pass |
| Isopropanol | 0.800 | 6.000 | 5000.000 | 21.031 | Pass |
| Methanol | 0.800 | 6.000 | 3000.000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Pentane | 0.300 | 6.000 | 5000.000 | ND | Pass |
| Propane | 0.700 | 6.000 | 5000.000 | ND | Pass |
| Toluene | 0.400 | 6.000 | 890.000 | ND | Pass |
| Xylenes | 1.300 | 18.000 | 2170.000 | ND | Pass |

Date Tested: 11/15/2022

Residual solvents tested on a Shimadzu GCMS-QP2010 SE following SOP AL-05. LOD = Limit of Detection; LOQ = Limit of Quantification; ND = Not Detected; Values <LOD reported as ND.

