MUSEO DI A

ACCESS RIDER MART MUSEO DI ARTE CONTEMPORANEA

4

Contacts


Address	Corso Bettini 43, Rovereto TN
Contact	Diama Amadana
Person	Diana Anselmo
Office Phone	0464 431660
Cell Phone	3314277310
Email	accessibilita@orienteoccidente.it

Structure

External access	 Pedestrian entrance with external pavement in porphyry, featuring concave drains There is the possibility to park your car in the MART parking lot (with reserved spaces) and then access the museum's entrance from the parking area There is a 1 cm doorstop right at the exit from the parking area There are two entry options for wheelchair users: one door on the right and a revolving door that can be slowed down The entrance door is 90 cm wide The door is opened during performances It is recommended to check the MART website - https://www.mart.tn.it/accessibilita
Ground floor	 Entrance with a 0.5 cm height difference Reception, restrooms and elevators to access the first and second floors




Revolving door that can be slowed down



Wheelchair access to the right of the revolving door

Conference Room

- The room is located at the entrance, on the right
- Maximum capacity: 143 seats
- There are 6 wheelchair spaces located at the back of the room and not marked
- The door is 131 cm wide
- The height of the door handle is 131 cm
- To enter, you need to pull; to exit, there is a push mechanism on both doors
- The stage is not accessible and has 5 steps



Door to the Conference Room



Overview of wheelchair seating in the Conference Room



Stage of the Conference Room (with 5 steps)

Exhibition Room, 2nd Floor

Accessible via one of the two elevators

Sculpture Garden

- Pedestrian entrance accessible from Via Sticcotta (there is an ascending ramp)
- Accessible entrance with elevator: enter by pulling the door of the Educational Room (orange wall) in the MART square, next to the Library door, take the elevator to the first floor, and from there exit accompanied by the Museum staff
- The entrance is not accessible from the MART square, with 32 steps present
- The Garden has an accessible wooden walkway; the rest is grassy
- The chemical toilets for the public are located at the entrance of the underground parking
- The accessible restroom is inside the Educational Room



Overview of the garden





Garden entrance for wheelchair users, with a gate (on the left) leading to Via Sticcotta

Garage -2nd Floor

• Accessible using the parking area elevator

The Terrace

- The accessible entrance (office entrance) is located next to the Auditorium Melotti door
- There is an elevator there that goes to the 2nd floor (Management, Offices). To use it, you need to request the assistance of the Museum or Melotti staff. Once you reach the 2nd floor, you must go through two doors
- The first door is 87 cm wide. The second is 103 cm wide
- There is a 3 cm step
- The terrace floor is paved
- The entrance is not accessible from the MART square, with 35 steps present. The floor is made of cobblestones

Decompression Room

 It is located on the ground floor, inside the Educational Room. It has comfortable seating, soft surfaces, fidget toys, and earplugs available



Access door to the terrace for wheelchair users



Step at the door (3 cm)



Overview of the terrace entrance

How to reach it

By car	 Paid parking is available near the venue, or there is paid underground parking 250 meters away at Via Sticcotta 2, Rovereto (TN) (hours: 6 AM - 12 PM)
From the train station	 On foot, it is 1.2 km By bus, take lines 1 and 2 (outside the station on the right) heading north

BELOW FOR MEASUREMENTS AND MORE DETAILED INFORMATION

Detailed information

Elevator	The door is 90 cm wide
	• The elevator shaft measures 110 cm x 150 cm

- They are located on the ground floor, to the right upon entry
- There are two accessible restrooms, one for men and one for women
- The doors are 90 cm wide
- There is a support grab bar on the side for transferring from the wheelchair to the toilet seat.
- The height of the women's toilet seat is 46 cm, the men's is 47 cm
- The flush button is located on the side of the toilet, on the right
- The height of the women's toilet flush is 94 cm, the men's is 86 cm
- There is a handheld shower next to the toilet.
 Emergency pull cords are present
- The height of the women's sink is 84 cm, the men's is 85 cm
- The mirrors in the sink area are not adjustable
- There is a waste bin for hazardous and sanitary waste
- An assistance service to the restrooms is available


Restrooms



Restroom entrance



Detail of the accessible restroom for individuals with disabilities



Sink

Useful information for spatial orientation

- There is no floor signage
- A physical map is available
- An evacuation map is also provided