


SlimLine Surface Mounts
120-277V 0-10V Dimmable



WATT	LUMENS
10	650
15	1,000
22	1,450
30	2,000

Detail Specifications:

- Finishes: White, Bronze, Black, Brushed Nickel
- IP Rating: Wet Location
- Beam Angle: 110°
- Chip: SMD 2835, R9 >50, CRI >80
- 3 Step MacAdam Ellipses
- Operating Temperature: -40° - 114° F
- Lens: Frosted, non-yellowing
- Average life (L70) of 50,000 hours

Applications:

- General Recessed Lighting
- Residential & Multifamily
- Office and Meeting Rooms
- Education, Healthcare, Retail, Hospitality

Product Information:

- AC technology: slim and easy driverless installation
- Edge-lit technology: reduces glare with even light distribution
- Standard white round trim included: optional trims available

Driver Options:

- 120-277V 0-10V Dimmable
- (Triac dimmable available on separate spec sheet)
- THD: <15% (+/-5% tolerance), PF >0.9, 50/60Hz
- Isolated Driver
- Flicker Free

Mounting & Installations:

- 30/40 Junction Box
- Surface mount bracket included
- 5", 7", 12" Recessed Can Converter

Certifications:

- ETL Listed for USA and CA
- Energy Star Certified
- CA Title 24 JA8-2022 CEC Listed
- 5 Year Limited Warranty
- FCC CFR 47, GCC Part 15, Subpart B:2017
- IC Rated and ASTM-E283 Air-Tight
- Complies with UL 263, ASTM E119, CAN ULC S101
- Closet Rated

Series

- LED-SLDSKR-5-10W-5CCT-WH-0/10V
10W • 650lm • 120-277V
- LED-SLDSKR-7-15W-5CCT-WH-0/10V
15W • 1,000lm • 120-277V
- LED-SLDSKR-12-22W-5CCT-WH-0/10V
22W • 1,450lm • 120-277V
- LED-SLDSKR-15-30W-5CCT-WH-0/10V
30W • 2,000lm • 120-277V
- LED-SLDSKSQ-5-10W-5CCT-WH-0/10V
10W • 650lm • 120-277V
- LED-SLDSKSQ-7-15W-5CCT-WH-0/10V
15W • 1,000lm • 120-277V


Optional Accessories (Order Separately)

Round Trims	Square Trims	Recessed Can Converter	Emergency Backup	Pendant Stem Mount
SLDSKR-5-TRIM-BLK 5" Round Black	SLDSKSQ-5-TRIM-BLK 5" Square Black	SLDSK-4CLIP 4" Recessed Can Converter	SLDSKR-7-EMB-UNV Surface mount pancake EMB	STM-JBX-6-WH 6' Stem Mount (Adjustable length)
SLDSKR-5-TRIM-BRZ 5" Round Bronze	SLDSKSQ-5-TRIM-BRZ 5" Square Bronze	SLDSK-7-6CLIP 6" Recessed Can Converter	SLDSKR-7-EMB-EMPTY-UNV Empty surface mount pancake EMB	White Finish
SLDSKR-5-TRIM-BNI 5" Round Brushed Nickel	SLDSKSQ-5-TRIM-BNI 5" Square Brushed Nickel	SLDSK-12-6CLIP 6" Recessed Can Converter	SLDSKR-12-EMB-UNV Surface mount pancake EMB	STM-JBX-6-BLK 6' Stem Mount (Adjustable length)
SLDSKR-7-TRIM-BLK 7" Round Black	SLDSKSQ-7-TRIM-BLK 7" Square Black	SLDSK-12-6CLIP 6" Recessed Can Converter	SLDSKR-12-EMB-EMPTY-UNV Empty surface mount pancake EMB	Black Finish
SLDSKR-7-TRIM-BRZ 7" Round Bronze	SLDSKSQ-7-TRIM-BRZ 7" Square Bronze	SLDSK-12-6CLIP 6" Recessed Can Converter	LED-EMB-8W-HV-0/10V-2P For fixtures up to 15W	
SLDSKR-7-TRIM-BNI 7" Round Brushed Nickel	SLDSKSQ-7-TRIM-BNI 7" Square Brushed Nickel	SLDSK-12-6CLIP 6" Recessed Can Converter	LED-EMB-15W-HV-0/10V-2P For fixtures up to 22W	
SLDSKR-12-TRIM-BLK 12" Round Black	SLDSKSQ-12-TRIM-BLK 12" Square Black	SLDSK-12-6CLIP 6" Recessed Can Converter	LED-EMB-25W-HV-0/10V-2P For fixtures up to 35W	
SLDSKR-12-TRIM-BRZ 12" Round Bronze	SLDSKSQ-12-TRIM-BRZ 12" Square Bronze			
SLDSKR-12-TRIM-BNI 12" Round Brushed Nickel	SLDSKSQ-12-TRIM-BNI 12" Square Brushed Nickel			


1. Standard quick ship finish is white. Other colors are custom finishes.
2. Custom height options available. Contact us.

Specs and model numbers are subject to change with or without notice.


FEATURES





DIMENSIONS



CLIP-ON TRIMS - 5" / 7" / 12"



ACCESSORIES



30° ANGLE

STM-JBX-6-WH
STM-JBX-6-BLK

FIXTURE, TRIM, & ACCESSORY

Trim Model	Description
SLDSKR-5-TRIM-BLK	Black 5" Round Trim
SLDSKR-5-TRIM-BRZ	Bronze 5" Round Trim
SLDSKR-5-TRIM-BNI	Brushed Nickel 5" Round Trim
SLDSKR-7-TRIM-BLK	Black 7" Round Trim
SLDSKR-7-TRIM-BRZ	Bronze 7" Round Trim
SLDSKR-7-TRIM-BNI	Brushed Nickel 7" Round Trim
SLDSKR-12-TRIM-BLK	Black 12" Round Trim
SLDSKR-12-TRIM-BRZ	Bronze 12" Round Trim
SLDSKR-12-TRIM-BNI	Brushed Nickel 12" Round Trim
SLDSKSQ-5-TRIM-BLK	Black 5" Square Trim
SLDSKSQ-5-TRIM-BRZ	Bronze 5" Square Trim
SLDSKSQ-5-TRIM-BNI	Brushed Nickel 5" Square Trim
SLDSKSQ-7-TRIM-BLK	Black 7" Square Trim
SLDSKSQ-7-TRIM-BRZ	Bronze 7" Square Trim
SLDSKSQ-7-TRIM-BNI	Brushed Nickel 7" Square Trim
SLDSKSQ-12-TRIM-BLK	Black 12" Square Trim
SLDSKSQ-12-TRIM-BRZ	Bronze 12" Square Trim
SLDSKSQ-12-TRIM-BNI	Brushed Nickel 12" Square Trim

CLIPS

Accessory Model	Description
SLDSK-4CLIP	Recessed Can Converter for 5" fixtures
SLDSK-7-6CLIP	6" Recessed Can Converter for 7" fixtures
SLDSK-12-6CLIP	6" Recessed Can Converter for 12" fixtures

SURFACE MOUNTS

Accessory Model	Description
SLDSKR-7-EMB-UNV	Surface mount pancake EMB
SLDSKR-7-EMB-EMPTY-UNV	Empty surface mount pancake EMB
SLDSKR-12-EMB-UNV	Surface mount pancake EMB
SLDSKR-12-EMB-EMPTY-UNV	Empty surface mount pancake EMB
LED-EMB-8W-HV-0/10V-2P	For fixtures up to 15W
LED-EMB-15W-HV-0/10V-2P	For fixtures up to 22W

PENDANT STEM MOUNT

Accessory Model	Description
STM-JBX-6-WH	6' Stem Mount (Adjustable length) White Finish
STM-JBX-6-BLK	6' Stem Mount (Adjustable length) Black Finish

TESTED COMPATIBLE DIMMERS

Other dimmers may be compatible but have not been tested. Please contact us for more information.

Lutron	Leviton	Legrand	Cooper	
DVCL-153P	NTELV-300P	6633	DLV703	9530
DV-600PR	S-600P	6674	H703PTW	DAL03P
DVCL-153P	CT-600P	6672		
MACL-153MH	CTCL-153P	6613		
MRF2-6CL	TG-600P			
D-600P	TGCL-153P			