



3-POWER + 3-CCT + 3-OPTIC SELECTABLE: 27 SKU's-in-One!

The perfect Linear High Bay for your next project has arrived! Narrow or Wide beam applications, we have you covered






27 SKU's In One Fixture!: Select your optics, power/wattage, & your CCT with a switch



**3-CCT
Selectable**



**3-Power
Selectable**




Beam Angle Optic-Selectable: 40x100° / 70x100° / 90x90°




**Beam Angle
Selectable**


Light Distribution



40x100°



70x100°




90x90°



Sensor: Control ready receptacle built into each fixture

- Standard Sensors: PIR, Microwave, Daylight
- **SILVAIR** Bluetooth Mesh
- **enVisionLS** Bluetooth

**S-TWC-PIR-ON/OFF
S-TWC-PIR-1
S-TWC-PIR-SL
S-TWC-PIR-BT**



**Twist-C Control
Receptacle**

SELECT

-N-

SWITCH

Power Selectable: 3-Power Selectable offer a powerful combination of efficiency and flexibility

3P105	
WATT	LUMENS
60	9,000
85	12,750
105	15,750

3P165	
WATT	LUMENS
110	16,500
130	19,500
165	24,750

3P240	
WATT	LUMENS
180	27,000
215	32,250
240	36,000

3P320	
WATT	LUMENS
260	39,000
290	43,500
320	48,000



Heatsink: Heavy duty diecast aluminum body rapidly draws heat away from the LED driver and chips.



Die-Cast Aluminum Heatsink



Heat Reduced Vents

Applications

Warehouse



Sports Gym



Retail



Accessories

Suspension Kit: Adjustable Length



Adjustable Length Paddle Bottom

SK-10FT-Y-LC-PD
SK-20FT-Y-LC-PD



Adjustable Length Carabiner Bottom


SK-10FT-Y-LC-CB
SK-20FT-Y-LC-CB



Chain Carabiner Bottom


CK-6FT-V

Mounts



Pendant Mount Bracket


LHB-OPT-PDM



Surface Mount Bracket

LHB-OPT-SM

Whips



Extension Cables

6'-WHIP-1/2KO
10'-WHIP-1/2KO
20'-WHIP-1/2KO



5-15P Straight Blade Plug

SB



L5-15P Twist Lock Plug

TL

Sensors



PIR Sensor ON/OFF Only 5/10/15min.

S-TWC-PIR-ON/OFF

PIR Bi-Level Motion+ Daylight Sensor (Remote Req'd)

S-TWC-PIR-1



PIR SILVAIR Bluetooth Mesh


S-TWC-PIR-SL



PIR ENVISIONLS Bluetooth Control

S-TWC-PIR-BT

Emergency



Emergency Backup available.

Remote



S-Line Remote Control

S-LINE-R



envisionledlighting.com

EnVision LED Lighting

P- 323-604-0066 M-F, 5am to 5pm PST

Information

cs@envisionledlighting.com

Orders

orders@envisionledlighting.com

View Latest Catalog



envisionled



envisionled



envision-led