

Area Barn Dusk to Dawn Flood Lights

3-CCT Selectable



Project: _____ Part #: _____
Type: _____

Barn Lights



Detail Specifications:

- IP65 wet location rated
- CRI 80 SMD lumiled LED chips
- 10KV surge protector
- 150° beam angle/type VS distribution
- THD: 15%
- Operating temperature: -4° F ~ +124° F
- Storing temperature: -40° F ~ +185° F
- PF >0.9/Input: .85A/Output: 36-66V DC
- 0-10V dimmable

Applications:

- Building perimeters
- Outdoor area lighting
- Yard and dock areas
- Security light

Product Information:

- 3CCT selectable: 30/40/50K
- Dusk to dawn photocell included
- Di-cast aluminum housing with pc lens
- No UV emission, no flicker, instant start, no humming
- Average life L70 @ 70,000 hours lumen maintenance

Driver Options:

- 100-277V driver, 50/60Hz
- Triac Dimmable Down to 5%
- THD: <20% (+/-5% tolerance), PF >0.9, 50/60Hz
- Built in 2.5Kv Surge Protector
- Flicker Free

Certifications:

- UL listed
- DLC premium: Outdoor full-cutoff area luminaire
- FCC CFR 47, FCC Part 15 Subpart B: 2017
- 5 year EnVision LED limited warranty

Series	Wattage	Color	Finish	Photocell
LED-BDD -		TRI -		PC -
	40W	30K/40K	SL	Photocell
	40W	50K	Silver	is included
	60W		BZ	
	60W		Bronze	
			CS	
			Custom	


- 1. • 30D standard on 10W.
- 36D standard on 20W & 30W.
- 24D & 60D available for all sizes

Optional Accessories (Order Separately)


J-Box Cover	Bracket
BDD-JBX-SLV	TN-L-POLE
BDD: J-Box Cover (Silver)	BDD: Tenon Bracket
BDD-JBX-BZ	
BDD: J-Box Cover (Bronze)	

Specs and model numbers are subject to change with or without notice.

FEATURES




DIMENSIONS



Area Barn Dusk to Dawn Flood Lights

3-CCT Selectable

ACCESSORIES



TN-L-POLE

Model	Voltage	Watts	Lumens	Color	CRI
LED-BDD-40W-TRI-BZ-PC	120-277V	40w	6,200	30/40/50k	>80
LED-BDD-60W-TRI-SL-PC	120-277V	60w	9,300	30/40/50k	>80
LED-BDD-60W-TRI-BZ-PC	120-277V	60w	9,300	30/40/50k	>80

POLE


Model	Description
TN-L-POLE	Pole Installation Tenon Bracket

INSTALLATION COVER

Accessory	Description
BDD-JBX-SLV	Silver J-Box Installation Cover
BDD-JBX-BZ	Bronze J-Box Installation Cover



BDD-JBX-SLV



BDD-JBX-BZ