

Spectrum™

Technical Information Pack



Spectrum™



JETS

Up to 81



VOLUME

1352 litres



SEATING

6 seats



DIMENSIONS

2.30 x 2.30 x 0.92m



FEATURES

Build

- Superior USA made Aristech™ acrylic
- Thermobond™ 4 layer shell construction
- 9 shell/cabinet colour combinations
- Duraflex™ 'no kink' PVC plumbing
- Aromatherapy
- Thermoclad™ maintenance-free cabinet

Water care

- Purezone™ micro filtration
- Purezone™ CD Ozone water clarifier

Lighting

- Hydroglow™ underwater LED floodlight

Control

- SpaNet™ premium control systems
- Spa Health Indicator

Hydrotherapy

- Individual seat pressure controls
- Neck therapy collar

Optional Upgrades Included in Avanté

- Galvanised steel frame construction
- Purezone™ UV-C sanitiser
- ThermoLock™ Dual layer insulation
- Hydroflow™ stainless steel bearing-less jets
- Hydroglow™ LED backlit water cascade
- Hydroglow™ jet & topside control lighting
- Hydroglow™ programmable lighting
- Hydroglow™ perimeter & cabinet lighting
- Hydroglow™ backlit drink holders
- Hydroglow™ backlit laminar jets

Optional Extras

- SmartLINK™ Wifi connectivity
- SmartSTREAM™ sound system
- SpaNet™ Hybrid heat pump

WARRANTIES


Frame	Lifetime
Shell structure	10 yrs
Acrylic surface	5 yrs
Jets, plumbing & heater	5 yrs
Pumps & equipment	2 yrs

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Spectrum™

Jet specifications

Dimensions: 2.30 x 2.30 x 0.92m



127mm Single Spinning Jets



127mm Hi Volcano Directional Jet



127mm Twin Spinning Jets



127mm Directional Jets



75mm Directional Jets



75mm Single Spinning Jets



50mm Directional Jets




50mm Twin Spinner Jets



40mm Air Jets

Spectrum Hydroplus™

Hydroplus model, provides you with a superior hydrotherapy experience.



127mm Directional Jets



75mm Directional Jets



50mm Directional Jets



50mm Twin Spinner Jets

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Spectrum™

Specifications table

	Spectrum™	Spectrum Hydroplus™
Dry weight	406kg	418kg
Filled weight (incl cover)	1,775.7kg	1,787.7kg
Lift weight	516.6kg	531kg
Intuitive spa controller	SV3	SV3
Programmable circulation pump	1	1
Jet pumps	2	3
Variable speed air blower	1	1
Variable output heater	5.25kW max	5.25kW max
Recommended electrical supply	32 amps	32 amps

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Spectrum™

Equipment location




Illustration shows Spectrum™ spa pool model


	Equipment Bay		Drain Valve
	Keypad		Circulation Pump
	Conduit Access		


* Conduit access should be no more than 100mm high above the concrete slab.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Spectrum™

Standard Spa Cover





VortexTM
Spas