

Aqualap™

Technical Information Pack



Aqualap™



JETS

Up to 81



VOLUME

Up to 9,720 litres



SEATING

Up to 6 seats



DIMENSIONS

5.90 x 2.32 x 1.3/1.5m



FEATURES

Build

- Step down access
- Superior USA made Aristech™ acrylic
- Thermobond™ 4 layer shell construction
- 9 shell/cabinet colour combinations
- Galvanised steel frame construction
- Duraflex™ 'no kink' PVC plumbing
- Aromatherapy system
- Thermoclad™ maintenance-free cabinet

Water care

- Purezone™ micro filtration
- Purezone™ CD Ozone water clarifier

Lighting

- Hydroglow™ underwater LED floodlight

Control

- SpaNet™ premium control systems
- Spa Health indicator

Hydrotherapy

- Individual seat pressure controls
- Neck therapy collar
- Hydrotherapy lounger

Optional Upgrades Included in Avanté

- Purezone™ UV-C Sanitizer
- ThermoLock™ Dual layer insulation
- Hydroglow™ programmable lighting
- Hydroflow™ stainless steel bearing-less jets
- Hydroglow™ LED backlit water cascade
- Hydroglow™ jet & topside control lighting
- Hydroglow™ perimeter & cabinet lighting
- Hydroglow™ backlit drink holders
- Hydroglow™ backlit laminar jets

Optional Extras

- SmartLINK™ Wifi connectivity
- SmartSTREAM™ sound system
- SpaNet™ Hybrid heat pump
- AquaSal™ automatic sanitiser

WARRANTIES

Frame	Lifetime
Shell structure	10 yrs
Acrylic surface	5 yrs
Jets, plumbing & heater	5 yrs
Pumps & equipment	2 yrs


* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aqualap™

Height comparison


Aqualap™

Dimensions: 5.90 x 2.32 x 1.3m



Aqualap XD™

Dimensions: 5.90 x 2.32 x 1.5m



Aqualap™

Jet specifications

Dimensions: 5.90 x 2.32 x 1.3m





Illustration shows our most popular swim spa Aqualap Pro+™ model.


-  127mm Single Spinning Jets
-  127mm Directional Jet
-  75mm Directional Jets
-  75mm Single Spinning Jets

-  50mm Directional Jets
-  50mm Twin Spinner Jets
-  40mm Air Jets


Aqualap Plunge™




Aqualap Pro™



Aqualap Pro+™



Aqualap Extreme™



-  150mm Swim Jets

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aqualap XD™

Jet specifications

Dimensions: 5.90 x 2.32 x 1.5m






Illustration shows our most popular swim spa Aqualap Pro+ XD™ model.


Aqualap Plunge XD™




Aqualap Pro XD™



Aqualap Pro+ XD™



Aqualap Extreme XD™



 127mm Single Spinning Jets

 127mm Directional Jet

 75mm Directional Jets

 75mm Single Spinning Jets

 50mm Directional Jets

 50mm Twin Spinner Jets

 40mm Air Jets

 150mm Swim Jets

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aqualap™



Specifications table

	Plunge	Pro	Pro Plus	Extreme
Dry weight				
Aqualap™ 1.3m	1,350kg	1,400kg	1,450kg	1,500kg
Aqualap XD™ 1.5m	1,425kg	1,475kg	1,525kg	1,575kg
Filled weight (incl cover)				
Aqualap™ 1.3m	9,908kg	9,958kg	10,008kg	10,058kg
Aqualap XD™ 1.5m	11,203kg	11,253kg	11,303kg	11,353kg
Lift weight				
Aqualap™ 1.3m	1,800kg	1,800kg	1,800kg	1,800kg
Aqualap XD™ 1.5m	1,900kg	1,900kg	1,900kg	1,900kg
Intuitive spa controller	SV2	SV3	SV3	SV4
Programmable circulation pump	1	1	1	1
Jet pumps	1	2	2	4
Variable speed air blower	1	1	1	1
Variable output heater	3kW	5.25kW	5.25kW	5.25kW
Recommended electrical supply	15 amps	32 amps	32 amps	40 amps

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Aqualap™

Equipment location




* Conduit access should be no more than 100mm high above the concrete slab.


Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Illustration shows Aqualap™ 1.3m swim spa model

Aqualap™

Standard Spa Cover





VortexTM
Spas