

Interactive tech sheet

This interactive tech sheet contains clickable links and QR codes that provide instant access to specific information related to Vortex[™] Spas or Swim Spas.

Simply click or scan these QR codes to dive deeper into the features, maintenance tips, and expert advice tailored just for you.

When you see these icons, you can click or scan:

Click on QR code



Scan QR code



We hope you find the information helpful. Please get in touch if you have any questions about any Vortex[™] Spas product. We are here to help!

From the Vortex[™] Spas Team.





JETS

Up to 98



WATER CAPACITY

2,788 litres



SEATING

10 seats



DIMENSIONS

3.51x 2.28 x 0.90m





FEATURES

Build

- Heavy-duty heat-dipped galvanised, timber-free frame with a Lifetime Warranty
- Superior USA-made Aristech™ acrylic for added peace of mind
- Thermobond™ 4-Layer shell construction for superior durability
- Nine colours combinations to suit your preferences
- Duraflex[™] 'No kink' PVC plumbing ensures no plumbing worries
- Thermoclad™ Maintenance-free cabinet
- ThermoLock™ Dual layer insulation to reduce energy consumption
- ThermoLock™ High Impact moulded ABS base
- Hydroflow™ Stainless steel bearing-less jets for long life

Control

- SpaNet™ Premium control systems with dynamic thermal tuning for energy savings
- Premium SpaNet™ Touchpad for ease of use

Lighting

- Hydroglow™ Underwater LED floodlight
- Hydroglow $^{\! \rm TM}$ LED backlit water cascade to set the scene
- Hydroglow™ Programmable lighting for full control
- Hydroglow™ Jet & topside control lighting
- Hydroglow™ Perimeter & cabinet lighting
- Hydroglow™ Backlit drink holders
- Hydroglow™ Backlit laminar jets

Water Care

- \bullet Purezone[™] AOS System with UV and ozone automatic water care
- Purezone™ Micro-filtration for effortless water clarity

Hydrotherapy

- Neck Therapy Collar™ to melt away back and shoulder tension
- Twin Hydrotherapy lounger so there's no arguing over the favourite seat
- Individual seat pressure controls for a tailored hydrotherapy experience
- Adjustable spa jets for customised massages

Optional Extras

- Vortex™ Audio WiFi Kit—Control your spa and enjoy your favourite music or podcasts
- SmartLINK™ WiFi Module—Remotely monitor and control your spa
- SpaNet™ SV Series heat pump—Save up to 75% on spa heating costs in winter and cool your spa in summer

WARRANTIES

Frame	Lifetime
Shell structure	10 yrs
Acrylic surface	5 yrs
Jets, plumbing & heater	5 yrs
Pumps & equipment	5 yrs

* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.



Heights




Illustration shows Palladium $^{\rm TM}$ spa model

		Palladium™	Palladium HP™
	Model dimensions	3.51(L) x 2.28(W)m	3.51(L) x 2.28(W)m
Α	Total height	0.90m	0.90m
В	Product height under lip +-20mm	799mm 799mm	
С	Height to bottom of health light +-25mm	584mm	584mm



 $^{* \} Conditions \ apply. \ Specifications \ may \ change \ without \ notice. \ Pictures \ may \ show \ options \ not \ available \ on \ all \ models.$

Specifications Table

	Palladium [™]	Palladium Hydroplüs
Water capacity	2,788L	2,788L
Dry weight	672kg	692kg
Filled weight (incl cover)	3,490kg	3,510kg
Lift weight	856kg**	880kg**
Intuitive spa controller	SV3	SV3
Programmable circulation pump	1	1
Jet pumps	2	3
Variable speed air blower	1	1
Variable output heater	5.25kW max	5.25kW max
Recommended electrical supply	32 amps	32 amps


^{**} The specified Lift weights in the table above include the spa's dry weight, packaging, and hard cover. These are approximate weights and are intended as a guide only. All weights must be checked by the crane operator prior to the lift. (Cranes have the ability to check the weight)




^{*} Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.

Jet Specifications


Dimensions: 3.51 x 2.28 x 0.90m






Palladium Hydroplus[™]

Hydroplus model, provides you with a superior hydrotherapy experience.







* Conditions apply. Specifications may change without notice. Pictures may show options not available on all models.



Equipment Location





* Conduit access should be no more than 100mm high above the concrete slab.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.




Palladium HP™

Equipment Location

Keypad

Drain Valve



* Conduit access should be no more than 100mm high above the concrete slab.

Note: This model has a rigid base, and if you choose to bring the piping conduit in from the bottom through the base, you will need to cut a hole into the base on-site before installation. The factory does not provide this hole. Please see the diagram above to find the location where you can drill the hole.

Circulation Pump


Speaker holders




Jet Pump

Hydroplus models

Standard Spa Cover







Vortex Spas™ Certificates

To access each of our Vortex Palladium™ the Generic Concrete Slab/ Plumbing/Structural Certificates, please click or scan the QR code associated with each model.

Click on QR code



Vortex[™] Spas Portables Generic Concrete Slab Certificate



Vortex Palladium HP™ Plumbing Certificate



Scan QR code



Vortex Palladium™ Plumbing Certificate



Vortex Palladium™ Structural Certificate



Vortex Spas[™] Limited Warranty

To access the Vortex $\mathsf{Spas}^\mathsf{TM}$ Limited Warranty:

Click on QR code



Scan QR code



Vortex Spas[™] 2024 Limited Warranty



Vortex Spas[™] Pre-2024 Limited Warranty



Vortex Spas™ Owner's Manual

To access more information about Vortex Spas™:

Click on QR code



Scan QR code



Vortex Spas™ Owner's Manual



SpaNet[™] SV Series Heat Pump Installation & User Manual



Vortex Spas™ Audio WiFi Manual



Vortex Spas