



---

# Stability Test BuzziShield Free

---

The BuzziShield Free has been thoroughly tested according to European standard DIN EN 1023-3: 2000. DIN EN 1023-3:2000 specifies the test methods for stability and for the structure of office screens.

Official reporting upon request.

---

<b>Test object:</b>	BuzziShield Free Large H 180cm W 160cm
<b>Test Method:</b>	EN 1023-3: 2000 Office furniture - Screens - Test methods
<b>Scope:</b>	Complete test
<b>Date of manufacture:</b>	9/03/2021
<b>Date of test:</b>	17/03/2021
<b>Location of test:</b>	BuzziSpace Manufacture - Industrieweg 7a - NL – 5531 AD Bladel
<b>Test result:</b>	The tested objects passed the test

---

## Description of Test Object

### Dimensions

Height: 180 cm

Width: 160 cm

### Components

Core: Cardboard + Acoustic foam + MDF

Upholstery: Fabric Bottle

---

## Test Result

Requirements	Method	Cycles	Load	Results
Stability for non-load bearing screens Screens displacement 200 mm  Unloaded office screen shall not overturn when submitted to horizontal forces	EN 1023-3: 2000; 6.1	1	Max 200 N	Pass

*BuzziShield Free H 180cm W 160cm*



