

---

# BuzziBalance

## Product Specification Sheet

---

This document contains technical information about the BuzziBalance

---



[www.buzzi.space](http://www.buzzi.space)



## Move your body, move your mind

BuzziBalance creates a non-traditional environment that brings people together, provoking joy and conversation. The BuzziBalance family offers both a seating and standing element. While standing, BuzziBalance Board becomes a muscle activator. As one balances on the wooden-carved rocking board for a few moments, the mind and body are awakened. While sitting on the BuzziBalance, a rocking pouf in small and large version, the benefits of purposeful stretching are brought into the workplace. The upholstered seat also offers added acoustical benefits. The perfect solution for creative hubs in offices, hospitality or residential homes. BuzziBalance offers the best of both worlds. Stretch your legs for a quick phone call or gather and rock away during a creative session.

Design by 13&9 Design

---

## General

- 🔑 BuzziBalance Small | BuzziBalance Small High | BuzziBalance Large  
BuzziBalance Board Small | BuzziBalance Board Large
- 🌲 Filling: Acoustic foam + Plywood/MDF/Pinewood  
Bottom: Solid Wood Ash
- ⋮ Cover: Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Memory 2

---

## Acoustics



Diffusion



Absorption



Low tones



Mid tones



High tones

---


## Content

Configurations	3
Fabrics	5
Dimensions	8
Acoustics	10

# Configurations

---

## BuzziBalance Small



Filling: Acoustic foam + Plywood/MDF/Pinewood  
Bottom: Solid Wood Ash



Ø 56 cm, H 38 cm  
Ø 22.05", H 14.96"




13,3 kg  
29.32 lbs



Cover: Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3,  
Velvet, Hero 2, Tonus 4, Memory 2

---

## BuzziBalance Small High



Filling: Acoustic foam + Plywood + Cardboard  
Bottom: Solid Wood Ash



Ø 56 cm, H 46,5 cm  
Ø 22.05", H 18.31"




13,8 kg  
30.42 lbs



Cover: Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3,  
Velvet, Hero 2, Tonus 4, Memory 2

---

## BuzziBalance Large



Filling: Acoustic foam + Plywood/MDF/Pinewood  
Bottom: Solid Wood Ash



Ø 98 cm, H 38 cm  
Ø 38.58", H 14.96"



39,5 kg  
87.08 lbs



Cover: Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3,  
Velvet, Hero 2, Tonus 4, Memory 2

---

---


## BuzziBalance Board Small



- 🌲 Bottom: Solid Wood Ash
- ✂️ Ø 55 cm, H 7 cm  
Ø 21.65", H 2.76"
- ⚖️ 6,2 kg  
13.67 lbs

---


## BuzziBalance Board Large



- 🌲 Bottom: Solid Wood Ash
- ✂️ Ø 97 cm, H 7 cm  
Ø 38.19", H 2.76"
- ⚖️ 19 kg  
41.89 lbs

# Fabrics

## Fabric (45 colors)



**Category A**

**Composition** 70% Recycled Wool, 25% Recycled Polyacryl,  
5% Recycled Other Fabrics

**Weight** 405 g/m<sup>2</sup> | 11.94 oz/yd<sup>2</sup>

**Abrasion resistance** 40.000 Martindale, 50,000 Wyzenbeek

**Flammability** EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).  
EN 1021.2/2006 | BS EN 1021.2/2006 (match)  
USA: CAL TB 117 | ASTM E84 CLASS A


**Fastness to light** EU: 4 | USA 4

**Fastness to rubbing** EU: Wet 3-4 | Dry 4-5

**Fastness to crocking** USA: Wet 5 | Dry 5



## Trevira CS+ | CS (47 colors)



**Category A**

**Weight** 420 g/m<sup>2</sup> | 12.39 oz/yd<sup>2</sup>

**Composition** 100% Polyester, Trevira CS

**Abrasion resistance** 100.000 Martindale, 90,000 Wyzenbeek

**Flammability** BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard  
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |  
IMO Res. A652 (16)


**Fastness to light** EU: 6 | USA 5

**Fastness to rubbing** EU: Wet 4-5 | Dry 4-5

**Fastness to crocking** USA: Wet 5 | Dry 5



## Revive 1 (25 colors)



**Category A**

**Composition** 100% recycled polyester FR

**Weight** 430 g/lin.m

**Abrasion resistance** 60.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
UNI 9175 1IM | US Cal. Tech. Bull. 117  
IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 5, wet 4-5

**Pilling** Note 4-5, EN ISO 12945




kvadrat

## Velvet (12 colors)



**Category** B  
**Composition** 100% PES  
**Weight** 375 g/m<sup>2</sup> | 11.06 oz/yd<sup>2</sup>  
**Abrasion resistance** > 100.000 Martindale  
**Fastness to light** EU: 4-5  
**Fastness to rubbing** EU: Wet 4 | Dry 4-5  
**Pilling** EU: 4-5

## Clara 2 (24 colors)



**Category** B  
**Composition** 92% new wool, 8% nylon  
**Weight** 400 g/lin.m  
**Abrasion resistance** 80.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2  
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E  
NFPA 260 | IMO A.652(16)  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4  
**Pilling** Note 4, EN ISO 12945



kvadrat

## Remix 3 (73 colors)




**Category** B  
**Composition** 90% new wool, 10% nylon  
**Weight** 415 g/lin.m  
**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | BS 5852 part 1  
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM  
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013  
NFPA 260 | IMO FTP Code 2010:Part 8  
**Fastness to light** Note 5-7, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4  
**Pilling** Note 4, EN ISO 12945



kvadrat

## Hero 2 (33 colors)



**Category** C  
**Composition** 97% new wool, 3% nylon  
**Weight** 580 g/lin.m  
**Abrasion resistance** 45.000 Martindale rubs, EN ISO 12947  
**Flammability** EN 1021-1/2 | DIN 4102 B2 | NF D 60 013  
UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260  
IMO A.652 (16)  
**Fastness to light** Note 5-6, ISO 105-B02  
**Fastness to rubbing** (ISO) dry 4-5, wet 4-5  
**Pilling** Note 3-4, EN ISO 12945



kvadrat

## Tonus 4 (47 colors)

kvadrat



**Category** D

**Composition** 90% new wool, 10% Helanca

**Weight** 665 g/lin.m

**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2

Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M

US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 3-5, wet 3-5

**Pilling** Note 3, EN ISO 12945



## Memory 2 (20 colors)

kvadrat



**Category** E

**Composition** 100% Trevira CS

**Weight** 700 g/lin.m

**Abrasion resistance**

35.000 rubs acc. to the Martindale method, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1

NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M

UNI 9177 classe 1 | US Cal. Tech. Bull. 117

IMO A.652 (16)

**Fastness to light** Note 5-8, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5

**Pilling** Note 4, EN ISO 12945




# Dimensions


---

## BuzziBalance Small

Front




Top




---

## BuzziBalance Small High

Front




Top




---

## BuzziBalance Large

Front



Top







---

## BuzziBalance Board Small

Front




Top




---

## BuzziBalance Board Large

Front




Top



# Acoustics

## BuzziBalance Small | Large

Equivalent sound absorption area in m<sup>2</sup> per object



Hz	Small Aeq/m <sup>2</sup>	Large Aeq/m <sup>2</sup>
125	0.40	0.70
250	0.70	1.50
500	0.60	1.50
1000	0.70	1.60
2000	0.70	1.60
4000	0.90	1.70