




DECLARATION OF PERFORMANCE
No. DOP-P0066-SKIN

1. Unique identification code of the product-type or product family: P0066-SKIN.01.58-59-60-61-63-64-65-66-67-68-74-75 P0066-SKIN.02.01-02-03-04-05-06 P0066-SKIN.03.01-02-03-04					
2. Type, batch or serial number or any other element allowing identification of the construction product: BuzziSkin and BuzziSkin Printed - acoustical needle felt wallcovering 1000 g/m2, 6.1 mm thickness					
3. Intended uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Use as wall covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 15102:2007+A1:2011					
4. Name, registered trade name or registered trademark and contact address of the manufacturer: BuzziSpace NV, Groeningenlei 141, 2550 Kontich, Belgium					
5. System of assessment and verification of constancy of performance of the construction product: AVCP system 1					
6. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Notified testing laboratory Centexbel:0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-W012.					
7. Declared performance:					
Essential characteristic	Performance	Harmonised technical specification	Essential characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1	C-s2,d0	EN 15102:2007 A1:2011	Release of vinyl chloride monomer EN 12149-B	< 0.2 mg / kg	EN 15102:2007 A1:2011
Release of formaldehyde EN 12149-C	< 120 mg / kg		Sound absorption ISO 354	$\alpha_w = 0.15$ (MH)	
Release of heavy metals EN 12149-A	Antimony < 0.1 mg/kg Arsenic < 0.1 mg/kg Barium < 0.1 mg/kg Cadmium < 0.3 mg/kg Chromium < 0.1 mg/kg Lead < 0.5 mg/kg Mercury < 0.1 mg/kg Selenium < 1 mg/kg		Thermal resistance «EN 12524» or «EN 12667»	NPD	
8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.					
Signed for and on behalf of the manufacturer by:					
Els Kerckhof, Marketing Director					
 Kontich, January 30 th , 2020					