



Product Specification Sheet

BuzziSol EU


— By BuzziSpace Studio

Shine bright

BuzziSol is a versatile and straightforward pendant light fixture that can be fitted with either a frosted glass globe for ambient setting or with a reflective spot for direct lighting. Stick to BuzziSol Solo for smaller settings or add a BuzziSol Trio or BuzziSol Quintet variation for larger gathering spots and collaboration areas. Because of BuzziSol's demure design language, it can work on its own to create modern and minimalist spaces. Or pair it with some of our acoustic lighting solutions such as BuzziPleat, BuzziShade, BuzziProp Small, BuzziProp Beam, and BuzziZepp.

The Family


Sol Solo Globe




Sol Solo Spot




Sol Trio Globe




Sol Trio Spot



Sol Quintet Globe



Sol Quintet Spot



Lighting Units

Required order information

1. Model
2. Light Option
3. Mounting Option (only for Trio and Quintet)

Lighting Data

Lighting Units

BuzziSol Globe



BuzziSol collection are suspended LED fixtures consisting of 1, 3 or 5 powder-coated black heatsinks with LED chip on board (COB) light sources.

The product can be finished with a frosted glass globe diffuser which spreads the light in a large beam angle of 170°, enlighting the surroundings or reflector spot adaptors directing the light with a beam angle of 38° downwards.

Spot



BuzziSol Solo

Lighting Unit	Voltage	Wattage	Light Output Luminaire	Efficacy (Lm/W)	CRI	Dimming	Color Temperature	UGR	Standard (stock) On request (>LT)	Color Power Cable	Color Ceiling Canopy	Fabric Collection	Fabric Color	Mounting Option
Sol Solo Globe	220 - 240V	20W	1500 Lm	75	90	1-10V	3000K	23	Standard	Black	Black			
Sol Solo Globe	220 - 240V	20W	1500 Lm	75	90	DALI	3000K	23	On Request	Black	Black	Use color codes below	Use color codes below	2 cables of 2 m Alu or Black 2 cables of 5 m Alu or Black
Sol Solo Spot	220 - 240V	20W	1500 Lm	75	90	1-10V	3000K	12	Standard	Black	Black			
Sol Solo Spot	220 - 240V	20W	1500 Lm	75	90	DALI	3000K	12	On Request	Black	Black			

BuzziSol Trio

Lighting Unit	Voltage	Wattage	Light Output Luminaire	Efficacy (Lm/W)	CRI	Dimming	Color Temperature	UGR	Standard (stock) On request (>LT)	Color Power Cable	Color Ceiling Canopy	Fabric Collection	Fabric Color	Mounting Option
Sol Trio Globe	220 - 240V	60W	3 x 1500 Lm	75	90	1-10V	3000K	23	Standard	Black	Black	Use color codes below	Use color codes below	2 cables of 2 m Alu or Black 2 cables of 5 m Alu or Black
Sol Trio Spot	220 - 240V	60W	3 x 1500 Lm	75	90	1-10V	3000K	12	Standard	Black	Black			

BuzziSol Quintet


Lighting Unit	Voltage	Wattage	Light Output Luminaire	Efficacy (Lm/W)	CRI	Dimming	Color	UGR	Standard (stock) On request (>LT)	Color Power Cable	Color Ceiling Canopy	Fabric Collection	Fabric Color	Mounting Option
Sol Quintet Globe	220 - 240V	90W	5 x 1500 Lm	83	90	1-10V	3000K	23	Standard	Black	Black	Use color codes below	Use color codes below	2 cables of 2 m Alu or Black 2 cables of 5 m Alu or Black
Sol Quintet Spot	220 - 240V	90W	5 x 1500 Lm	83	90	1-10V	3000K	12	Standard	Black	Black			

CE CB


Photometric Data

BuzziSol Solo


Sol Solo Globe Cartesian diagram




Sol Solo Globe Polar curve



Sol Solo Spot Cartesian diagram




Sol Solo Spot Polar curve




BuzziSol Trio


Sol Trio Globe Cartesian diagram




Sol Trio Globe Polar curve



Sol Trio Spot Cartesian diagram




Sol Trio Spot Polar curve




BuzziSol Quintet


Sol Quintet Globe Cartesian diagram




Sol Quintet Globe Polar curve



Sol Quintet Spot Cartesian diagram



Sol Quintet Spot Polar curve




Tips and Tricks - Light Options

To enlight your workplace with optimal lux levels take following measurements into account:

BuzziChip Small BuzziSol Solo


Solo Spot

Office,
Meeting room



Solo Globe


Office,
Meeting room



BuzziChip Medium BuzziSol Trio


Trio Spot

Office,
Meeting room



Trio Globe


Office,
Meeting room



BuzziChip Large BuzziSol Quintet


Quintet Spot

Office
Meeting room



Quintet Globe

Office,
Meeting room




* According to EN12464

Product Data

Fixing System Lighting

BuzziSol Trio | Quintet






BuzziSol Trio | Quintet is suspended on 2 cables of 2 or 5 m black or alu colored cables, with fixing screw.




⚠ If installing on suspended ceiling, verify load capacity prior to installation.

Dimensions


BuzziSol Solo Globe





BuzziSol Solo Spot





BuzziSol Trio Globe





BuzziSol Trio Spot



BuzziSol Quintet Globe





BuzziSol Quintet Spot





Weights

BuzziSol Solo Globe | Spot





 1,9 kg

BuzziSol Trio Globe | Spot



 4,9 kg

BuzziSol Quintet Globe | Spot



 7,4 kg