
BuzziDesk Cross Product Specification Sheet

This document contains technical information about the BuzziDesk Cross

·BUZZI
SPACE

www.buzzi.space



Create Multiple Workstations

With desk sharing becoming an increasingly common way to foster collaboration, desk partitions are a great way to create physical distance and personal space when privacy is needed.

To accommodate such requests, BuzziDesk Cross is the ideal solution as it can transform a large meeting table into multiple individual workstations in no time.

Design by BuzziSpace Studio

General

- 📍 Desk Cross 4, 6, 8, 10, 12
- 🌳 Core: honeycomb cardboard + plywood
- 🌳 Profile: metal
- 🌳 Cover: BuzziFelt
- ☁️ Dry Use
- 🔑 Flat Packed

- ⋮ Sliders for BuzziPicNic WorkBench
- ⋮ Extra layer possible: Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4, Memory 2
- ⋮ Multicolor: different colors in same fabric collection possible, but same color for all Length panels and same color for all Width panels.

Certifications



Acoustics



Absorption



Diffusion



Attenuation



Mid tone




High tone

Content

Configurations	3	Dimensions	9
Components	4	Acoustics	11
Fabrics	5		

Configurations

BuzziDesk Cross 4



Desk Cross 4

2 x Panel Length

2 x Panel Width

Core: honeycomb cardboard + plywood

Profile: metal

Cover: BuzziFelt

Height: 35 cm, 45 cm, 55 cm
13.78", 17.72", 21.65"

Panel Length: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"

Panel Width: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"



Total Length: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125.98"

Total Width: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125.98"

All panels have the same height.

Panel Length is the same for all panels.

Panel Width is the same for all panels.


Sliders for BuzziPicNic WorkBench

Extra layer possible: Fabric, Trevira CS+ | CS,
Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4,
Memory 2



Multicolor: different colors in same fabric
collection possible, but same color for all
Length panels and same color for all Width
panels.

BuzziDesk Cross 6




- Desk Cross 6
- 3 x Panel Length
- 4 x Panel Width
- Core: honeycomb cardboard + plywood
- Profile: metal
- Cover: BuzziFelt
- Height: 35 cm, 45 cm, 55 cm
13.78", 17.72", 21.65"
- Panel Length: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"
- Panel Width: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"
- Total Length: Min. 180 cm Max. 480 cm
Min. 70.87" Max. 188.98"
- Total Width: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125.98"

All panels have the same height.
Panel Length is the same for all panels.
Panel Width is the same for all panels.

Sliders for BuzziPicNic WorkBench
Extra layer possible: Fabric, Trevira CS+ | CS,
Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4,
Memory 2

- Multicolor: different colors in same fabric collection possible, but same color for all Length panels and same color for all Width panels.

BuzziDesk Cross 8



- Desk Cross 8
- 4 x Panel Length
- 6 x Panel Width
- Core: honeycomb cardboard + plywood
- Profile: metal
- Cover: BuzziFelt

Height: 35 cm, 45 cm, 55 cm
13.78", 17.72", 21.65"

Panel Length: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"

Panel Width: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"


- Total Length: Min. 240 cm Max. 640 cm
Min. 94.49" Max. 251.97"
- Total Width: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125"

All panels have the same height.
Panel Length is the same for all panels.
Panel Width is the same for all panels.

Sliders for BuzziPicNic WorkBench
Extra layer possible: Fabric, Trevira CS+ |CS,
Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4,
Memory 2

- Multicolor: different colors in same fabric collection possible, but same color for all Length panels and same color for all Width panels.

BuzziDesk Cross 10



- Desk Cross 10
- 5 x Panel Length
- 8 x Panel Width
- Core: honeycomb cardboard + plywood
- Profile: metal
- Cover: BuzziFelt

Height: 35 cm, 45 cm, 55 cm
13.78", 17.72", 21.65"

Panel Length: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"

Panel Width: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"


- Total Length: Min. 300 cm Max. 800 cm
Min. 188.11" Max. 314.96"
- Total Width: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125.98"

All panels have the same height.
Panel Length is the same for all panels.
Panel Width is the same for all panels.

Sliders for BuzziPicNic WorkBench
Extra layer possible: Fabric, Trevira CS+ |CS,
Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4,
Memory 2

- Multicolor: different colors in same fabric collection possible, but same color for all Length panels and same color for all Width panels.

BuzziDesk Cross 12



- Desk Cross 12
- 6 x Panel Length
- 10 x Panel Width
- Core: honeycomb cardboard + plywood
- Profile: metal
- Cover: BuzziFelt

Height: 35 cm, 45 cm, 55 cm
13.78", 17.72", 21.65"

Panel Length: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"

Panel Width: Min. 60 cm Max. 160 cm
Min. 23.62" Max. 62.99"

- Total Length: Min. 360 cm Max. 960 cm
Min. 141.73" Max. 377.95"
- Total Width: Min. 120 cm Max. 320 cm
Min. 47.24" Max. 125.98"


All panels have the same height.
Panel Length is the same for all panels.
Panel Width is the same for all panels.

Sliders for BuzziPicNic WorkBench
Extra layer possible: Fabric, Trevira CS+ |CS,
Revive 1, Clara 2, Remix 3, Hero 2, Tonus 4,
Memory 2


- Multicolor: different colors in same fabric collection possible, but same color for all Length panels and same color for all Width panels.

Components

Slider (optional)




Combine BuzziDesk Cross with BuzziPicNic WorkBench: screw the sliders into the BuzziDeskCross and put them into the BuzziPicNic-ridge.



Fabrics


Felt (12 colors)



Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light USA 5




Fabric (45 colors)



Category A
Composition 70% Recycled Wool, 25% Recycled Polyacryl,
5% Recycled Other Fabrics
Weight 405 g/m² | 11.94 oz/yd²
Abrasion resistance 40.000 Martindale, 50,000 Wyzenbeek
Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A
Fastness to light EU: 4 | USA 4
Fastness to rubbing EU: Wet 3-4 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5



Trevira CS+ | CS (47 colors)




Category A
Weight 420 g/m² | 12.39 oz/yd²
Composition 100% Polyester, Trevira CS
Abrasion resistance 100.000 Martindale, 90,000 Wyzenbeek
Flammability BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |
IMO Res. A652 (16)
Fastness to light EU: 6 | USA 5
Fastness to rubbing EU: Wet 4-5 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5



Revive 1 (25 colors)

kvadrat



Category A

Composition 100% recycled polyester FR

Weight 430 g/lin.m

Abrasion resistance 60.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)


Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 5, wet 4-5

Pilling Note 4-5, EN ISO 12945



Velvet (12 colors)



Category B

Composition 100% PES

Weight 375 g/m² | 11.06 oz/yd²

Abrasion resistance > 100.000 Martindale


Fastness to light EU: 4-5

Fastness to rubbing EU: Wet 4 | Dry 4-5

Pilling EU: 4-5

Clara 2 (24 colors)

kvadrat



Category B

Composition 92% new wool, 8% nylon

Weight 400 g/lin.m

Abrasion resistance 80.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)

Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Remix 3 (73 colors)

kvadrat



Category B

Composition 90% new wool, 10% nylon

Weight 415 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Hero 2 (33 colors)

kvadrat



Category C

Composition 97% new wool, 3% nylon

Weight 580 g/lin.m

Abrasion resistance 45.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 11M | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)

Fastness to light Note 5-6, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 3-4, EN ISO 12945



Tonus 4 (47 colors)

kvadrat



Category D

Composition 90% new wool, 10% Helanca

Weight 665 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2
Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 3-5, wet 3-5

Pilling Note 3, EN ISO 12945



Memory 2 (20 colors)

kvadrat



Category E

Composition 100% Trevira CS

Weight 700 g/lin.m

Abrasion resistance

35.000 rubs acc. to the Martindale method, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M
UNI 9177 classe 1 | US Cal. Tech. Bull. 117
IMO A.652 (16)

Fastness to light Note 5-8, ISO 105-B02


Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 4, EN ISO 12945



Dimensions

Desk Cross 4






Height

35 cm | 13.78"

45 cm | 17.72"

55 cm | 21.65"

Desk Cross 6




Height

35 cm | 13.78"

45 cm | 17.72"

55 cm | 21.65"

Desk Cross 8





Height

35 cm | 13.78"

45 cm | 17.72"

55 cm | 21.65"




Desk Cross 10



Height

- 35 cm | 13.78"
- 45 cm | 17.72"
- 55 cm | 21.65"

Desk Cross 12




Height

35 cm | 13.78"

45 cm | 17.72"

55 cm | 21.65"


Sliders



Acoustics

BuzziDesk Cross

Equivalent sound absorption area in m² per object



Hz	4 Aeq/m²	6 Aeq/m²	8 Aeq/m²	10 Aeq/m²	12 Aeq/m²
125	0.58	0.98	1.37	1.77	2.17
250	1.11	1.87	2.63	3.39	4.15
500	1.53	2.56	3.60	4.64	7.22
1000	1.94	3.26	4.58	5.90	7.22
2000	2.69	4.52	6.35	8.18	10.01
4000	3.1	5.13	7.20	9.29	11.37