


# BuzziBrickBack

## INSTALLATION MANUAL



## Technical info

---

BuzziBricBack is made of 100% recycled PET bottles and has excellent acoustic characteristics.

No claims concerning deviation in color, size, and thickness can be accepted. Because of the nature of the product this can variate. The risk is more likely in different batches.






### USE

- Wall mounted
- Do not install on vinyl, melamine or any other plasticized surface.


### Installation should be done by professionals!


- The surface should be smooth, well degreased and dust free.
- All corners must be made of separate lanes.
- For easy mounting it is possible to use wallpaper paste but this is not necessary.
- Do not apply on bare, untreated surfaces. Treat the surface with water-based primer before applying BuzziBricBack for optimal adhesion results.

## Excluded









Optional: Wallpaper paste for easy positioning.






# BuzziBrickBack





1 PERS. 



1




**2**




**3**



Before applying BrickBack on the wall, check the desired pattern on the floor.



**4**






**5 (optional)**





6







BuzziSpace Group NV  
Italiëlei 8, 2000 Antwerp  
Belgium

☎ +32 (0)3 846 10 00

✉ [info@buzzi.space](mailto:info@buzzi.space)

🌐 [www.buzzi.space](http://www.buzzi.space)



Doc nr.: A-0000001355/03  
Last update: 30/11/2023