



BuzziJet Square Ceiling Suspended S | M | XL




INSTALLATION MANUAL

MODE DE L'EMPLOI

120V-277V





Technical info






⚠ The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced.

Excluded






2x 









S | M 3x
XL 4x 

2x 






For dimmable function









For dimmable function




BuzziJet Square Ceiling Suspended S|M




2 PERS. 





4




5




6



8




9





10a

Connection including dimmable function Raccordement avec fonction de gradation




10b


Connection excluding dimmable function
Raccordement sans fonction de gradation




Optional Outletbox
Cover







| | |
|-------|-------------|
| White | Neutral |
| Black | Line |
| Green | Ground |
| Red | Not used |
| Blue | Not used |
| Blanc | Neutre |
| Noir | Ligne |
| Vert | Masse |
| Rouge | Non utilisé |
| Bleu | Non utilisé |




11






!




BuzziJet Square Ceiling Suspended XL




2 PERS. 



4






5





XL

X: 16.96"



Ø: 23.62"




6




7





8




9







12a

Connection including dimmable function Raccordement avec fonction de gradation




12b


Connection excluding dimmable function
Raccordement sans fonction de gradation




Optional Outletbox
Cover







| | |
|-------|-------------|
| White | Neutral |
| Black | Line |
| Green | Ground |
| Red | Not used |
| Blue | Not used |
| Blanc | Neutre |
| Noir | Ligne |
| Vert | Masse |
| Rouge | Non utilisé |
| Bleu | Non utilisé |



13





BuzziSpace Group NV
Italiëlei 8, 2000 Antwerp
Belgium

☎ +32 (0)3 846 10 00

✉ info@buzzi.space

🌐 www.buzzi.space



A-0000007908/01
Last update: 30/11/2023