

## EQUIVALENT SOUNDABSORPTION AREA PER OBJECT conform EN-ISO 354:2003



principal: BuzziSpace

#6; BuzziPlanter 90



Absorb, versie 5.10.2 mode 9, PM: JK, file: a4539 E#:1-36 F#:259-294 A#:295 T<sub>1</sub> = 15,8 °C T<sub>2</sub> = 16,5 °C p<sub>1</sub> = 101,4 kPa p<sub>2</sub> = 101,4 kPa h<sub>1</sub> = 56,7 % h<sub>2</sub> = 57,7 %


volume reverberation room  
214 m<sup>3</sup>

number of elements measured  
2

measured at  
Peutz Laboratory for Acoustics

signal  
broad-band noise

bandwidth  
1/3 octave



	125	250	500	1k	2k	4k
1/3 oct.	1,17	2,49	2,50	2,66	2,63	2,68
	1,68	2,75	2,50	2,59	2,64	2,53
	2,09	2,61	2,60	2,61	2,66	2,71
<b>1/1 oct.</b>	<b>1,65</b>	<b>2,62</b>	<b>2,53</b>	<b>2,62</b>	<b>2,64</b>	<b>2,64</b>

publication is permitted for the entire page only

*RA*

Mook, measured at 19-03-2024