

CAT A **Trevira CS**


NO BOUNDARIES




Trevira CS




TRCS Yellow 3008




TRCS Hazy Yellow 9309




TRCS Mustard 3019



TRCS Mocca 1029



TRCS Orange 4030




TRCS Hazy Orange 9404




TRCS Red 4027



TRCS Berry 4017




TRCS Hazy Jade 9703




TRCS Jade 7020




TRCS Fig 9503




TRCS Hazy Purple 9501



TRCS Sand 9212




TRCS Hazy Clay 9217



TRCS Grey Black 9803




TRCS Black 8033




TRCS Lavender 6006




TRCS Blue 6075




TRCS Hazy Blue 9601




TRCS Blue Black 9603



TRCS Hazy Petrol 9602




TRCS Petrol 6014



TRCS Rock 9804




TRCS Clay 2006




TRCS Hazy Greige 9211




TRCS Greige 1006




TRCS Champagne 9381



TRCS Taffy 9380




TRCS Hazy Mocca 9302




TRCS Hazy Red 9405


Trevira CS




TRCS LightBlue 9681




TRCS Ocean 6091




TRCS Indigo 6080




TRCS SkyBlue 9683



TRCS IceBlue 9680




TRCS Hazy Green 9704



TRCS Olive 9770



TRCS Hazy Pistache 9702




TRCS Lime 9741




TRCS White 9106



TRCS Cloud 8001




TRCS Hazy Grey 9107




TRCS Ash 9882



TRCS Grey 8009



TRCS Dolphin 9881



TRCS Charcoal 9880



TRCS Anthracite 9805

CAT A Trevira CS

Specifications

Composition 100% Polyester, Trevira CS

Weight 420 g/m² | 12.39 oz/yd²

Width Trevira CS 140 cm | 55.12"

Abrasion resistance 100.000 Martindale, 90.000 Wyzenbeek

Flammability EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard

M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)

USA: CAL TB 117

Fastness to light EU: 6 | USA: 5

Fastness to rubbing EU: Wet 4-5 | Dry 4-5

Fastness to crocking USA: Wet 5 | Dry 5

Match Weight $\pm 5\%$ | Width $\pm 2\%$



Maintenance

Vacuum clean regularly. Don't remove the Trevira

CS from the product. Treat spillages immediately.

Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.

