




BuzziChicle Light Rectangular

INSTALLATION MANUAL

220-240V



Technical info



Power factor > 0.8;

Input current: Max 0.35Amp

Environmental Protection

Waste electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or retailer for recycling advice.



⚠ The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced.

⚠ The BuzziSol is approved to be combined with BuzziShade, BuzziPleat.




⚠ The control terminals of LED driver need to use SELV control signal.



⚠ If the external flexible cable or cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard."

Excluded





Included BuzziChicle Light Rectangular Globe | Spot






BuzziChicle Light Rectangular Type A


2 PERS. 




3





4




5





7a




Connection including dimmable function

Dim+
Dim-


Blue	Neutral
Brown	Line
Red	DIM +
Black	DIM -

Strip conductor
to $\pm 10 \text{ mm}$ | $\pm 0.4''$




7b



Connection excluding dimmable function






8



9 BuzziChicle Light Rectangular Globe








9 BuzziChicle Light Rectangular Spot






c

!




BuzziChicle Light Rectangular Type B


2 PERS. 





4




5




6




7




8



9



10a



1-10V



DALI



DMX




DST


Connection including dimmable function

Dim+
Dim-


Blue	Neutral
Brown	Line
Red	DIM +
Black	DIM -




Strip conductor
to $\pm 10 \text{ mm}$ | $\pm 0.4''$




10b Connection excluding dimmable function





11




12 BuzziChicle Light Rectangular Globe



12 BuzziChicle Light Rectangular Spot



!



BuzziSpace Group NV
Italiëlei 8, 2000 Antwerp
Belgium

☎ +32 (0)3 846 10 00

✉ info@buzzi.space

🌐 www.buzzi.space



A-0000008150

Last update: 20/10/2025