
BuzziVault

Product Specification Sheet

This document contains technical
information about the BuzziVault



www.buzzi.space

Architecture Overhead. Silence Included.

Designed by Alain Gilles, BuzziVault is an architectural acoustic ceiling element defined by its signature curved profile and strong spatial presence. Available as a standalone ceiling element or as BuzziVault Light with integrated indirect and direct illumination, BuzziVault balances performance, atmosphere, and circular design in one cohesive solution.

Design by Alain Gilles

General

-  BuzziVault
Fixing: Ceiling Mounted | Ceiling Suspended
-  PET Felt
Ceiling Suspended: Black or Alu cables 2 m or 5 m | 78.74" or 196.85"
-  Ceiling Mounted: Fixing System Magnet
Optional Deco spine in black
-  If installing on suspended ceiling, verify load capacity prior to installation.

Acoustics



Absorption



Mid tone




High tone

Content

Configurations	3
Fabrics	4
Components	5
Fixing System	6
Dimensions	7
Acoustics	8

Configuration

BuzziVault Ceiling Suspended



PET Felt



Length: 140 cm Width: 95 cm Height: 25 cm
Length: 55.12" Width: 37.40" Height: 0.98"



Vault: 6.15 kg | 13.56 lbs
Vault + Deco Spine: 7,55 kg | 16.64 lbs




Black or Alu cables 2 m or 5 m
78.74" or 196.85"

Optional: Deco Spine in black



If installing on suspended ceiling, verify load capacity prior to installation.

BuzziVault Ceiling Mounted



PET Felt



Length: 140 cm Width: 95 cm Height: 25 cm
Length: 55.12" Width: 37.40" Height: 0.98"



Vault: 6.15 kg | 13.56 lbs
Vault + Deco Spine: 7,55 kg | 16.64 lbs



Fixing System Magnet
Optional: Deco Spine in black



If installing on suspended ceiling, verify load capacity prior to installation.

Fabrics


PET Felt

Composition 60% Recycled PET Felt


Weight 2.300 g/m2 | 67.8 oz/yd2

Thickness 7 mm | 0.28"


Maintenance For dust removal light vacuuming with a soft nozzle is recommended on a regular basis. For stain removal, patch test on a concealed section first. Spot clean according to the industry standards.




Sage 20




Slate 32




Frost 58



Cream 63




Ochre 65



Smoke 71


Components

Acoustic Panel



Acoustic Panel in PET Felt




Deco Spine (optional)



Deco Spine in black (RAL 9005)
It adds a refined metal accent to the acoustic panel.

Fixing System

Ceiling Suspended





2 cables
2 m or 5m | 78.74" or 196.85"
Black or Alu

Black
Designer's choice

Alu





Ceiling Mounted



Ceiling Mounted: Fixing System Magnet

Dimensions


Vault



Acoustics

BuzziVault

Equivalent sound absorption area in m² per object



Hz	20 cm 7.87" From Ceiling Aeq/m²	50 cm 19.69" From Ceiling Aeq/m²
125	0.4	0.3
250	0.7	0.6
500	0.9	1.0
1000	1.1	1.1
2000	1.3	1.4
4000	1.6	1.7