



Materials

398	Upholstery
433	Curtains
443	PET Felt
444	Rugs
446	Stitches
449	Solid Materials

Upholstery

FELTS, FABRICS & LEATHER

400.	Application Overview	423.	Category B
408.	Specifications Overview	423.	Clara 2
412.	Felt	424.	Remix 3
412.	BuzziFelt	426.	Velvet
413.	BuzziFelt Printed	428.	Category C
414.	Sliced BuzziFelt	428.	Hero 2
416.	Leather	429.	Category D
416.	Vegetal	429.	Tonus 4
418.	Category A	430.	Category E
418.	Fabric	430.	Memory 2
419.	Revive 1	431.	Arda
420.	Trevira CS		
422.	Reflect		



APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- Possible
- Sliced BuzziFelt
- Not available for US orders

Product		Felt	Felt Printed	PET Felt		CAT A				CAT B			CAT C	CAT D	CAT E	
						Fabric	Revive 1*	Trevira CS*	Reflect	Clara 2	Remix 3	Velvet	Hero 2	Tonus 4	Memory 2*	Arda
		Recycl. Felt	Recycl. Felt	60% Recycl. PET Felt	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Recycl. polyester FR	100% Trevira	100% Recycl. polyester	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS	70% new wool 21% polyester 9% nylon
BuzziBack																
BuzziBalance																
BuzziBlinds	Plain															
	Lines															
BuzziBlinds Classic																
BuzziBlox																
BuzziBooth	Single															
BuzziBox																
BuzziBox Travel																
BuzziBrickBack																
BuzziBrickBack Architectural																
BuzziBurner																
BuzziCactus																
BuzziCane																
BuzziCee																
BuzziChicle																
BuzziChicle Light																
BuzziChicle Planter																
BuzziChip																
BuzziCloud																
BuzziCocoon																
BuzziCone																
BuzziCube	Flat															
	3D															
BuzziDee	Flat															
	3D															
BuzziDesk																
BuzziDesk FlipFlop																
BuzziDesk Split																
BuzziDish																
BuzziDisk																
BuzziDome																
BuzziDonut																
BuzziFold																

* Revive 1, Trevira CS and Memory 2 contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

- Not possible
- Possible
- Sliced BuzziFelt
- Not available for US orders

Product		Felt	Felt Printed	PET Felt		CAT A CAT A				CAT B			CAT C	CAT D	CAT E	
						Fabric	Revive 1*	Trevira CS*	Reflect	Clara 2	Remix 3	Velvet	Hero 2	Tonus 4	Memory 2*	Arda
		Recycl. Felt	Recycl. Felt	60% Recycl. PET Felt	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Recycl. polyester FR	100% Trevira	100% Recycl. polyester	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS	70% new wool 21% polyester 9% nylon
BuzziFalls																
BuzziFalls Standing																
BuzziFloat																
BuzziFree	H ≤ 120 cm W ≤ 200 cm															
	H ≤ 140 cm W ≤ 120 cm															
	H ≤ 140 cm W ≤ 200 cm															
	H ≤ 160 cm W ≤ 120 cm															
	H ≤ 160 cm W ≤ 140 cm															
	H ≤ 160 cm W ≤ 180 cm															
	H ≤ 180 cm W ≤ 120 cm															
	H ≤ 180 cm W ≤ 140 cm															
	H ≤ 180 cm W ≤ 180 cm															
BuzziFrontDesk																
BuzziGrid																
BuzziHat																
BuzziHood	Flat															
	3D															
BuzziHub	Hub															
	Single															
	Bench															
	Cushion															
	Armrest															
BuzziHug																
BuzziHug Work																
BuzziJet																
BuzziJet Square																
BuzziJet Standing																
BuzziK																
BuzziKey Soft																
BuzziLand	Oval / Round Flat															
	Oval / Round 3D															
BuzziLight Mono																
BuzziLoose	Flat															
	3D															
BuzziMe																

* Revive 1, Trevira CS and Memory 2 contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION
OVERVIEW

Felts, Fabrics & Leather

- Not possible
- Possible
- Sliced BuzziFelt
- Not available for US orders

Product		Felt	Felt Printed	PET Felt	Leather	CAT A				CAT B			CAT C	CAT D	CAT E	
						Fabric	Revive 1*	Trevira CS*	Reflect	Clara 2	Remix 3	Velvet	Hero 2	Tonus 4	Memory 2*	Arda
		Recycl. Felt	Recycl. Felt	60% Recycl. PET Felt	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Recycl. polyester FR	100% Trevira	100% Recycl. polyester	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS	70% new wool 21% polyester 9% nylon
BuzziMilk																
BuzziMood																
BuzziMoon																
BuzziNest	Exterior															
	Interior															
BuzziNordic	ST101															
	ST111															
	ST102															
	ST103															
	ST101 Ottoman															
	ST111 Ottoman															
	ST101 Footstool															
BuzziPebl																
BuzziPebl Light																
BuzziPicNic	Desk High Connect Panel															
	Bench Cushion															
BuzziPixl																
BuzziPlanter																
BuzziPlate																
BuzziPleat																
BuzziPleat Light																
BuzziProp																
BuzziPuzzle																
BuzziReDesk																
BuzziRing																
BuzziScreen																
BuzziScreen Mix																
BuzziShade																
BuzziShade Standing																
BuzziShade Square	Medium															
	Beam															
BuzziShield Desk																
BuzziShield Free																
BuzziShield Hook																
BuzziShield Light																
BuzziShroom																

* Revive 1, Trevira CS and Memory 2 contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

APPLICATION OVERVIEW

Felts, Fabrics & Leather

- Not possible
- Possible
- Sliced BuzziFelt
- Not available for US orders

* Revive 1, Trevira CS and Memory 2 contain organophosphorus chemicals used as "covered flame retardant" above a level of 1000ppm. Therefore these fabrics can't be used as upholstery cover material in US states that require compliance to California Assembly Bill No. 2998.

Find the latest update of the application overview on our website: www.buzzi.space

Product		Felt	Felt Printed	PET Felt	Leather	CAT A				CAT B			CAT C	CAT D	CAT E	
						Fabric	Revive 1*	Trevira CS*	Reflect	Clara 2	Remix 3	Velvet	Hero 2	Tonus 4	Memory 2*	Arda
		Recycl. Felt	Recycl. Felt	60% Recycl. PET Felt	100% Leather	75% Recycled Wool 25% Recycled Polyacryl	100% Recycl. polyester FR	100% Trevira	100% Recycl. polyester	92% New Wool worsted 8% Nylon	90% New Wool worsted 10% Nylon	100% polyester	96% New Wool 4% Nylon	90% New Wool 10% Helanca	100% Trevira CS	70% new wool 21% polyester 9% nylon
BuzziSkin																
BuzziSkin Printed																
BuzziSpark	Shields															
	Cushions															
BuzziSpot	Flat															
	3D															
BuzziSurf																
BuzziTab Soft																
BuzziTemp																
BuzziTent																
BuzziTent Light																
BuzziTile	Flat															
	3D															
BuzziTotem																
BuzziTripl Cockpit																
BuzziTripl Desk																
BuzziTripl Desk Split																
BuzziTripl Wrap Desk																
BuzziTripl Home																
BuzziTrom																
BuzziTube																
BuzziTube Square																
BuzziTwist																
BuzziVault																
BuzziVault Light																
BuzziVille	Panel H 120 cm															
	Panel H 135 cm															
	Panel H 150 cm															
	Panel H 180 cm															
	Bench															
	Split Panel															
BuzziWrap Desk																
BuzziWrap FrontDesk																
BuzziZepp																
BuzziZepp Light																

FELT — BuzziFelt

Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93”
Thickness 6 mm | 0.236”
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light EU: 6-7 | USA: 5
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



FELT — Sliced BuzziFelt

Composition 100% Recycled P.E.T. Felt
Weight 2.000gr/m²
Thickness 1,4 cm | 0.55”
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Sliced BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



CAT A — Fabric

Composition 70% Recycled Wool, 25% Recycled Polyacryl, 5% Recycled Other Fabrics
Weight 405 g/m² | 11.94 oz/yd²
Width 148 cm | 58.27”
Thickness 0,8 mm | 0.031 inch
Abrasion resistance 40.000 Martindale, 50.000 Wyzenbeek
Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette)
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A
Fastness to light EU: 4 | USA: 4
Fastness to rubbing EU: Wet 3-4 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Fabric from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



FELT — BuzziFelt Printed

Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m² | 29.49 oz/yd²
Width 170 cm | 66.93”
Thickness 6 mm | 0.236”
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Fastness to light EU: 6-7 | USA 5
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the BuzziFelt from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



PET Felt

Composition 60% Recycled P.E.T. Felt
Weight 2.300 g/m2 l 67.8 oz/yd2
Width 120 cm l 47.24”
Length 280 cm l 110.24”
Thickness 12mm l 0.47”
Flammability EU: EN 13501-1:2018 Class B-s1,d0
Maintenance For dust removal light vacuuming with a soft nozzle is recommended on a regular basis. For stain removal, patch test on a concealed section first. Spot clean according to the industry standards.



CAT A — Revive 1 kvadrat

Composition 100% recycled polyester FR
Weight 420 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 60.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 11M | US Cal. Tech. Bull. 117
IMO A.652 (16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 5, wet 4-5
Pilling Note 4-5, EN ISO 12945
Maintenance Vacuuming and dry cleaning.
Washable at max. 60°C. Drip drying.



CAT A — Trevira CS

Composition 100% Polyester, Trevira CS
Weight 420 g/m² | 12.39 oz/yd²
Width Trevira CS 140 cm | 55.12”
Abrasion resistance 100.000 Martindale, 90.000 Wyzenbeek
Flammability EU: BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
M1 | B1 | C1 | EN 1021/1-2 | IMO Res. A652 (16)
USA: CAL TB 117
Fastness to light EU: 6 | USA: 5
Fastness to rubbing EU: Wet 4-5 | Dry 4-5
Fastness to crocking USA: Wet 5 | Dry 5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don’t remove the Trevira CS from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



CAT B — CLARA 2 kvadrat

Composition 92% new wool, 8% nylon
Weight 400 g/lin.m
Width 138 cm | 54.33”
Abrasion resistance 80.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852, ignition source 2–3 | DIN 4102 B2
NF D 60 013 | UNI 9175 11M | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning.



CAT B — Velvet

Composition 100% PES
Weight 375 g/m² | 11.06 oz/yd²
Width 140 cm | 55.12”
Thickness 0,7mm | 0.0275”
Abrasion resistance >100.000 Martindale
Flammability USA: CAL TB 117
Fastness to light EU: 4-5
Fastness to rubbing EU: Wet 4 | Dry 4-5
Pilling EU: 4-5
Match Weight ±5% | Width ±2%
Maintenance Vacuum clean regularly. Don’t wash. Don’t remove the Velvet from the product. Treat spillages immediately. Professional dry clean or wipe clean with a pH neutral soap and a damp cloth.



CAT A — Reflect kvadrat

Composition 100% post-consumer recycled polyester
Weight 430 g/lin.m | 13.87 oz/ly
Width 140 cm | 55”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability AS/NZS 3837 class 1 | ASTM E84 Class A Unadhered |
ASTM E84 Class B Adhered | BS 5852 crib 5 | BS 5852
part 1 | EN 1021-1/2 | US Cal. Bull. 117-2013
Fastness to light Note 5-7 ISO 105-B02
Fastness to rubbing (ISO) dry 5, wet 5
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning. Washable at max.
60°C/140°F, mild process. Do not bleach. Do not tumble dry. Iron at
max. 150°C.



CAT B — REMIX 3 kvadrat

Composition 90% new wool, 10% nylon
Weight 415 g/lin.m
Width 138 cm | 54.33”
Abrasion resistance 100.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 11M
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8
Fastness to light Note 5-7, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4
Pilling Note 4, EN ISO 12945
Maintenance Vacuuming and dry cleaning.



CAT C — Hero 2 kvadrat

Composition 97% new wool, 3% recycled nylon
Weight 580 g/lin.m
Width 140 cm | 55.11”
Abrasion resistance 45.000 Martindale rubs, EN ISO 12947
Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 11M | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)
Fastness to light Note 5-6, ISO 105-B02
Fastness to rubbing (ISO) dry 4-5, wet 4-5
Pilling Note 3-4, EN ISO 12945
Maintenance Vacuuming and dry cleaning. Washable at max. 30°C,
wool programme. Drip drying. Mount covers in slightly wet condition.



FELT

BuzziFelt



LightBlue 60



Jeans 75



StoneGrey 67



Anthracite 68



Mint 77



Bottle 78



Lime 64



EcoBrown 58



Mustard 76



Curry 61



OffWhite 63



Mokka 74



Red 59



Orange 66



Pink 65*



Nude 79

FELT

BuzziFelt Printed



Jungle



Green 1



Green 2



Camo Amazon



Camo Desert



Camo Snow



Camo Taiga



Concrete



Marble Absynth



Marble Emperador

* Pink 65 is only available for BuzziSkin

Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

FELT

Sliced BuzziFelt

		
Anthracite Anthracite	StoneGrey StoneGrey	EcoBrown EcoBrown
		
Mokka Mokka	OffWhite OffWhite	Lime Lime
		
Jeans Jeans	LightBlue LightBlue	Red Red
		
Orange Orange	Curry Curry	Bottle Bottle
		
Mint Mint	Mustard Mustard	Nude Nude

Bicolor

	
OffWhite Anthracite	Offwhite StoneGrey
	
OffWhite EcoBrown	OffWhite Mokka
	
OffWhite Lime	OffWhite Jeans
	
Offwhite LightBlue	Offwhite Red
	
Offwhite Orange	Offwhite Curry



LEATHER


Vegetal



VG-Black
98



VG-Cognac
91



CAT A

Fabric

						
FA-Zwart 1003	FA-MidGrey 1001	FA-Silver 57	FA-LightGrey 1000	FA-DarkBrown 18	FA-Taupe 1008	FA-Rust 29
						
FA-Autumn 33	FA-Camel 56	FA-Shitake 124	FA-Dolphin 180	FA-Kiezel 7	FA-Beige 1037	FA-Naturel 1
						
FA-Ivory 101	FA-Army 14	FA-Bottle 61	FA-Olive 53	FA-Pistache 52	FA-Grass 59	FA-Jade 42
						
FA-Mint 50	FA-Navy 1007	FA-Blue 45	FA-Indigo 90	FA-Petrol 56	FA-Electric 16	FA-Aqua 143
						
FA-OceanBlue 147	FA-Azure 144	FA-LightBlue 41	FA-Violet 72	FA-Purple 78	FA-Aubergine 74	FA-Lila 39
						
FA-Prune 76	FA-Fuchsia 77	FA-Pink 73	FA-Nude 70	FA-Red 2011	FA-Fire 139	FA-Orange 2012
						
FA-Mandarin 129	FA-Mustard 63	FA-Yellow 24				

CAT A

Revive 1 kvadrat

						
Revive 1 184	Revive 1 144	Revive 1 194	Revive 1 384	Revive 1 274	Revive 1 454	Revive 1 284
						
Revive 1 974	Revive 1 324	Revive 1 164	Revive 1 154	Revive 1 914	Revive 1 944	Revive 1 764
						
Revive 1 774	Revive 1 754	Revive 1 834	Revive 1 634	Revive 1 664	Revive 1 524	Revive 1 434
						
Revive 1 414	Revive 1 534	Revive 1 424	Revive 1 224			

CAT A



TRCS Black
8033



TRCS Anthracite
9805



TRCS Grey Black
9803



TRCS Charcoal
9880



TRCS Grey
8009



TRCS Dolphin
9881



TRCS Ash
9882



TRCS Cloud
8001



TRCS Hazy Clay
9217



TRCS Clay
2006



TRCS Rock
9804



TRCS Hazy Grey
9107



TRCS Hazy Greige
9211



TRCS Sand
9212



TRCS Taffy
9380



TRCS Champagne
9381



TRCS Greige
1006



TRCS Hazy Green
9704



TRCS Hazy Jade
9703



TRCS Jade
7020



TRCS Olive
9770



TRCS Lime
9741



TRCS Hazy Pistache
9702



TRCS Indigo
6080



TRCS Hazy Purple
9501



TRCS Blue Black
9603



TRCS Hazy Petrol
9602



TRCS Petrol
6014

Trevira CS



TRCS Ocean
6091



TRCS Blue
6075



TRCS Hazy Blue
9601



TRCS Lavender
6006



TRCS Skyblue 9683



TRCS Iceblue
9680



TRCS Lightblue
9681



TRCS Fig
9503



TRCS Berry
4017



TRCS Hazy Red
9405



TRCS Red
4027



TRCS Mocca
1029



TRCS Hazy Orange
9404



TRCS Orange
4030



TRCS Hazy Mocca
9302



TRCS Hazy Yellow
9309



TRCS Mustard
3019



TRCS Yellow
3008



TRCS White
9106

CAT A


Reflect kvadrat





						
Reflect 104	Reflect 114	Reflect 124	Reflect 154	Reflect 164	Reflect 174	Reflect 184
						
Reflect 194	Reflect 204	Reflect 224	Reflect 274	Reflect 344	Reflect 374	Reflect 384
						
Reflect 404	Reflect 434	Reflect 444	Reflect 464	Reflect 564	Reflect 574	Reflect 614
						
Reflect 644	Reflect 674	Reflect 694	Reflect 714	Reflect 744	Reflect 774	Reflect 794
						
Reflect 824	Reflect 884	Reflect 924	Reflect 944	Reflect 964	Reflect 984	Reflect 994

CAT B

Clara 2 kvadrat

						
Clara 2 188	Clara 2 987	Clara 2 797	Clara 2 184	Clara 2 388	Clara 2 793	Clara 2 933
						
Clara 2 884	Clara 2 148	Clara 2 144	Clara 2 384	Clara 2 277	Clara 2 273	Clara 2 244
						
Clara 2 248	Clara 2 423	Clara 2 937	Clara 2 983	Clara 2 888	Clara 2 647	Clara 2 643
						
Clara 2 548	Clara 2 544	Clara 2 427				



						
VE-Emperador 106	VE-Gold 401	VE-Botanic 501	VE-Scarab 505	VE-Crocodile 502	VE-Prussian 606	VE-Peacock 600
						
VE-Sky 601	VE-Burgundy 201	VE-Amber 300	VE-Blush 704	VE-Pearl 902		



CAT C

Hero 2 kvadrat

						
Hero 192	Hero 392	Hero 182	Hero 162	Hero 212	Hero 242	Hero 102
						
Hero 582	Hero 372	Hero 352	Hero 432	Hero 202	Hero 312	Hero 882
						
Hero 962	Hero 942	Hero 932	Hero 912	Hero 862	Hero 782	Hero 772
						
Hero 752	Hero 742	Hero 152	Hero 732	Hero 672	Hero 622	Hero 652
						
Hero 662	Hero 552	Hero 542	Hero 512	Hero 422		

CAT D

Tonus 4 kvadrat

						
Tonus 4 128	Tonus 4 610	Tonus 4 394	Tonus 4 364	Tonus 4 240	Tonus 4 664	Tonus 4 224
						
Tonus 4 135	Tonus 4 244	Tonus 4 615	Tonus 4 131	Tonus 4 974	Tonus 4 613	Tonus 4 125
						
Tonus 4 216	Tonus 4 619	Tonus 4 964	Tonus 4 954	Tonus 4 934	Tonus 4 118	Tonus 4 914
						
Tonus 4 764	Tonus 4 132	Tonus 4 631	Tonus 4 210	Tonus 4 129	Tonus 4 754	Tonus 4 854
						
Tonus 4 508	Tonus 4 634	Tonus 4 374	Tonus 4 684	Tonus 4 690	Tonus 4 636	Tonus 4 654
						
Tonus 4 207	Tonus 4 474	Tonus 4 609	Tonus 4 608	Tonus 4 130	Tonus 4 554	Tonus 4 605
						
Tonus 4 464	Tonus 4 454	Tonus 4 424	Tonus 4 440	Tonus 4 100		

CAT E

Memory 2 kvadrat



Memory
176



Memory
793



Memory
193



Memory
156



Memory
713



Memory
116



Memory
143



Memory
976



Memory
936



Memory
256



Memory
236



Memory
223



Memory
123



Memory
213



Memory
613



Memory
953



Memory
673



Memory
653



Memory
473



Memory
453

CAT E

Arda kvadrat



Arda
131



Arda
161



Arda
201



Arda
211



Arda
321



Arda
351



Arda
671



Arda
771



Arda
791




Arda
931



Arda
961



Arda
991



Curtains

FABRICS

434. Specifications Overview

436. Curtain A

436. Noon

437. Curtain B

437. Daybreak 2

437. Velvet

438. Curtain C

438. Dawn 2

438. Zulu 2

439. Curtain D

439. Drops

439. Mi Casa

440. Curtain F

440. Drops Acoustic

CUR A — Noon kvadrat

Characteristics Transparent
Composition 100% polyester FR
Weight App. 180 g/lin.m
Flammability NFPA 701 | EN 13 773 class 1 | DIN 4102 B1 | NF P 92 507 M1 | JIS L 1091 A-1 D | UNI 9177 Classe 1 | BS 5867 part 2 type B | SN 198 898 5.2 | IMO FTP Code 2010 Part 7 | EN 13501-1, B-s1, d0 | AS/ NZS 1530.3 | CAN ULC S102 | AS/ NZS 1530.2 | CAN ULC S109 | IMO FTP Code 2010 Part 5
Fastness to light Note 5-7 ISO 105-B02
Maintenance Washable at max. 60°C.
Drip drying. Ironing will be necessary.



CUR B — Velvet

Characteristics Acoustic, Opaque
Composition 100% PES
Weight 375 g/m² | 11.06 oz/yd²
Width 140 cm | 55.12"
Thickness 0,7mm | 0.0275"
Abrasion resistance >100.000 Martindale
Flammability USA: CAL TB 117
Fastness to light EU: 4-5
Fastness to rubbing EU: Wet 4 | Dry 4-5
Pilling EU: 4-5
Match Weight ±5% | Width ±2%
Maintenance Washable at 40°C. Drip drying.



CUR B — Daybreak 2 kvadrat

Characteristics Transparent
Composition 100% polyester FR
Weight App. 270 g/lin.m
Flammability EN 13 773 class 1 | BS 5867 part 2 type B | DIN 4102 B1 | SN 198 898 5.2 | NF D 92 507 M1 | UNI 9177 classe 1 | AS/ NZS 1530.3 | IMO A.471 (XII)
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C.
Drip drying. Ironing will be necessary.



CUR C — Dawn 2 kvadrat

Characteristics
Acoustic, Opaque, Light transmittance of 0-0,2% (DIN EN 410)
Composition 100% polyester FR
Weight App. 780 g/lin.m
Flammability EN 13 773 class 1 | EN 13501, B-s1, d0 | BS 5867 part 2 type B | DIN 4102 B1 | SN 198 898 5.2 | NF D 92 507 M1 | UNI 9177 classe 1
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Half wash load. Drip drying.
Ironing might be necessary when washed at 60°C.



CUR C — Zulu 2 kvadrat

Characteristics Transparent
Composition 100% Trevira CS
Weight App. 300 g/lin.m
Flammability EN 13 773 class 1 | BS 5867 part 2 | DIN 4102 B1 | NF P 92 507 M1 | UNI 9177 classe 1 | IMO FTP Code 2010:Part 7
Fastness to light Note 7, ISO 105-B02
Maintenance Washable at 40°C. Drip drying.



CUR D — Mi Casa kvadrat

Characteristics Acoustic, Opaque
Composition 100% Trevira CS
Weight App. 600 g/lin.m
Flammability EN 13 773 class 1 | BS 5867 part 2 type B | DIN 4102 B1 | SN 198 898 5.2 | NF D 92 507 M1 | UNI 9177 classe 1 | IMO FTP Code 2010:Part 7
Fastness to light Note 5-7, ISO 105-B02
Maintenance Washable at max. 60°C. Half wash load. Drip drying.
Ironing might be necessary when washed at 60°C.



CUR D — Drops kvadrat

Characteristics Transparent
Composition 100% Trevira CS
Weight App. 225 g/lin.m
Flammability EN 13 773 class 1 | BS 5867 part 2 type B | DIN 4102 B1 | NF D 92 507 M1 | UNI 9177 classe 1 | FAR 25.853 | IMO FTP Code 2010:Part 7
Fastness to light Note 6-7, ISO 105-B02
Maintenance Washable at max. 60°C. Drip drying.



CUR F — Drops Acoustic kvadrat

Characteristics
Acoustic, Transparent, Light transmittance of 31-46% (DIN EN 410)
Composition 100% Trevira CS
Weight App. 315 g/lin.m
Flammability BS 5867 part 2 type B | DIN 4102 B1 | EN 13773 Class 1 | IMO FTP Code 2010:Part 7 | NF P 92 507 M1 | SN 198 898 5.2 | UNI 9177 classe 1
Fastness to light Note 7 ISO 105-B02
Maintenance Washable at max. 60°C. Drip drying.





CUR A


Noon kvadrat

CUR B

Daybreak 2 kvadrat



Velvet




CUR C

Dawn 2 kvadrat



Zulu 2 kvadrat




CUR D

Drops kvadrat



Mi Casa kvadrat





Drops Acoustic
107



Drops Acoustic
177



Drops Acoustic
197



Drops Acoustic
227



Drops Acoustic
407



Drops Acoustic
427



Drops Acoustic
577




Drops Acoustic
727



Drops Acoustic
797



Drops Acoustic
837





PET Felt

A Sustainable Touch

Durable in performance and designed for seamless application on walls and ceilings, PET Felt brings comfort and acoustic quality to both commercial and residential interiors. Its eco-conscious design supports the creation of beautiful, sustainable spaces without compromising on style or function.



Frost



Smoke



Charcoal



Onyx



Pine



Eucalyptus



Sage



Glacier



Slate



Midnight



Coral



Salmon



Ochre



Cream



Oat

Rugs

BuzziRugs' high pile gives the accessory item a luxe and vintage aesthetic that will suit any workspace. The multidimensional statement piece is available in different shapes, colors, and prints to create a unique centrepiece.



Moss



Jeans



Gold



Seal



Clouds



Stitches

Exclusive to the Maison Tricot x BuzziSpace Collection, the special innovative knits are made from 100% recycled PET and can be machine-washed. Handcrafted by Maison Tricot, the range includes Tuck, Weave and Chunky. These knits provide optimal acoustic performance while introducing more textiles and 3D artwork into your environment.



Chunky

by Maison Tricot



White



Blue



Pink



Grey



Green

Tuck

by Maison Tricot



Blue-White



Green-White



Grey-White



Pink-White



Taupe-White

Weave

by Maison Tricot



Blue-White



Green-White



Grey-White



Pink-White



Taupe-White



White-Blue



White-Green



White-Pink



Solid Materials

450.	Application Overview Wood	454.	Application Overview Metal
452.	Wood	458.	Metal
	Antwerp Oak		Powder Coated Metal
	Ash Black Stained		Uncoated Aluminum
	Ash Lacquered		
	Ash Natural		
	Ash Walnut Stained		
	Ash White Wash		
	HPL		
	Melamine		
	Oak		
	Walnut		
	White Laminate		

APPLICATION
OVERVIEW WOOD

Solid Materials

- ☐ Not possible
☒ Possible

Product			Antwerp Oak	Oak	Walnut	Ash Natural	Ash Walnut Stained	Ash Black Stained	Ash White Wash	Ash Lacquered	HPL	White Laminate	Black Laminate	Melamine
BuzziBalance			☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
BuzziBooth	Single	Worktop	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐
BuzziBreeze		Worktop & Seats	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziBracks		Worktop & Shelves	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
			☐	☐	☐	☒	☐	☒	☐	☐	☐	☐	☐	☐
			☐	☐	☐	☒	☐	☒	☐	☐	☐	☐	☐	☐
BuzziFloat			☐	☐	☐	☐	☐	☒	☒	☐	☐	☐	☐	☐
BuzziHood		Tablet	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziMilk			☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐	☐
BuzziMilk Table			☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
BuzziNest*		Tables and shelf	☐	☒	☐	☐	☐	☐	☐	☐	☒	☒	☒	☐
BuzziNordic ST100		ST101	☐	☒	☒	☒	☐	☒	☒	☒	☐	☐	☐	☐
		ST101 Ottoman	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
		ST101 Footstool	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
		ST102	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
		ST103	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
		ST111	☐	☐	☒	☐	☐	☒	☒	☐	☐	☐	☐	☐
		ST111 Ottoman	☐	☒	☒	☒	☐	☒	☒	☐	☐	☐	☐	☐
BuzziNordic ST400			☐	☐	☒	☐	☐	☒	☐	☐	☐	☐	☐	☐
BuzziNordic ST600			☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
BuzziPicNic		Base	☐	☒	☐	☒	☒	☒	☒	☒	☐	☐	☐	☐
		Worktop	☐	☒	☐	☒	☒	☒	☒	☒	☒	☐	☐	☐
BuzziPicNic Round			☐	☒	☐	☒	☒	☒	☒	☐	☐	☐	☐	☐
BuzziPlank			☐	☐	☐	☒	☒	☒	☒	☐	☐	☐	☐	☐
BuzziRing		Worktop	☐	☒	☐	☐	☐	☐	☐	☐	☐	☒	☐	☒
BuzziTemp		Worktop	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐
BuzziVille		Worktops	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐
		Tablet	☒	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐

Find the latest update of the application
overview on our website: www.buzzi.space

* BuzziNest HPL Tables and shelf only in Truffle Grey

WOOD

Antwerp Oak



Properties Oak Solid wood with a subtle rustic look, allowing some pith and small cracks.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Black Stained



Properties Black clear coating with a matt look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Natural



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash White Wash



Properties Oil based coating with white pigments consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Ash Walnut Stained



Properties Oil based coating with walnut colored pigments consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Oak



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

Walnut



Properties Clear coating with a matt varnish look, consisting of a durable finish, suitable for furniture, that masks normal wear and leaves the wood grain visible to the eye.
Maintenance First, wipe the surface with a dry cloth then clean carefully with a damp cloth. Do not use any abrasive cleaning products or scourers as this can damage the surface.

@

White or black Laminate




Properties HPL top layer with plywood core and straight oiled visible plywood edge
Maintenance Depending on the stains/dirt there are different prescriptions: LIGHT: dry or damp paper towels, a cloth or sponge. NORMAL: with a cloth or soft nylon brush and washing powder, soft soap, toilet soap or washing-up liquid. If necessary, leave for a while and then rinse thoroughly with clean water. HEAVY: Discoloration stains through long exposure to tea, coffee, etc. use washing powder and household bleach (but do not repeat too often). For stains such as lead pencil, felt-tip pens, marker and ball-point pens use an organic solvent for example acetone (nail varnish remover).

Ash Lacquered




Properties Lacquered coating with matt look, leaving a visual wood grain.
Maintenance First clear the surface with a dry cloth, then clean with a slightly damp cloth. Do not use abrasive cleaning products nor scourers, they can damage the surface.

HPL



Melamine



Note color deviation may occur. Find the latest update of the material specifications and colors on our website: www.buzzi.space

Refinishing should be done by a specialist in furniture coating.
It requires sanding of the parts and re-applying an equal amount of coating on all sides.

APPLICATION
OVERVIEW METAL

Solid Materials

- ☐ Not possible
☒ Possible

Product			Powder Coated Metal										Galvanized Steel	Uncoated Aluminum	Brass
			Black RAL 9005	Alu RAL 9006	White RAL 9010	Umbra Grey RAL 7022	Fluo Orange RAL 2005	Fluo Yellow RAL 1016	Beige Red RAL 3012	Gold	Signal Grey RAL 7004	Black Green RAL 6012			
BuzziBlinds		Baseplate	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziBlinds Classic		Baseplate	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziBreeze		Base	✔	○	✔	○	○	○	○	○	○	○	○	○	○
		Worktop & Seats	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziBracks		Frame	✔	○	○	○	○	○	✔	○	✔	✔	○	○	○
BuzziChicle Light	Round	Frame	○	○	✔	○	○	○	○	○	○	○	○	○	○
	Rectangular	Frame	○	○	○	○	○	○	○	○	○	✔	○	○	○
BuzziCactus		Baseplate	✔	✔	○	○	○	○	○	○	○	○	○	○	○
BuzziChip		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziCone		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziDesk FlipFlop		Wall Fix	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziDish		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziDisk		Frame	○	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziFix			✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziFalls		Profile	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziFalls Standing		Profile	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziFree		Baseplate	✔	✔	○	○	○	○	○	○	○	○	○	○	○
BuzziFrontDesk		Fix	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziHat		Shade & Ring	✔	○	✔	○	○	○	✔	✔	○	○	○	○	○
BuzziHood		Tablet	✔	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziJet		Frame	○	○	✔	○	○	○	○	○	○	○	○	○	○
BuzziJet Standing		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziJungle			○	○	○	○	○	✔	○	○	○	○	○	○	○
BuzziK			✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziLight Mono		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziMe		Tablet	○	○	○	✔	○	○	○	○	○	○	○	○	○
		Foot	○	○	○	✔	○	○	○	○	○	○	○	○	○
BuzziMirage		M	✔	○	○	○	○	○	✔	○	✔	✔	○	○	○
BuzziMood		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziNordic ST400		Connection part	○	○	○	○	○	○	○	○	○	○	○	○	✔
BuzziPleat Light		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○
BuzziProp		Frame	✔	○	○	○	○	○	○	○	○	○	○	○	○

Find the latest update of the application
overview on our website: www.buzzi.space

APPLICATION
OVERVIEW METAL

Solid Materials

- ☐ Not possible
☒ Possible

Product		Powder Coated Metal										Galvanized Steel	Uncoated Aluminum	Brass
		Black RAL 9005	Alu RAL 9006	White RAL 9010	Umbra Grey RAL 7022	Fluo Orange RAL 2005	Fluo Yellow RAL 1016	Beige Red RAL 3012	Gold	Signal Grey RAL 7004	Black Green RAL 6012			
BuzziRing	Frame	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziScreen	Foot	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShade	Frame	☒	☐	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShade Square	Frame	☒	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShade Standing	Frame	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShield Desk	Fix	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShield Free	Foot	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziShield Light	Frame	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziSpark	Frame	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTemp	Frame	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTent	Deco Ridge	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTent Light	Ceiling Canopy	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	Ridge Connector	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTotem	Baseplate	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTripl Desk		☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTripl Desk Split		☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTripl Wrap Desk		☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTrom		☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziTube	Frame	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziVault	Deco Spine	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziVault Light	Ceiling Canopy	☒	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziVille	Brackets	☐	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
	Support	☒	☒	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
BuzziZepp Light	LED Line	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Find the latest update of the application
overview on our website: www.buzzi.space

METAL

Powder Coated Metal

 Black RAL 9005	 Alu RAL 9006	 White RAL 9010	 Umbra Grey RAL 7022	 Fluo Orange RAL 2005	 Beige Red RAL 3012	 Fluo Yellow RAL 1016
 Gold	 Signal Grey RAL 7004	 Black Green RAL 6012				

Properties Fine-textured powder coated steel or aluminum with a mat look.
Maintenance Clean as needed using a soft cloth or brush with a mild detergent.
Avoid steam cleaning, abrasive cleansers, carbon steel brushes/wools and cleaners containing chlorine.



Index

BuzziBack — 22
BuzziBlox — 24
BuzziBrickBack — 28
BuzziBrickBack
Architectural — 30
BuzziDish — 32
BuzziDonut — 34
BuzziFold — 36
BuzziKey Soft — 38
BuzziLand — 40
BuzziMood — 42
BuzziPebl — 44
BuzziPixl — 46
BuzziPlate — 48
BuzziPleat — 50
BuzziReForm — 52
BuzziSkin — 54
BuzziSkin Printed — 56
BuzziTab Soft — 58
BuzziTile — 61
BuzziBlox — 66
BuzziChicle — 70
BuzziCloud — 72
BuzziDish — 74
BuzziDonut — 76
BuzziFold — 78
BuzziGrid — 80
BuzziLand — 82
BuzziLoose — 84
BuzziPebl — 86
BuzziPleat — 88
BuzziTube — 90
BuzziTube Square — 92
BuzziZepp — 94
BuzziBurner — 98
BuzziChicle Light — 100
BuzziChip — 105
BuzziCone — 108
BuzziDisk — 110
BuzziDome — 112
BuzziHat — 115
BuzziJet — 119
BuzziJet Square — 123
BuzziJet Standing — 126

BuzziLight Mono — 128
BuzziMoon — 131
BuzziPebl Light — 134
BuzziPleat Light — 137
BuzziProp — 140
BuzziShade — 145
BuzziShade Square — 149
BuzziShade Standing — 152
BuzziShield Light — 155
BuzziShroom — 158
BuzziSol LED — 160
BuzziSol Retrofit — 164
BuzziSurf — 166
BuzziTrom — 170
BuzziZepp Light — 172
BuzziBooth — 178
BuzziBracks — 180
BuzziBrella — 186
BuzziCocoon — 188
BuzziHood — 190
BuzziHub — 192
BuzziChicle — 194
BuzziNest — 196
BuzziRing — 204
BuzziTripl Cockpit — 206
BuzziVille — 208
BuzziBlinds — 216
BuzziBlinds Classic — 218
BuzziCactus — 220
BuzziChicle Planter — 222
BuzziFalls — 224
BuzziFalls Standing — 228
BuzziFree — 232
BuzziKnit Planter — 234
BuzziPlanter — 236
BuzziScreen — 240
BuzziScreen Mix — 242
BuzziShield Free — 244
BuzziShield Hook — 246
BuzziTotem — 248
BuzziTripl Home — 250
BuzziTwist — 252
BuzziDesk — 256
BuzziDesk FlipFlop — 258

BuzziDesk Split — 260
BuzziFrontDesk — 262
BuzziReDesk — 264
BuzziShield Desk — 266
BuzziTripl Desk — 268
BuzziTripl Desk Split — 270
BuzziTripl Wrap Desk — 272
BuzziWrap Desk — 274
BuzziWrap FrontDesk — 276
BuzziBalance — 280
BuzziBrella — 282
BuzziCane — 284
BuzziCee — 286
BuzziCube — 289
BuzziDee — 292
BuzziFloat — 294
BuzziK — 296
BuzziKnit Pouf Round — 298
BuzziKnit Pouf Square — 300
BuzziMe — 302
BuzziMilk — 304
BuzziNordic ST100 — 306
BuzziPuzzle — 308
BuzziQ — 310
BuzziSpark — 313
BuzziSpot — 318
BuzziBreeze — 322
BuzziHug Work — 324
BuzziJungle — 326
BuzziMilk Table — 328
BuzziNordic ST400 — 330
BuzziNordic ST600 — 332
BuzziPicNic — 334
BuzziPicNic Round — 340
BuzziTemp — 342
BuzziVille — 344
BuzziBox — 352
BuzziBox Travel — 354
BuzziMirage — 356
BuzziPlank — 358
BuzziRugs — 360

Publisher

Responsible Editor
BuzziSpace
Italiëlei 8
BE-2000 Antwerp
Marketing Department

Editorial
Astrid de Chaffoy
Mallory Chin
Els Kerckhof
Romina Rico
Beata Kwasnica

Concept
MediaComm

Photography
Aleš Jungman
Amit Goshier
Andrea Bartoluccio
Andrei Tudoran
Benny Chan
Bettina Therese Interior
Christine Strub
Colin Robertson
Connie Zhou
Eric Laigne
Felix Meyer
Frederike Heim
Kim Rodgers
Koy + Winkel
Leon Hargreaves
Lindsay Hale
Luis Pena
Marek Sikora
Martin Steinkellner
MHK Photography
Office in
Oliver Heissner
Pami
Paul Ott
Peter Margis
Roar
Simon Van Ranst
Thomas Pitterle
Todd Manson
Tom Kurek

Contact

BuzziSpace HQ
Italiëlei 8
2000 Antwerp
Belgium
info@buzzi.space
+32 3 846 10 00

**Office | Manufacturing
The Netherlands**
Industrieweg 7a
5531 AD Bladel
The Netherlands
manufacture@buzzi.space
+31 497 387 478

Sh’Office New York
45 West 21st Street - 3rd floor
NY 10010
USA
us@buzzi.space
+1 336 821 3150

Sh’Office Chicago
222 Merchandise Mart Plaza Suite
10-111
Chicago, IL 60651
USA
us@buzzi.space
+1 336 821 3150

Sh’Office London
The Record Hall, Suite G06
16A Baldwin’s Gardens
London EC1N 7RJ
London +44 7366 564449
South +44 7803 056677
North & IE +44 7900 383323

Showroom Milan
BuzziSpace Showroom Milan
31 Via Tortona
Milan 20144
+39 3474001093

Worldwide BuzziSpace sales network: www.buzzi.space

For any updates, please refer to the online version of the BuzziSpace catalog via www.buzzi.space. The online version will take precedence.

