
BuzziNordic ST100

Product Specification Sheet

This document contains technical
information about the BuzziNordic ST100



www.buzzi.space

Lounge chair with Nordic heritage

The timeless look of Scandinavian furniture inspired the BuzziNordic Series.

Model ST101 is a sleek armchair with a vintage look. The Nordic-inspired armchairs are also available in Memphis-style colors that pop out of the room. This Italian design trend from the eighties is back and we love it. Primary colors like red, blue, yellow, white and green are a must in every office.

The homey feel of the armchairs is an ideal match for new BuzziSpace fabrics from Kvadrat. Discover the magic!

Design by Ståffan Thomasen

General

 ST101 | ST102 | ST103 | ST111 | ST101 Ottoman | ST111 Ottoman | ST101 FootStool

 Legs in Wood
Upholstered in fabric or leather

 Dry use

Content

Configurations	3
Fabrics	6
Finishes	9
Dimensions	10

Configurations

BuzziNordic ST101


Legs in Ash Natural, Ash Black Stained, ~~Ash White Wash~~, Walnut, Oak, Ash White Lacquered



Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal



L 78 cm W 71,5 cm H 81 cm
L 30.71" W 28.15" H 31.89"



BuzziNordic ST102


Legs in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak



Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal



L 78 cm W 128,5 cm H 81 cm
L 30.71" W 50.59" H 31.89"



BuzziNordic ST103


Legs in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak



Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal



L 78 cm W 185,5 cm H 81 cm
L 30.71" W 73.03" H 31.89"




BuzziNordic ST111

Legs in Ash Black Stained, Ash White Wash, Walnut

🌲 Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal

✂ L 86,5 cm W 78 cm H 81 cm
L 34.06" W 30.71" H 31.89"




BuzziNordic ST101 Ottoman

Legs in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak

🌲 Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal

✂ L 65 cm W 65 cm H 42 cm
L 25.59" W 25.59" H 16.54"




BuzziNordic ST111 Ottoman

Legs in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak

🌲 Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal

✂ L 80 cm W 65 cm H 42cm
L 31.50" W 25.59" H 16.54"



BuzziNordic ST101 Footstool


Legs in Ash Natural, Ash Black Stained, Ash White Wash, Walnut, Oak



Upholstered in Fabric, Trevira CS, Reflect, Revive 1, Clara 2, Remix 3, Velvet, Hero 2, Tonus 4, Arda Memory 2 or Leather Vegetal




L 65 cm W 42 cm H 42 cm
L 25.59" W 16.54" H 16.54"



Fabrics

Fabric (45 colors)



Category A

Composition 70% Recycled Wool, 25% Recycled Polyacryl,
5% Recycled Other Fabrics

Weight 405 g/m² | 11.94 oz/yd²

Abrasion resistance 40.000 Martindale, 50,000 Wyzenbeek

Flammability EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).
EN 1021.2/2006 | BS EN 1021.2/2006 (match)
USA: CAL TB 117 | ASTM E84 CLASS A


Fastness to light EU: 4 | USA 4

Fastness to rubbing EU: Wet 3-4 | Dry 4-5

Fastness to crocking USA: Wet 5 | Dry 5



Trevira CS (47 colors)



Category A

Weight 420 g/m² | 12.39 oz/yd²

Composition 100% Polyester, Trevira CS

Abrasion resistance 100.000 Martindale, 90,000 Wyzenbeek

Flammability BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |
IMO Res. A652 (16)


Fastness to light EU: 6 | USA 5

Fastness to rubbing EU: Wet 4-5 | Dry 4-5

Fastness to crocking USA: Wet 5 | Dry 5



Reflect (34 colors)



Category A

Weight 430 g/m² | 13.78 oz/yd²

Composition 100% Post-consumer recycled polyester

Abrasion resistance 100.000 Martindale

Flammability AS/NZS 3837 class 1 | ASTM E84 Class A Unadhered

ASTM E84 Class B Adhered | BS 5852 crib 5 with treatment

BS 5852 part 1 with treatment | EN 1021-1/2 | US Cal. Bull. 117-2013

Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing EU: Wet 5-5 | Dry 5-5


Pilling Note 4, EN ISO 12945



kvadrat

Revive 1 (25 colors)

kvadrat



Category A

Composition 100% recycled polyester FR

Weight 430 g/lin.m

Abrasion resistance 60.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
UNI 9175 1IM | US Cal. Tech. Bull. 117
IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 5, wet 4-5

Pilling Note 4-5, EN ISO 12945



Clara 2 (24 colors)

kvadrat



Category B

Composition 92% new wool, 8% nylon

Weight 400 g/lin.m

Abrasion resistance 80.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E
NFPA 260 | IMO A.652(16)

Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Remix 3 (73 colors)

kvadrat



Category B

Composition 90% new wool, 10% nylon

Weight 415 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013
NFPA 260 | IMO FTP Code 2010:Part 8


Fastness to light Note 5-7, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4

Pilling Note 4, EN ISO 12945



Velvet (12 colors)



Category B

Composition 100% PES

Weight 375 g/m² | 11.06 oz/yd²

Abrasion resistance > 100.000 Martindale


Fastness to light EU: 4-5

Fastness to rubbing EU: Wet 4 | Dry 4-5

Pilling EU: 4-5

Hero 2 (33 colors)

kvadrat



Category C

Composition 97% new wool, 3% nylon

Weight 580 g/lin.m

Abrasion resistance 45.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B2 | NF D 60 013
UNI 9175 1IM | US Cal. Bull. 117-2013 | NFPA 260
IMO A.652 (16)

Fastness to light Note 5-6, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 3-4, EN ISO 12945



Tonus 4 (47 colors)

kvadrat



Category D

Composition 90% new wool, 10% Helanca

Weight 665 g/lin.m

Abrasion resistance 100.000 Martindale rubs, EN ISO 12947

Flammability EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2
Önorm B1/Q1 | NF D 60 013 | UNI 9175 1IM
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

Fastness to light Note 5-7, ISO 105-B02


Fastness to rubbing (ISO) dry 3-5, wet 3-5

Pilling Note 3, EN ISO 12945



Arda (12 colors)

kvadrat



Category E

Composition 70% new wool 21% polyester 9% nylon

Weight 800 g/lin. m | 25.8 oz/ly

Abrasion resistance

Approx. 50.000 Martindale rubs, EN ISO 12947

Flammability ASTM E84 Class A Unadhered | AS/NZS 3837 class 2 | BS 5852 part 1
BS 5852 crib 5 | DIN 4102 B2 | EN 1021-1/2 | IMO FTP Code 2010 Part 8
UNI 9175 1IM | US Cal. Bull. 117-2013

Fastness to light Note 5-8, ISO 105-B02

Fastness to rubbing Dry note 3-5 ISO 105-X12


Wet note 3-5 ISO 105-X12

Pilling Note 4, EN ISO 12945



Memory 2 (20 colors)

kvadrat



Category E

Composition 100% Trevira CS

Weight 700 g/lin.m

Abrasion resistance

35.000 rubs acc. to the Martindale method, EN ISO 12947

Flammability EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1
NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M
UNI 9177 classe 1 | US Cal. Tech. Bull. 117
IMO A.652 (16)

Fastness to light Note 5-8, ISO 105-B02

Fastness to rubbing (ISO) dry 4-5, wet 4-5

Pilling Note 4, EN ISO 12945



Leather Vegetal (2 colors)



Raw material Scandinavian Bullhides

Surface Pure Aniline

Flammability EU: EN 1021.1 - BS5852 PART 1 (cigarette)
EN 1021.2 - BS5852 PART 1 (match)
USA: CAL TB 117

Fastness to light EU: 3 Blue Scale (72h exposition)

Fastness to rubbing EU: Wet: 20 cycles/3 | Dry: 50 cycles/3
Sweat: 20 cycles/3

Strenght Tear resistance: >20N or 10N/mm thickness
Tensile: >20N/mmq
Elongation: 40-70%

Finishes

Wood



Ash Natural



Ash Black Stained



Ash WhiteWash



Walnut




Oak






Ash White Lacquered

Dimensions




Nordic ST101






Nordic ST102






Nordic ST103






Nordic ST111



Nordic ST101 Ottoman



Nordic ST111 Ottoman



Nordic ST101 Footstool

