BuzziTripl Desk Split
Product Specification Sheet

This document contains technical information about the BuzziTripl Desk Split

BUZZI SPACE

www.buzzi.space



Three for two
Meet this desk partition made of 3 layers of felt that divides any desk into 2 workstations.
Not only is BuzziTripl Desk Split ideal for dividing a communal table and creating private and individual workstations, its noise-reducing capabilities will also help employees to improve their much-needed focus.

Design by BuzziSpace Studio

General

- BuzziTripl Desk Split
- Outside layers: BuzziFelt 6 mm I 0.24" (both sides)
  Core: Furniture Felt 6 mm I 0.24"
- Dry use
- Flat Packed
  Desk mounted
- 2 shapes: round corners or wedge

Acoustics


Absorption


Diffusion


Attenuation


Mid tone


High tone

Certifications

Content

Configuration	3
Shapes	3
Fixes	3
Fabrics	4
Dimensions	5
Acoustics	9

Configurations



BuzziTripl Desk Split

Outside layers: BuzziFelt 6 mm I 0.24" (both sides)
Core: Furniture Felt 6 mm I 0.24"

3,75 kg/m2 | 0.77 lbs/ft²

2 shapes: round corners or wedge

Shapes

Round Corners



Wedge



Fixes **(included)**

Fixes are available in powder coated metal Black (RAL 9005) or White (RAL 9010)

Fix Foot **(top)**



Two antiskid pads underneath the fix



Split Fix **(underneath)**





Fabrics

Felt (15 colors)



Composition 100% Recycled P.E.T. Felt, latex backing
Weight 1.000 g/m2 | 29.49 oz/yd2
Abrasion resistance >7.000 Martindale
Flammability EU: EN 13501.1 + A1/2009 Class B-s1,d0
USA: ASTM E84 Class A certified
Bottle, Mustard, Mint, Nude: USA: ASTM E85 Class C Certified
Fastness to light USA 5

*Not available in Ecobrown 58

Dimensions

Round Corners



Thickness



	A	B	C
S	**40 cm | 15.75″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72
M	**45 cm | 17.72″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″
L	**50 cm | 19.69″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″
XL	**55 cm | 21.65**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″

Worktop Thickness	D	
12 > 28 mm | 0.47″ > 1.10″	4,1 cm | 1.61″	Fix included
29 > 42 mm | 1.14″ > 1.65″	5,7 cm | 2.24″	Fix included
43 > 56 mm | 1.69″ > 2.20″	7,1 cm | 2.80″	Fix included

Wedge



Thickness



	A	B	C
S	**40 cm | 15.75″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72
M	**45 cm | 17.72″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″
L	**50 cm | 19.69″**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″
XL	**55 cm | 21.65**	45 cm | 17.72″	25 cm | 9.84″
			45 cm | 17.72″
		65 cm | 25.59″	25 cm | 9.84″
			45 cm | 17.72″

Worktop Thickness	D	
12 > 28 mm | 0.47″ > 1.10″	4,1 cm | 1.61″	Fix included
29 > 42 mm | 1.14″ > 1.65″	5,7 cm | 2.24″	Fix included
43 > 56 mm | 1.69″ > 2.20″	7,1 cm | 2.80″	Fix included

Tabletop Fix Requirement



Worktop Thickness	D	
12 > 28 mm | 0.47″ > 1.10″	4,1 cm | 1.61″	Fix included
29 > 42 mm | 1.14″ > 1.65″	5,7 cm | 2.24″	Fix included
43 > 56 mm | 1.69″ > 2.20″	7,1 cm | 2.80″	Fix included

Fix Foot



Split Fix



Acoustics

BuzziTripl Desk Split

Equivalent sound absorption area in m² per object



Hz	234x62,5 cm Aeq/m²	254x62,5 cm Aeq/m²	274x62,5 cm Aeq/m²
125	0,60	0,73	0,86
250	0,65	0,79	0,94
500	0,90	1,10	1,30
1000	1,09	1,34	1,58
2000	1,36	1,66	1,96
4000	1,56	1,90	2,25