


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

**NOTES:**


- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

**KEY PLAN**



FOR CONTINUATION REFER TO BDP 2

| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | NA | PG   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | NA | IM   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |      |      |                                    |
| F   |          |    |      |      |                                    |



CLIENT

**CAPITAL ESTATE DEVELOPMENTS**

**DENMAN PROSPECT ESTATE**  
STAGE 1A

CONSULTANTS

**SPACELAB** CONSULTING  
**calibre** CONSULTING

DRAWING TITLE

**BLOCK DETAILS PLAN**  
SHEET 1 OF 16

DRAWING NUMBER

13-1032 BDP1A.1

AMEND.

D



# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



| REV | DATE     | BY | CHECKED | APPROVED | DESCRIPTION                        |
|-----|----------|----|---------|----------|------------------------------------|
| 1   | 18.03.15 | NA | PG      | JE       | FOR COMMENT                        |
| 2   | 02.04.15 | NA | PG      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 3   | 20.04.15 | NA | IM      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 04.11.15 | NA | PG      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| DRAWING TITLE   |  | BLOCK DETAILS PLAN |  |
|                 |  | SHEET 2 OF 16      |  |
| DRAWING NUMBER  |  | AMEND.             |  |
| 13-1032 BDP1A.2 |  | D                  |  |

FOR CONTINUATION REFER TO BDP 5

FOR CONTINUATION REFER TO BDP 1

FOR CONTINUATION REFER TO BDP 3



# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


### NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

### KEY PLAN



| REV | DATE     | BY | CHKD | APPROV | DESCRIPTION                        |
|-----|----------|----|------|--------|------------------------------------|
| A   | 18.03.15 | PG | JE   | JE     | FOR COMMENT                        |
| B   | 02.04.15 | PG | JE   | JE     | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.15 | IM | JE   | JE     | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.15 | PG | JE   | JE     | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

DRAWING TITLE  
BLOCK DETAILS PLAN  
SHEET 3 OF 16

DRAWING NUMBER  
13-1032 BDP1A.3

AMEND.  
D

FOR CONTINUATION REFER TO BDP 4

FOR CONTINUATION REFER TO BDP 4

FOR CONTINUATION REFER TO BDP 2




# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN




FOR CONTINUATION REFER TO BDP 10

FOR CONTINUATION REFER TO BDP 5

FOR CONTINUATION REFER TO BDP 3

| REV | DATE     | BY | CHECKED | APPROVED | DESCRIPTION                        |
|-----|----------|----|---------|----------|------------------------------------|
| 1   | 18.03.19 | JE | JE      | JE       | FOR COMMENT                        |
| 2   | 02.04.19 | JE | JE      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 3   | 20.04.19 | JE | JE      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 04.11.19 | JE | JE      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| DRAWING TITLE   |  | BLOCK DETAILS PLAN |  |
|                 |  | SHEET 4 OF 16      |  |
| DRAWING NUMBER  |  | AMEND.             |  |
| 13-1032 BDP1A.4 |  | D                  |  |


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| 1   | 18.03.15 | JE | JE   | JE   | FOR COMMENT                        |
| 2   | 02.04.15 | JE | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| 3   | 20.04.15 | JE | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 04.11.15 | JE | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

DRAWING TITLE  
BLOCK DETAILS PLAN  
SHEET 5 OF 16

DRAWING NUMBER  
13-1032 BDP1A.5

AMEND.  
D



# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | NA | PG   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | NA | IM   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |      |      |                                    |
| F   |          |    |      |      |                                    |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CONCRETE  
CREATING TIMELESS PLACES

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| DRAWING TITLE   |  | BLOCK DETAILS PLAN |  |
|                 |  | SHEET 6 OF 16      |  |
| DRAWING NUMBER  |  | AMEND.             |  |
| 13-1032 BDP1A.6 |  | D                  |  |

FOR CONTINUATION REFER TO BDP 12

FOR CONTINUATION REFER TO BDP 1




# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.


## KEY PLAN



FOR CONTINUATION REFER TO BDP 8

FOR CONTINUATION REFER TO BDP 9

| REV | DATE     | BY | CHECKED | APPROVED | DESCRIPTION                        |
|-----|----------|----|---------|----------|------------------------------------|
| A   | 18.03.19 | PG | JE      | JE       | FOR COMMENT                        |
| B   | 02.04.19 | PG | JE      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | IM | JE      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | NA | PG      | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |         |          |                                    |
| F   |          |    |         |          |                                    |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING


|                 |  |                    |  |
|-----------------|--|--------------------|--|
| DRAWING TITLE   |  | BLOCK DETAILS PLAN |  |
|                 |  | SHEET 7 OF 16      |  |
| DRAWING NUMBER  |  | AMEND.             |  |
| 13-1032 BDP1A.7 |  | D                  |  |

# LEGEND


- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:


- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.



## KEY PLAN



| REV | DATE     | BY | CHKD | APPROVED | DESCRIPTION                        |
|-----|----------|----|------|----------|------------------------------------|
| 1   | 18.03.19 | NA | PG   | JE       | FOR COMMENT                        |
| 2   | 02.04.19 | NA | PG   | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 3   | 20.04.19 | NA | IM   | JE       | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 04.11.19 | NA | PG   | JE       | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

|                    |        |
|--------------------|--------|
| DRAWING TITLE      |        |
| BLOCK DETAILS PLAN |        |
| SHEET 8 OF 16      |        |
| DRAWING NUMBER     | AMEND. |
| 13-1032 BDP1A.8    | D      |

FOR CONTINUATION REFER TO BDP 9

FOR CONTINUATION REFER TO BDP 7




# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN




FOR CONTINUATION REFER TO BDP 8

FOR CONTINUATION REFER TO BDP 10

FOR CONTINUATION REFER TO BDP 7

| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | PG | JE   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | PG | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | IM | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | PG | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

|                 |  |                    |  |
|-----------------|--|--------------------|--|
| DRAWING TITLE   |  | BLOCK DETAILS PLAN |  |
|                 |  | SHEET 9 OF 16      |  |
| DRAWING NUMBER  |  | AMEND.             |  |
| 13-1032 BDP1A.9 |  | D                  |  |


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



| REV | DATE     | BY  | CHECKED | APPROVED | DESCRIPTION                        |
|-----|----------|-----|---------|----------|------------------------------------|
| 1   | 18.03.19 | JJE | JJE     | JJE      | FOR COMMENT                        |
| 2   | 02.04.19 | JJE | JJE     | JJE      | UPDATES MADE AS PER CLIENTS REVIEW |
| 3   | 20.04.19 | JJE | JJE     | JJE      | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 04.11.19 | JJE | JJE     | JJE      | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

**CAPITAL ESTATE DEVELOPMENTS**

**DENMAN PROSPECT ESTATE**  
STAGE 1A

CONSULTANTS

**SPACELAB** CREATING TIMELESS PLACES  
**calibre** CONSULTING

|                    |        |
|--------------------|--------|
| DRAWING TITLE      |        |
| BLOCK DETAILS PLAN |        |
| SHEET 10 OF 16     |        |
| DRAWING NUMBER     | AMEND. |
| 13-1032 BDP1A.10   | D      |


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:


- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



FOR CONTINUATION REFER TO BDP 13

FOR CONTINUATION REFER TO BDP 14




FOR CONTINUATION REFER TO BDP 10

FOR CONTINUATION REFER TO BDP 12

FOR CONTINUATION REFER TO BDP 5

| FIRST | DESIGN | DRAWN | CHECK | APPROVED | DATE     | AMENDMENT DETAILS                  |
|-------|--------|-------|-------|----------|----------|------------------------------------|
| A     | NA     | PG    | JE    | JE       | 18.03.15 |                                    |
| B     | NA     | PG    | JE    | JE       | 18.03.15 | FOR COMMENT                        |
| C     | NA     | PG    | JE    | JE       | 02.04.15 | UPDATES MADE AS PER CLIENTS REVIEW |
| D     | NA     | IM    | JE    | JE       | 20.04.15 | UPDATES MADE AS PER CLIENTS REVIEW |
| E     | NA     | PG    | JE    | JE       | 04.11.15 | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING











DRAWING TITLE  
BLOCK DETAILS PLAN  
SHEET 11 OF 16

DRAWING NUMBER  
13-1032 BDP1A.11

AMEND.  
D




# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
-  SINGLE DWELLING DRIVEWAY
-  FOOTPATHS
-  INDICATIVE TREE LOCATION
-  COMBINED SERVICE EASEMENT 3.5m WIDE
-  BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
-  CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
-  BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
-  BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
-  FENCING BY DEVELOPER
-  NO SECONDARY DRIVEWAY PERMITTED

### NOTES:


- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

### KEY PLAN



FOR CONTINUATION REFER TO BDP 14


FOR CONTINUATION REFER TO BDP 15



FOR CONTINUATION REFER TO BDP 11

FOR CONTINUATION REFER TO BDP 6

| REV | DATE     | BY | CHKD | APPV | DETAILS                            |
|-----|----------|----|------|------|------------------------------------|
| 1   | 18.03.15 | NA | PG   | JE   | AMENDMENT DETAILS                  |
| 2   | 18.03.15 | NA | PG   | JE   | FOR COMMENT                        |
| 3   | 02.04.15 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| 4   | 20.04.15 | NA | IM   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| 5   | 04.11.15 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT



**CAPITAL ESTATE**  
DEVELOPMENTS

**DENMAN PROSPECT**  
ESTATE  
STAGE 1A

CONSULTANTS



**SPACELAB**  
CREATING TIMELESS PLACES

**calibre**  
CONSULTING

DRAWING TITLE

**BLOCK DETAILS PLAN**  
SHEET 12 OF 16

DRAWING NUMBER

13-1032 BDP1A.12

AMEND.

**D**



# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED

## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN




FOR CONTINUATION REFER TO BDP 9

FOR CONTINUATION REFER TO BDP 14

FOR CONTINUATION REFER TO BDP 10

FOR CONTINUATION REFER TO BDP 11

| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.15 | PG | JE   | JE   | FOR COMMENT                        |
| B   | 02.04.15 | PG | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.15 | IM | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 28.04.15 | IM | JE   | JE   | BLOCK AREA B26 S21 AMENDED         |
| E   | 04.11.15 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |



CLIENT

**CAPITAL ESTATE DEVELOPMENTS**











DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

**SPACELAB** CONSULTING  
**calibre** CONSULTING

|                  |  |                    |  |
|------------------|--|--------------------|--|
| DRAWING TITLE    |  | BLOCK DETAILS PLAN |  |
|                  |  | SHEET 13 OF 16     |  |
| DRAWING NUMBER   |  | AMEND.             |  |
| 13-1032 BDP1A.13 |  | E                  |  |


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
-  SINGLE DWELLING DRIVEWAY
-  FOOTPATHS
-  INDICATIVE TREE LOCATION
-  COMBINED SERVICE EASEMENT 3.5m WIDE
-  BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
-  CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
-  BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
-  BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
-  FENCING BY DEVELOPER
-  NO SECONDARY DRIVEWAY PERMITTED

## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN




FOR CONTINUATION REFER TO BDP 13

FOR CONTINUATION REFER TO BDP 11

FOR CONTINUATION REFER TO BDP 12

FOR CONTINUATION REFER TO BDP 15

| REV | DATE     | BY | CHKD | APPV | DETAILS                            |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | NA | PG   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | NA | IM   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |      |      |                                    |
| F   |          |    |      |      |                                    |



CLIENT



**CAPITAL ESTATE DEVELOPMENTS**

**DENMAN PROSPECT ESTATE**  
STAGE 1A

CONSULTANTS



**SPACELAB** CREATING TIMELESS PLACES  
**calibre** CONSULTING

|                           |        |
|---------------------------|--------|
| DRAWING TITLE             |        |
| <b>BLOCK DETAILS PLAN</b> |        |
| SHEET 14 OF 16            |        |
| DRAWING NUMBER            | AMEND. |
| 13-1032 BDP1A.14          | D      |





# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
- SINGLE DWELLING DRIVEWAY
- FOOTPATHS
- INDICATIVE TREE LOCATION
- COMBINED SERVICE EASEMENT 3.5m WIDE
- BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
- CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
- BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
- BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
- FENCING BY DEVELOPER
- NO SECONDARY DRIVEWAY PERMITTED


## NOTES:

- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | PG | JE   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | PG | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | IM | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | PG | JE   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |      |      |                                    |
| F   |          |    |      |      |                                    |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

DRAWING TITLE

BLOCK DETAILS PLAN  
SHEET 15 OF 16











DRAWING NUMBER

13-1032 BDP1A.15

AMEND.

D


# LEGEND

- 450m<sup>2</sup> BLOCK AREA (m<sup>2</sup>)
- 30.0 BLOCK DIMENSIONS
-  SINGLE DWELLING DRIVEWAY
-  FOOTPATHS
-  INDICATIVE TREE LOCATION
-  COMBINED SERVICE EASEMENT 3.5m WIDE
-  BLOCK REQUIRES UTILITY MAINTENANCE ACCESS EASEMENT  
Maintenance and emergency access routes are required where sewerage mains are located on leased land and buyers must comply with the requirements of Utility Providers by law. Contact Icon Water on (02) 6248 3111 or [talktous@iconwater.com.au](mailto:talktous@iconwater.com.au) for further information.
-  CORNER BLOCK  
Dwellings sited on corner blocks (or having two or more frontages) should present an attractive elevation on all frontages by providing window and articulation elements in wall planes facing both streets. Two storey buildings are encouraged.
-  BLOCK ADJACENT TO OPEN SPACE  
Corner blocks adjacent to the school site will not be permitted to have a secondary driveway crossing accessed from Road 03.
-  BUILDINGS LOCATED IN A DESIGNATED BUSHFIRE PRONE AREA ARE TO BE CONSTRUCTED IN ACCORDANCE WITH AS 3959-2009 (NATIONAL CONSTRUCTION CODE VOLUME 2, 3.7.4 BUSHFIRE AREAS)
-  FENCING BY DEVELOPER
-  NO SECONDARY DRIVEWAY PERMITTED

## NOTES:


- PLAN SUBJECT TO SURVEY- FINAL DIMENSIONS AREAS & BLOCK NUMBERS TO BE OBTAINED FROM DEPOSITED PLANS AND DISTANCES ARE IN METRES.
- CONTOUR INTERVAL IS 0.5m. CONTOURS REPRESENT PRELIMINARY DESIGN CONTOURS AND MAY BE SUBJECT TO CHANGE. LEVELS SHOULD BE VERIFIED BY LESSEES.
- POSITION OF HYDRAULIC & ELECTRICAL SERVICES TO BE CONFIRMED BY ENGINEERING PLANS.

## KEY PLAN



FOR CONTINUATION REFER TO BDP 15

| REV | DATE     | BY | CHKD | APPV | DESCRIPTION                        |
|-----|----------|----|------|------|------------------------------------|
| A   | 18.03.19 | NA | PG   | JE   | FOR COMMENT                        |
| B   | 02.04.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| C   | 20.04.19 | NA | IM   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| D   | 04.11.19 | NA | PG   | JE   | UPDATES MADE AS PER CLIENTS REVIEW |
| E   |          |    |      |      |                                    |
| F   |          |    |      |      |                                    |



CLIENT

CAPITAL ESTATE DEVELOPMENTS

DENMAN PROSPECT ESTATE  
STAGE 1A

CONSULTANTS

SPACELAB CREATING TIMELESS PLACES  
CALIBRE CONSULTING

|                  |  |                    |  |
|------------------|--|--------------------|--|
| DRAWING TITLE    |  | BLOCK DETAILS PLAN |  |
|                  |  | SHEET 16 OF 16     |  |
| DRAWING NUMBER   |  | AMEND.             |  |
| 13-1032 BDP1A.16 |  | D                  |  |