

RGH5

RESCUE HARNESS

The RGH5 is designed for use as a confined access harness. When used, the rescue strap keeps the operative in a near vertical position, which is preferred when recovering an unconscious casualty.

The front and rear attachment points can be used as standard fall arrest points. The rescue strap can be used for lifting and lowering, and also be used in certain fall arrest situations. High contrast stitching makes inspection easier. The addition of a flexible rear D pad provides additional comfort. The inclusion of easy slide shoulder buckles increases the speed and range of adjustment. Tail tidies allow for convenient and neat storage of excess webbing following adjustment. The way the harness has been designed minimises the amount of rigid webbing edges.

- / Front & rear attachment points
- / Rescue attachment point with hook and loop fastening
- / Tail tidies

Accredited to: EN 361:2002

EN 1497:2007

Web material: 45mm RIDGE Protect polyester*

Max user weight: 140kg (when the max. force on the user/anchor is

limited to <6kN)

Fittings: High tensile steel alloy Weight: 1.2kg standard buckles 1.4kg fast fit buckles

 * 14 times reduction in bacterial growth, according to ISO 20743:2013 contact with K.pneumoniae, commonly associated with healthcare infections such as E.coli











RGH5

FEATURES







Rip stitch indicators



Front attachment point



Rear attachment point



Tail tidies



Rescue strap



SIZE GUIDE

Correct sizing is essential to the safety and comfort of a safety harness. Use this table to help select the appropriate size and feel free to give us a call if you need any assistance.

Size	SMALL	STANDARD	LARGE	X-LARGE
A	36 - 42"	42 - 50"	50 - 54"	54 - 58"
Chest	91 - 107cm	107 - 127cm	127 - 137cm	137 - 147cm
B	30 - 36"	36 - 44"	44 - 48"	48 - 52"
Waist	76 - 91cm	91 - 112cm	112 - 122cm	122 - 132cm
C	38 - 44"	44 - 52"	52 - 56"	56 - 60"
Hips	97 - 112cm	112 - 132cm	132 - 142cm	142 - 152cm



