

LEVEL

Quinti®

Lounge armchair with generous, comfortable shapes and the absolute essentiality of the shapes. Entirely cold foamed – a workmanship that makes it a highly manufactured product – in the version with a four-spoke base it is equipped with a refined mechanism that allows it to be tilted into four different positions with controls housed entirely inside the seat, that is, no more levers on the sides but only elegant buttons that are easily maneuverable. Available in two different heights and with framework base (gold or black).

1



2



3



4



5



6



1. Armchair with low back framework gold base: L. 78 / P. 71 / H. 94
2. Armchair with high back framework gold base: L. 78 / P. 81 / H. 108
3. Armchair with low back base aluminum (or black): L. 78 / P. 71 / H. 94
4. Armchair with high back aluminum base (or black): L. 78 / P. 81 / H. 108
5. Armchair with high back and headrest: L. 78 / P. 82/H. 117/128 - 46/47 (based on 4 breeds)
6. Pouf 4 legs: L. 57 / P. 48 / H. 43

DIMENSIONS



STRUCTURE & PADDING

LEVEL is available with two different backrest heights and two types of base:

- 4-spoke swivel base in polished or black painted aluminum on feet
- 4 legs with gold or black painted metal trellis

Totally made of cold foamed polyurethane rubber with a thickness of 4 to 9 cm. and a density of 55 gr/l.

Inside the backrest, a metal skeleton supports the structure. The seat is equipped with Synchron Active Plus mechanics integrated into the underseat, allowing the seat to swing, elevate and lock in 4 positions when mounted on the rotating base.



Also available with 1IM Approved flame retardant rubbers

ACCESORIES

Gold or black painted metal framework base pouf
Large shaped headrest

Upholsteries

LASER

CATEGORY 2

560 gr/mtl
100% Poliestere FR
Classe 1
80.000+/- 10% cicli Maltindale

ECOPELLE

CATEGORY 2

630 g/lin.m
83% PVC 17% Sintetico
Classe 1
30.000 +/- 10% cicli Maltindale

JET

CATEGORY 3

365+/- 5% g/lin.m
100% Poliestere FR
Classe 1
80.000+/- 10% cicli Maltindale

ONE RECICLE

CATEGORY 3

525 gr/mt2
100% recycled poliester
CLASSE 1IM
100.000 CICLI

LYRA

CATEGORY 3

550 g/lin.m
100% Poliestere
Classe 1
60.000 +/- 10% cicli Maltindale

CHILI

CATEGORY 3

470 gr/mtl
100% post-consumer recycled polyester
- 60.000 +/- cicli Maltindale

DREAM

CATEGORY 3

375gr/mtl
100% Poliestere tinto in massa
melange effetto bouclè
OEKO TEST
Classe1 - 100.000 +/- cicli Maltindale

MELANGE

CATEGORY 3

390 g/lin.m
100% Trevira CS
Classe 1
80.000 +/- 10% cicli Maltindale

VELOURS

CATEGORY 3

611 gr/mtl
100% Poliestere
Oeko test
50.000 +/- 10% cicli Maltindale

ECOPELLE SOUL

CATEGORY 3

760 gr/mt2
Superficie 100% POLIURETANO,
Base Poliestere 85%,17% Cotone
EN1021-1/BS5852 PART 1
>100.000 EN ISO 5470-2

COCOON

CATEGORY 5

980 gr/mtl
43% viscosa 33% cotone 24% li-pl
35.000 +/- 10% cicli Maltindale

LANA

CATEGORY 5

500 gr/mt2
75% Lana, 25% poliammide
Classe 1
100.000 cicli Maltindale

GLAMOUR

CATEGORY 5

700 g/lin.m
100% Poliestere Recycled
EN 1021-1/2
80.000 % cicli Maltindale

TECHNICOLOUR kvadrat

CATEGORY 5

430 g/lin. M
100% new English wool, worsted
80.000 % cicli Maltindale
Ecolabel
Classe 1

MAIN LINE camira

CATEGORY 5

437 g/lin.m
75% Lana Vergine, 25% Lino
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

PELLE

CATEGORY 5/6

620 g/lin.m
100% Pelle bovina
Classe 1, EN 1021-1/2

PELLE PREMIUM UP/ELEGANCE

CATEGORY 7

100% Pelle bovina Primo fiore
Spessore 1,2/1,4 mm
EN1021-1/2

MONOCHROME SETT camira

CATEGORY 7

437 g/lin.m
75% Lana Vergine, 25% Lino
Classe 1, Ecolabel
50.000 +/- cicli Maltindale

BOUCLET ROBELLI

CATEGORY 7

860 g/lin.m
40% PC, 25%PL,20%VI, 15% CO
Classe 1, EN 1021-1/2
50.000 % cicli Maltindale

VELLUTO DECONTRACTE' ROBELLI

CATEGORY 7

590 g/lin.m
19% CO, 61% PC,10% PL, 10%VI
40.000 % cicli Maltindale

HORO IGER

CATEGORY 7

495 g/lin.m
44%PL 29%CO 24%JU 3%PC
30.000 % cicli Maltindale

PELLE SETA

CATEGORY 8

100% Pelle bovina SPESSORE1,8-2 mm
Primo fiore CONCIA ALL'ANILINA
EN1021-1/2

ZERO

CATEGORY 8

750g/lin.m
65% CO, 20% PAN, 15% PES
70.000 % cicli Maltindale

Disassembly

All products have been designed in such a way as to allow them to be disassembled at the end of their useful life, so that their parts and components can be reused, recycled, or recovered for energy purposes.

Warranty and Safety

QUINTI guarantees that the products will retain their characteristics for 6 years from delivery, except for normal wear and tear and provided that they are used in accordance with the instructions provided. QUINTI will replace any product found not to comply with this warranty at no cost, without incurring any other liability whatsoever. The warranty does not apply to components, external accessories, or materials supplied by the buyer and applied to the products for the purpose of customizing them. For optimal maintenance of the products and to preserve the characteristics of the materials with which they are made, a few simple precautions are necessary. **All chairs offered are SAFE in accordance with EU Regulations 2023/988 on general product safety (GPSR), reinforced by UNI EN certifications.**

The company shall not be held liable if the product is used improperly (standing on it or using it as a ladder, or swinging it in a way that could compromise its functioning and the user's safety). To lift or move the product, grasp it firmly by the supporting structure. The product must not be subjected to off-center loads; it is designed to be used under normal conditions, resting on its four legs or base.

Usage and Care

For optimal maintenance of the products and to preserve the characteristics of the materials they are made of, a few simple precautions are necessary.

FABRICS

Cleaning: please refer to the care and washing instructions provided in the fabric section of the color chart.

Use: it is recommended to take care when using them as they can be torn or cut.

LEATHERS

Cleaning: clean with a damp white cloth soaked in water only. Use high-quality leather cleaning products, carefully following the manufacturer's instructions. If in doubt, test the product on a hidden area to check the result, waiting at least 24 hours to see if any problems arise.

Use: please remember that leather is a delicate material, so care should be taken when using it.

METALS

Cleaning: both steel and aluminum metal surfaces, should be cleaned with a soft damp cloth soaked in warm water. For stubborn stains, you can dilute a small amount of mild liquid soap in water. Always dry after cleaning with a soft cloth or chamois leather. Do not use creams or pastes to clean steel, do not use chlorine, bleach, or other aggressive detergents. Do not use abrasive pastes, scouring pads, or abrasive sponges, as they may scratch metal surfaces.

Use: be careful with food stains such as coffee, cola, and fruit juice, which can leave permanent stains on surfaces.

WOODS

Cleaning: clean with a soft, damp cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquids or other residues to prevent absorption.

Use: wood surfaced, being a natural material, may undergo color changes over time with use and exposure to light.

Please note that wood cannot withstand direct heat sources on its surface.